

CODE COMPLIANCE

ALL WORK AND MATERIALS SHALL BE PERFORMED AND INSTALLED IN ACCORDANCE WITH THE CURRENT EDITIONS OF THE FOLLOWING CODES AS ADOPTED BY THE LOCAL GOVERNING AUTHORITIES. NOTHING IN THESE PLANS IS TO BE CONSTRUED TO PERMIT WORK NOT CONFORMING TO THESE CODES.

WASHINGTON BUILDING CODES AND STANDARDS:

1. 2021 INTERNATIONAL BUILDING CODE (IBC)

2. 2021 INTERNATIONAL RESIDENTIAL CODE (IRC)

3. 2021 WASHINGTON PLUMBING CODE

4. 2021 INTERNATIONAL MECHANICAL CODE

5. 2021 INTERNATIONAL FIRE CODE

6. 2021 WASHINGTON STATE ENERGY CODE

7. STATE BUILDING CODE AMENDMENTS

8. LOCAL CODES ADOPTION ORDINANCE

9. ANSI/EIA-TIA-222-H

NEW SITE BUILD

1C PACE ID:

WM ID:

USID:

FA CODE:

RFDS WOID #:

3804A1FG8V

WSWOR0043656

TBD

15567380

RFDS-37471

SITE NUMBER:

SITE NAME:

SITE TYPE:

ADDRESS:

PARCEL ID:

OL0794

TUMWATER CARLYON

UTILITY POLE / WUC

1601 NORTH STREET SE

OLYMPIA, WA 98501

8220-02-00104

PROJECT TEAM

APPLICANT / LESSEE:

NEW CINGULAR WIRELESS PCS, LLC ("AT&T")
19801 SW 72ND AVE., STE. 200
TUALATIN, OR 97062

CONSTRUCTION MANAGER:

CONTACT: RANDY MORRISON
EMAIL: rx191c@att.com
PH: (425) 492-6590

A&E MANAGER:

P. MARSHALL & ASSOCIATES
CONTACT: TRACY JONES
EMAIL: TJONES@pmass.com
PH: (919) 746-4248

PROPERTY OWNER:

NAME: LUTHERAN CHURCH OF THE
ADDRESS: GOD SHEPHERD
CITY, STATE, ZIP: 1601 NORTH STREET SE
OLYMPIA, WA 98501
PHONE: ----

PROJECT MANAGER:

CENTERLINE COMMUNICATIONS
CONTACT: KELLY LEA
EMAIL: klea@clinellc.com
PH: (503) 380-2717


SITE ACQUISITION:


CENTERLINE COMMUNICATIONS
CONTACT: PHILLIP KITZES
EMAIL: pkitzes@clinellc.com
PH: (206) 227-7445

ZONING:


CENTERLINE COMMUNICATIONS
CONTACT: PHILLIP KITZES
EMAIL: pkitzes@clinellc.com
PH: (206) 227-7445

VICINITY MAP





LOCAL MAP



PROJECT DESCRIPTION

PROPOSED SITE BUILD OF AN UNMANNED TELECOMMUNICATIONS FACILITY, CONSISTING OF THE FOLLOWING:

TOWER/ANTENNA SOW:

- INSTALLATION OF (12) AT&T PANEL ANTENNAS
- INSTALLATION OF (12) AT&T TMAS
- INSTALLATION OF (1) AT&T DC-3 SURGE SUPPRESSORS
- INSTALLATION OF (3) AT&T V-FRAME ANTENNA MOUNTS
- INSTALLATION OF (1) AT&T COLLAR MOUNTS W/(3) MOUNTING POSTS
- EQUIPMENT SOW:
 - INSTALLATION OF AN AT&T (16'-0" X 26'-0") (416 SQ. FT.) TELECOMMUNICATION LEASE AREA
 - INSTALLATION OF AN AT&T 17'-0" X 25'-0", 6'-0" HIGH CHAIN LINK FENCING W/ PRIVACY SLATS AND 1'-0" HIGH BARBED WIRE STRANDS (7'-0" HIGH TOTAL)
 - INSTALLATION OF (1) AT&T 3-BAY WALK-UP CABINET (WUC) ON CONCRETE PAD
 - INSTALLATION OF (1) AT&T 30KW DIESEL BACK-UP GENERATOR ON CONCRETE PAD
 - INSTALLATION OF (9) AT&T REMOTE RADIO HEADS (RRH'S)
 - INSTALLATION OF (12) AT&T DIPLEXERS
 - INSTALLATION OF (1) AT&T 200A AC POWER PANEL
 - INSTALLATION OF (1) AT&T VERTIV STD -48DC OUTDOOR NETSURE 5100 SYSTEM 525A POWER PLANT W/ (8) BATTERIES
 - INSTALLATION OF (1) METER & DISCONNECT ON (P) H-FRAME
 - INSTALLATION OF (1) "FAST" SOLUTION ON (P) H-FRAME
 - INSTALLATION OF (2) AT&T PORT HOLE HANGERS
 - INSTALLATION OF (1) AT&T DC POWER (WR-VG66ST-BRD) & (1) 24 PAIR (FB-198B-235) FIBER CABLE TRUNKS
 - INSTALLATION OF (1) AT&T DC50 SURGE SUPPRESSOR BOX
 - INSTALLATION OF (10) AT&T RECTIFIERS, (5) CONVERTERS
 - INSTALLATION OF (2) AT&T GENERIC G3/G4 BBU UNITS
 - INSTALLATION OF (1) AT&T GPS ANTENNA
 - INSTALLATION OF (1) AT&T TRAFFIC RATED HANDHOLES
 - INSTALLATION OF (24) 7/8" COAX

PROJECT AREA:

- 16'-0" X 26'-0" (416 SQ. FT.) LEASE AREA

SITE INFORMATION

JURISDICTION: CITY OF OLYMPIA

WIND LOADS: 103 MPH (3-SECOND GUST)

EXPOSURE CATEGORY: C

SEISMIC DESIGN CATEGORY: 1

FLOOD ZONE: ---

PARCEL ID #: 8220-02-00104

ZONING: R4-8 ZONE

LATITUDE (NAD 83): 47°00'59.21"N (47.01645°)

LONGITUDE (NAD 83): 122°52'52.06W (-122.88113°)

TOTAL LEASE AREA SF: ± (416 SQ. FT.)

BASE OF EXISTING STRUCTURE: ±0'-0"

TOP OF EXISTING STRUCTURE: ±36'-11"

TOP OF STRUCTURE WITH PROPOSED EXTENSION: ±

TOP OF EXISTING STRUCTURE WITH HIGHEST APPURTENANCE: ± 57'-0"

ACCESSIBILITY REQUIREMENTS: FACILITY IS AN UNMANNED EQUIPMENT SPACE NOT INTENDED FOR HUMAN HABITATION AND ONLY FREQUENTLY VISITED BY MAINTENANCE PERSONAL. ACCESSIBILITY IS NOT REQUIRED PER IBC 2021, SECTION 1103.2.9 (EQUIPMENT SPACES)

TOWER OWNER: PSE

POWER AGENCY: RPUGET SOUND ELECTRIC

TELCO PROVIDER: TBD

RFDS NAME: OL0794

ISSUE: 5/15/2024

RFDS VERSION: PRELIM

RFDS ID: RFDS-37471

UPDATED BY: EA1814

DATE/TIME UPDATED: 09/17/2025

GENERAL CONTRACTOR NOTES

DO NOT SCALE DRAWINGS

THESE PLANS ARE FORMATTED TO BE FULL SIZE AT 24" X 36". CONTRACTORS SHALL VERIFY ALL PLANS AND EXISTING DIMENSIONS AND CONDITIONS ON THE JOB SITE AND SHALL IMMEDIATELY NOTIFY THE ARCHITECT/ENGINEER IN WRITING OF ANY DISCREPANCIES BEFORE PROCEEDING WITH THE WORK OR MATERIAL ORDERS OR BE RESPONSIBLE FOR THE SAME.

CONSTRUCTION PATH FOR TRANSPORT FIBER/POWER PROVIDER FROM MEET ME POINT (MMP) TO PLANNED AT&T EQUIPMENT MAY BE ALTERED **ONLY** AT THE DISCRETION OF THE ASSIGNED AT&T CONSTRUCTION PROJECT MANAGEMENT (CPM).

HABITATION NOTE

THE FACILITY IS UNMANNED AND NOT FOR HUMAN HABITATION. A TECHNICIAN WILL VISIT THE SITE AS REQUIRED FOR ROUTINE MAINTENANCE. THE PROJECT WILL NOT RESULT IN ANY SIGNIFICANT DISTURBANCE OR EFFECT ON DRAINAGE; NO SANITARY SEWER SERVICE, POTABLE WATER, OR TRASH DISPOSAL IS REQUIRED AND NO COMMERCIAL SIGNAGE IS PROPOSED.

STATEMENTS

STRUCTURAL ANALYSIS IS NOT WITHIN THE SCOPE OF WORK CONTAINED IN THIS DRAWINGS SET. FOR ANALYSIS OF EXISTING AND/OR PROPOSED COMPONENTS, REFER TO STRUCTURAL ANALYSIS PROVIDED UNDER SEPARATE COVER.

ANTENNA MOUNT ANALYSIS IS NOT WITHIN THE SCOPE OF WORK CONTAINED IN THIS DRAWING SET. FOR ANALYSIS OF MOUNT TO SUPPORT EXISTING AND/OR PROPOSED COMPONENTS, REFER TO ANTENNA MOUNT STRUCTURAL ANALYSIS PROVIDED UNDER SEPARATE COVER.

DRIVING DIRECTIONS

DIRECTIONS FROM SEATTLE TACOMA AIRPORT:

1. TURN RIGHT ONTO INTERNATIONAL BLVD/PACIFIC HWY S 1.4 MI

2. TURN RIGHT ONTO S 192ND ST

3. TURN LEFT ONTO 28TH AVE S 0.4 MI

4. CONTINUE ONTO 26TH AVE S 0.4 MI

5. CONTINUE ONTO 24TH AVE S 325 FT

6. TURN LEFT ONTO THE RAMP TO STATE RTE 509 W 0.2 MI

7. CONTINUE ONTO STATE RTE 509 W (TOLL ROAD) 1.7 MI

8. MERGE ONTO I-5 S 7.7 MI

9. CONTINUE STRAIGHT TO STAY ON I-5 S 1.1 MI

10. CONTINUE STRAIGHT TO STAY ON I-5 S 34.3 MI

11. USE THE RIGHT LANE TO TAKE EXIT 105 TOWARD PORT OF OLYMPIA 0.6 MI

12. TURN LEFT ONTO HENDERSON BLVD SE 0.6 MI

13. AT THE TRAFFIC CIRCLE, CONTINUE STRAIGHT TO STAY ON HENDERSON BLVD SE 0.9 MI

14. AT THE TRAFFIC CIRCLE, CONTINUE STRAIGHT TO STAY ON HENDERSON BLVD SE 0.2 MI

15. AT THE TRAFFIC CIRCLE, CONTINUE STRAIGHT TO STAY ON HENDERSON BLVD SE 0.4 MI

16. TURN RIGHT

17. DESTINATION WILL BE ON THE LEFT

SHEET INDEX

T-1 TITLE SHEET

GN-1 GENERAL NOTES

GN-2 GENERAL NOTES

GN-3 SITE SIGNAGE

SU-1 SITE SURVEY

1A 1A CERTIFICATION

A-1 SITE PLAN

A-1.1 DEMO SITE PLAN

A-2 ENLARGED SITE PLAN & COMPOUND PLAN

A-3 ANTENNA, SCHEDULE, & EQUIPMENT PLAN

A-4 ELEVATIONS

A-5 ELEVATIONS

PREPARED FOR



AT&T

NEW CINGULAR WIRELESS PCS, LLC ("AT&T")
7670 S. CHESTER ST.
CENTENNIAL, CO 80112

Vendor:



PM&A

P. MARSHALL & ASSOCIATES
A CENTERLINE COMMUNICATIONS COMPANY
1000 HOLCOMB WOODS PKWY, STE 210
ROSWELL, GA 30076
OFFICE (678) 280-2325
PM&A ID: P-240996

Issued For:

OL0794

TUMWATER CARLYON

1601 NORTH STREET SE
OLYMPIA, WA 98501

PARCEL ID: 8220-02-00104

THE INFORMATION CONTAINED IN THE SET OF DRAWINGS IS PROPRIETARY & CONFIDENTIAL TO AT&T WIRELESS.

ANY USE OR DISCLOSURE OTHER THAN AS IT RELATES TO AT&T WIRELESS IS STRICTLY PROHIBITED

DRAWN BY: RT

CHECKED BY: KM

REV DATE BY DESCRIPTION

A 10/31/25 RT 90% ZD

THE CONTRACTOR SHALL INSTALL ALL EQUIPMENT AND MATERIALS IN ACCORDANCE WITH MANUFACTURES RECOMMENDATIONS AND SPEC'S, UNLESS SPECIFICALLY STATED OTHERWISE, THE MANUFACTURES EQUIPMENT INSTALLATION SPEC'S SHALL ALWAYS BE VERIFIED BY THE CONTRACTOR BEFORE INSTALLATION

Licensor:

Sheet Title:

TITLE SHEET

Sheet Number:

T-1

DIGALERT



811

Call 2 Full Working Days In Advance

1. PLANS ARE INTENDED TO BE DIAGNOSTIC OUTLINE ONLY, UNLESS NOTED OTHERWISE. THE WORK SHALL INCLUDE FURNISHING MATERIALS, EQUIPMENT, APPURTENANCES AND LABOR NECESSARY TO COMPLETE ALL INSTALLATIONS AS INDICATED ON THE DRAWINGS.
2. THE CONTRACTOR SHALL OBTAIN, IN WRITING, AUTHORIZATION TO PROCEED BEFORE STARTING WORK ON ANY ITEM NOT CLEARLY DEFINED OR IDENTIFIED BY THE CONTRACT DOCUMENTS.
3. CONTRACTOR SHALL CONTACT USA (UNDERGROUND SERVICE ALERT) AT (800) 227-2600, FOR UTILITY LOCATIONS, 48 HOURS BEFORE PROCEEDING WITH ANY EXCAVATION, SITE WORK OR CONSTRUCTION.
4. THE CONTRACTOR SHALL INSTALL ALL EQUIPMENT AND MATERIALS IN ACCORDANCE WITH MANUFACTURER'S RECOMMENDATIONS UNLESS SPECIFICALLY INDICATED OTHERWISE, OR WHERE LOCAL CODES OR REGULATIONS TAKE PRECEDENCE.
5. ALL CONSTRUCTION SHALL BE IN ACCORDANCE WITH THE IBC / UBC'S REQUIREMENTS REGARDING EARTHQUAKE RESISTANCE, FOR, BUT NOT LIMITED TO, PIPING, LIGHT FIXTURES, CEILING GRID, INTERIOR PARTITIONS, AND MECHANICAL EQUIPMENT. ALL WORK MUST COMPLY WITH LOCAL EARTHQUAKE CODES AND REGULATIONS.
6. REPRESENTATIONS OF TRUE NORTH, OTHER THAN THOSE FOUND ON THE PLOT OF SURVEY DRAWINGS, SHALL NOT BE USED TO IDENTIFY OR ESTABLISH BEARING OF TRUE NORTH AT THE SITE. THE CONTRACTOR SHALL RELY SOLELY ON THE PLOT OF SURVEY DRAWING AND ANY SURVEYOR'S MARKINGS AT THE SITE FOR THE ESTABLISHMENT OF TRUE NORTH, AND SHALL NOTIFY THE ARCHITECT / ENGINEER PRIOR TO PROCEEDING WITH THE WORK IF ANY DISCREPANCY IS FOUND BETWEEN THE VARIOUS ELEMENTS OF THE WORKING DRAWINGS AND THE TRUE NORTH ORIENTATION AS DEPICTED ON THE CIVIL SURVEY. THE CONTRACTOR SHALL ASSUME SOLE LIABILITY FOR ANY FAILURE TO NOTIFY THE ARCHITECT / ENGINEER.
7. THE BUILDING DEPARTMENT ISSUING THE PERMITS SHALL BE NOTIFIED AT LEAST TWO WORKING DAYS PRIOR TO THE COMMENCEMENT OF WORK, OR AS OTHERWISE STIPULATED BY THE CODE ENFORCEMENT OFFICIAL HAVING JURISDICTION.
8. DO NOT EXCAVATE OR DISTURB BEYOND THE PROPERTY LINES OR LEASE LINES, UNLESS OTHERWISE NOTED.
9. ALL EXISTING UTILITIES, FACILITIES, CONDITIONS, AND THEIR DIMENSIONS SHOWN ON THE PLAN HAVE BEEN PLOTTED FROM AVAILABLE RECORDS. THE ARCHITECT / ENGINEER AND THE OWNER ASSUME NO RESPONSIBILITY WHATSOEVER AS TO THE SUFFICIENCY OR THE ACCURACY OF THE INFORMATION SHOWN ON THE PLANS, OR THE MANNER OF THEIR REMOVAL OR ADJUSTMENT. CONTRACTORS SHALL BE RESPONSIBLE FOR DETERMINING EXACT LOCATION OF ALL EXISTING UTILITIES AND FACILITIES PRIOR TO START OF CONSTRUCTION. CONTRACTORS SHALL ALSO OBTAIN FROM EACH UTILITY COMPANY DETAILED INFORMATION RELATIVE TO WORKING SCHEDULES AND METHODS OF REMOVING OR ADJUSTING EXISTING UTILITIES.
10. CONTRACTOR SHALL VERIFY ALL EXISTING UTILITIES, BOTH HORIZONTAL AND VERTICALLY, PRIOR TO THE START OF CONSTRUCTION. ANY DISCREPANCIES OR DOUBTS AS TO THE INTERPRETATION OF PLANS SHOULD BE IMMEDIATELY REPORTED TO THE ARCHITECT / ENGINEER FOR RESOLUTION AND INSTRUCTION, AND NO FURTHER WORK SHALL BE PERFORMED UNTIL THE DISCREPANCY IS CHECKED AND CORRECTED BY THE ARCHITECT / ENGINEER. FAILURE TO SECURE SUCH INSTRUCTION MEANS CONTRACTOR WILL HAVE WORKED AT HIS/HER OWN RISK AND EXPENSE.
11. ALL NEW AND EXISTING UTILITY STRUCTURES ON SITE AND IN AREAS TO BE DISTURBED BY CONSTRUCTION SHALL BE ADJUSTED TO FINISH ELEVATIONS PRIOR TO FINAL INSPECTION OF WORK.
12. ANY DRAIN AND/OR FIELD TILE ENCOUNTERED / DISTURBED DURING CONSTRUCTION SHALL BE RETURNED TO ITS ORIGINAL CONDITION PRIOR TO COMPLETION OF WORK. SIZE, LOCATION AND TYPE OF ANY UNDERGROUND UTILITIES OR IMPROVEMENTS SHALL BE ACCURATELY NOTED AND PLACED ON "AS-BUILT" DRAWINGS BY GENERAL CONTRACTOR, AND ISSUED TO THE ARCHITECT / ENGINEER AT COMPLETION OF PROJECT.
13. ALL TEMPORARY EXCAVATIONS FOR THE INSTALLATION OF FOUNDATIONS, UTILITIES, ETC., SHALL BE PROPERLY LAID BACK OR BRACED IN ACCORDANCE WITH CORRECT OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION (OSHA) REQUIREMENTS.
14. INCLUDE MISC. ITEMS PER AT&T SPECIFICATIONS
15. IT IS A VIOLATION OF LAW FOR ANY PERSONS, UNLESS THEY ARE ACTING UNDER THE DIRECTION OF A LICENSED PROFESSIONAL ENGINEER, TO ALTER THIS DOCUMENT
16. ALL (N) CABLING AND EQUIPMENT MUST BE INSTALLED AND USED IN ACCORDANCE WITH THE PRODUCT'S INCLUDED INSTRUCTIONS, LISTING AND/OR LABELING REQUIREMENTS. PER NEC SECTION 110.3(B)
17. THE FACILITY IS UNMANNED AND NOT FOR HUMAN HABITATION. A TECHNICIAN WILL VISIT THE SITE AS REQUIRED FOR ROUTINE MAINTENANCE. THE PROJECT WILL NOT RESULT IN ANY SIGNIFICANT DISTURBANCE OR EFFECT ON DRAINAGE; NO SANITARY SEWER SERVICE, POTABLE WATER, OR TRASH DISPOSAL IS REQUIRED AND NO COMMERCIAL SIGNAGE IS PROPOSED.
18. PENETRATIONS SHALL BE FIRE-STOPPED AND OPENINGS SHALL BE PROTECTED THROUGH FIRE-RATED WALLS, FLOOR, ROOF AND CEILING ASSEMBLIES AS REQUIRED BY THE 2021 IBC CHAPTER 7.
19. STRUCTURAL ANALYSIS IS NOT WITHIN THE SCOPE OF WORK CONTAINED IN THIS DRAWINGS SET. FOR ANALYSIS OF EXISTING AND/OR PROPOSED COMPONENTS, REFER TO STRUCTURAL ANALYSIS PROVIDED BY PM&A UNDER SEPARATE COVER.
20. ANTENNA MOUNT ANALYSIS IS NOT WITHIN THE SCOPE OF WORK CONTAINED IN THIS DRAWING SET. FOR ANALYSIS OF MOUNT TO SUPPORT PROPOSED COMPONENTS, REFER TO ANTENNA MOUNT STRUCTURAL ANALYSIS PROVIDED BY PM&A UNDER SEPARATE COVER.
21. TOWER ANALYSIS TO BE CONDUCTED AND PROVIDED BY TOWER OWNER. FOR ANALYSIS OF EXISTING AND/OR PROPOSED COMPONENTS, REFER TO TOWER

1. SUBCONTRACTOR'S WORK SHALL COMPLY WITH ALL APPLICABLE NATIONAL, STATE, AND LOCAL CODES AS ADOPTED BY THE LOCAL AUTHORITY HAVING JURISDICTION (AHJ) FOR THE LOCATION.
2. THE EDITION OF THE AHJ ADOPTED CODES AND STANDARDS IN EFFECT ON THE DATE OF CONTRACT AWARD SHALL GOVERN THE DESIGN.
3. SUBCONTRACTOR'S WORK SHALL COMPLY WITH THE LATEST EDITION OF THE FOLLOWING STANDARDS:
 - 3.1. AMERICAN CONCRETE INSTITUTE (ACI) 318, BUILDING CODE REQUIREMENTS FOR STRUCTURAL CONCRETE
 - 3.2. AMERICAN INSTITUTE OF STEEL CONSTRUCTION (AISC), MANUAL OF STEEL CONSTRUCTION, LRFD, FOURTEENTH EDITION
 - 3.3. TELECOMMUNICATIONS INDUSTRY ASSOCIATION (TIA/EIA) 222-H, STRUCTURAL STANDARD FOR ANTENNA SUPPORTING STRUCTURES AND ANTENNAS
 - 3.4. INSTITUTE FOR ELECTRICAL AND ELECTRONICS ENGINEERS (IEEE) 81, GUIDE FOR MEASURING EARTH RESISTIVITY, GROUND IMPEDANCE, AND EARTH SURFACE POTENTIALS OF A GROUND SYSTEM
IEEE 1100 (1999) RECOMMENDED PRACTICE FOR POWERING AND GROUNDING OF ELECTRICAL EQUIPMENT.
 - 3.5. IEEE C62.41, RECOMMENDED PRACTICES ON SURGE VOLTAGES IN LOW VOLTAGE AC POWER CIRCUITS (FOR LOCATION CATEGORY "C3" AND "HIGH SYSTEM EXPOSURE")
 - 3.6. TIA 607 COMMERCIAL BUILDING GROUNDING AND BONDING REQUIREMENTS FOR TELECOMMUNICATIONS TELCORDIA GR-63 NETWORK
 - 3.7. EQUIPMENT-BUILDING SYSTEM (NEBS): PHYSICAL PROTECTION
 - 3.8. TELCORDIA GR-347 CENTRAL OFFICE POWER WIRING
 - 3.9. TELCORDIA GR-1275 GENERAL INSTALLATION REQUIREMENTS
 - 3.10. TELCORDIA GR-1503 COAXIAL CABLE CONNECTIONS
 - 3.11. ANY AND ALL OTHER LOCAL & STATE LAWS AND REGULATIONS
- 3.12. FOR ANY CONFLICTS BETWEEN SECTIONS OF LISTED CODES AND STANDARDS REGARDING MATERIAL, METHODS OF CONSTRUCTION, OR OTHER REQUIREMENTS, THE MOST RESTRICTIVE SHALL GOVERN. WHERE THERE IS CONFLICT BETWEEN A GENERAL REQUIREMENT AND A SPECIFIC REQUIREMENT, THE SPECIFIC REQUIREMENT SHALL GOVERN.

DN.	FOUNDATION	RGS.	RIGID GALVANIZED STEEL
F.O.C.	FACE OF CONCRETE	SCH.	SCHEDULE
F.O.M.	FACE OF MASONRY	SHT.	SHEET
F.O.S.	FACE OF STUD	SIM.	SIMILAR
F.O.W.	FACE OF WALL	SPEC.	SPECIFICATIONS
F.S.	FINISH SURFACE	SQ.	SQUARE
FT.(')	FOOT (FEET)	S.S.	STAINLESS STEEL
FTG.	FOOTING	STD.	STANDARD
G.	GROWTH (CABINET)	STL.	STEEL
GA.	GAUGE	STRUC.	STRUCTURAL
GI.	GALVANIZE(D)	TEMP.	TEMPORARY
G.F.I.	GROUND FAULT CIRCUIT	THK.	THICK(NESS)
INTERRHPTER		T.N.	TOE NAIL
GLB. (GLU-LAM)	GLUE LAMINATED BEAM	T.O.A.	TOP OF ANTENNA
GPS	GLOBAL POSITIONING SYSTEM	T.O.C.	TOP OF CURB
GRND.	GROUND	T.O.F.	TOP OF FOUNDATION
HDR.	HEADER	T.O.P.	TOP OF PLATE (PARAPET)
HGR.	HANGER	T.O.S.	TOP OF STEEL
HT.	HEIGHT	T.O.W.	TOP OF WALL
ICGB.	ISOLATED COPPER GROUND BUS	TYP.	TYPICAL
IN. (")	INCH(ES)	U.G.	UNDER GROUND
INT.	INTERIOR	U.L.	UNDERWRITERS LABORATORY
LB.(#)	POUND(S)	U.N.O.	UNLESS NOTED OTHERWISE
L.B.	LAG BOLTS	V.I.F.	VERIFY IN FIELD
L.F.	LINEAR FEET (FOOT)	W	WIDE (WIDTH)
L.	LONG(ITUDINAL)	w/	WITH
MAS.	MASONRY	WD.	WOOD
MAX.	MAXIMUM	W.P.	WEATHERPROOF
M.B.	MACHINE BOLT	WT.	WEIGHT
MECH.	MECHANICAL	Ꞥ	CENTERLINE
MFR.	MANUFACTURER	Ꞥ	PLATE, PROPERTY LINE
MIN.	MINIMUM		
MISC.	MISCELLANEOUS		
MTL.	METAL		
(N)	NEW		
NO.(#)	NUMBER		
N.T.S.	NOT TO SCALE		
O.C.	ON CENTER		
OPNG.	OPENING		
(P)	PROPOSED		
P/C	PRECAST CONCRETE		
PCS	PERSONAL COMMUNICATION		
SERVICES			
PLY.	PLYWOOD		
PPC	POWER PROTECTION CABINET		
PRC	PRIMARY RADIO CABINET		
P.S.F.	POUNDS PER SQUARE FOOT		
P.S.I.	POUNDS PER SQUARE INCH		
P.T.	PRESSURE TREATED		
PWR.	POWER (CABINET)		
QTY.	QUANTITY		
RAD.(R)	RADIUS		
REF.	REFERENCE		
REINF.	REINFORCEMENT(ING)		
REQ'D/	REQUIRED		

	BLDG. SECTION		GROUT OR PLASTER
	WALL SECTION		(E) BRICK
	DETAIL		(E) MASONRY
	ELEVATION		CONCRETE
	DOOR SYMBOL		EARTH
	WINDOW SYMBOL		GRAVEL
	TILT-UP PANEL MARK		PLYWOOD
	PROPERTY LINE		SAND
	CENTERLINE		PLYWOOD
	SETBACK		SAND
	ELEVATION DATUM		(E) STEEL
	GRID/COLUMN LINE		MATCH LINE
	KEYNOTE, DIMENSION ITEM		GROUND CONDUCTOR
	KEYNOTE, CONSTRUCTION ITEM		OVERHEAD SERVICE CONDUCTORS
	WALL TYPE MARK		TELEPHONE CONDUIT
	OFFICE		POWER CONDUIT
	ROOM NUMBER		COAXIAL CABLE
			CHAIN LINK FENCE
			CHAIN LINK FENCE
			WOOD FENCE
			(P) ANTENNA
			(P) RRH
			(P) DC SURGE SUPPRESSION
			(F) ANTENNA
			(F) RRH
			(E) EQUIPMENT

GN-1

GENERAL NOTES:

- FOR THE PURPOSE OF CONSTRUCTION DRAWING, THE FOLLOWING DEFINITIONS SHALL APPLY:
- | | |
|-----------------|-----------------------------------|
| CONTRACTOR - | PM&A |
| SUBCONTRACTOR - | GENERAL CONTRACTOR (CONSTRUCTION) |
| CARRIER - | AT&T |
| OEM - | ORIGINAL EQUIPMENT MANUFACTURER |
2. PRIOR TO THE SUBMISSION OF BIDS, THE BIDDING SUBCONTRACTOR SHALL VISIT THE CELL SITE TO FAMILIARIZE THEMSELVES, WITH THE EXISTING CONDITIONS AND TO CONFIRM THAT THE WORK CAN BE ACCOMPLISHED AS SHOWN ON THE CONSTRUCTION DRAWINGS. ANY DISCREPANCY FOUND SHALL BE BROUGHT TO THE ATTENTION OF THE CONTRACTOR AND AT&T
3. ALL MATERIALS FURNISHED AND INSTALLED SHALL BE IN STRICT ACCORDANCE WITH ALL APPLICABLE CODES, REGULATIONS, AND ORDINANCES. SUBCONTRACTOR SHALL ISSUE ALL APPROPRIATE NOTICES AND COMPLY WITH ALL LAWS, ORDINANCES, RULES, REGULATIONS AND LAWFUL ORDERS OF ANY PUBLIC AUTHORITY REGARDING THE PERFORMANCE OF THE WORK. ALL WORK CARRIED OUT SHALL COMPLY WITH ALL APPLICABLE MUNICIPAL AND UTILITY COMPANY SPECIFICATIONS, AND LOCAL JURISDICTIONAL CODES, ORDINANCES AND APPLICABLE REGULATIONS.
4. DRAWINGS PROVIDED HERE ARE NOT TO SCALE AND ARE INTENDED TO SHOW OUTLINE ONLY
5. UNLESS NOTED OTHERWISE, THE WORK SHALL INCLUDE FURNISHING MATERIALS, EQUIPMENT, APPURTENANCES AND LABOR NECESSARY TO COMPLETE ALL INSTALLATIONS AS INDICATED ON THE DRAWINGS.
6. 'KITTING LIST' SUPPLIED WITH THE BID PACKAGE IDENTIFIES ITEMS THAT WILL BE SUPPLIED BY CONTRACTOR. ITEMS NOT INCLUDED IN THE BILL OF MATERIALS AND KITTING LIST SHALL BE SUPPLIED BY THE SUBCONTRACTOR.
7. THE SUBCONTRACTOR SHALL INSTALL ALL EQUIPMENT AND MATERIALS IN ACCORDANCE WITH MANUFACTURER'S RECOMMENDATIONS UNLESS SPECIFICALLY STATED OTHERWISE.
8. IF THE SPECIFIED EQUIPMENT CAN NOT BE INSTALLED AS SHOWN ON THESE DRAWINGS. THE SUBCONTRACTOR SHALL PROPOSE AN ALTERNATIVE INSTALLATION FOR APPROVAL BY THE CONTRACTOR AND AT&T PRIOR TO PROCEEDING WITH ANY SUCH CHANGE OF INSTALLATION.
9. SUBCONTRACTOR SHALL DETERMINE ACTUAL ROUTING OF CONDUIT, POWER AND T1 CABLES GROUNDING CABLES AS SHOWN ON THE POWER, GROUNDING AND TELCO PLAN DRAWINGS.
10. THE SUBCONTRACTOR SHALL PROTECT EXISTING IMPROVEMENTS, PAVEMENTS, CURBS, LANDSCAPING AND STRUCTURES. ANY DAMAGED PART SHALL BE REPAIRED AT THE SUBCONTRACTOR'S EXPENSE; TO THE SATISFACTION OF THE OWNER.
11. SUBCONTRACTOR SHALL LEGALLY AND PROPERLY DISPOSE OF ALL SCRAP MATERIALS SUCH AS COAXIAL CABLES AND OTHER ITEMS REMOVED FROM THE EXISTING FACILITY. ANTENNAS REMOVED SHALL BE RETURNED TO THE OWNER'S DESIGNATED LOCATION.
12. SUBCONTRACTOR SHALL LEAVE PREMISES IN CLEAN CONDITION, TRASH AND DEBRIS SHOULD BE REMOVED FROM SITE ON A DAILY BASIS.

1. ALL CONCRETE WORK SHALL BE IN ACCORDANCE WITH THE ACI 301, ACI 318, ACI 336, ASTM A184, ASTM A185, AND THE DESIGN AND CONSTRUCTION SPECIFICATION FOR CAST-IN-PLACE CONCRETE.
2. ALL CONCRETE SHALL HAVE A MINIMUM COMPRESSIVE STRENGTH OF 2,500 PSI AT 28 DAYS, UNLESS NOTED OTHERWISE. SLAB FOUNDATION DESIGN ASSUMING ALLOWABLE SOIL BEARING PRESSURE OF 2000 PSF.
3. REINFORCING STEEL SHALL CONFORM TO ASTM A615, GRADE 60, DEFORMED UNLESS NOTED OTHERWISE. WELDED WIRE FABRIC SHALL CONFORM TO ASTM A185 WELDED STEEL WIRE FABRIC UNLESS NOTED OTHERWISE. SPLICES SHALL BE CLASS "B" AND ALL HOOKS SHALL BE STANDARD. UNO.
4. THE FOLLOWING MINIMUM CONCRETE COVER SHALL BE PROVIDED FOR REINFORCING STEEL UNLESS SHOWN OTHERWISE ON DRAWINGS.
 - 4.1. CONCRETE CAST AGAINST EARTH: 3" MIN.
 - 4.2. CONCRETE EXPOSED TO WEATHER:
 - 4.2.1. #6 AND LARGER - 2" MIN.
 - 4.2.2. #5 AND SMALLER & WWF. - 1 1/2" MIN.
 - 4.3. CONCRETE NOT EXPOSED TO WEATHER OR NOT CAST AGAINST THE GROUND:
 - 4.3.1. SLAB AND WALLS 3/4" MIN.
 - 4.3.2. BEAMS AND COLUMNS 1 1/2" MIN.
5. A 3/4" CHAMFER SHALL BE PROVIDED AT ALL EXPOSED EDGES OF CONCRETE, UNLESS NOTED OTHERWISE, IN ACCORDANCE WITH ACI 301 SECTION 4.2.4

GENERAL NOTES:

- FOR THE PURPOSE OF CONSTRUCTION DRAWING, THE FOLLOWING DEFINITIONS SHALL APPLY:
- | | |
|-----------------|-----------------------------------|
| CONTRACTOR - | PM&A |
| SUBCONTRACTOR - | GENERAL CONTRACTOR (CONSTRUCTION) |
| CARRIER - | AT&T |
| OEM - | ORIGINAL EQUIPMENT MANUFACTURER |
2. PRIOR TO THE SUBMISSION OF BIDS, THE BIDDING SUBCONTRACTOR SHALL VISIT THE CELL SITE TO FAMILIARIZE THEMSELVES, WITH THE EXISTING CONDITIONS AND TO CONFIRM THAT THE WORK CAN BE ACCOMPLISHED AS SHOWN ON THE CONSTRUCTION DRAWINGS. ANY DISCREPANCY FOUND SHALL BE BROUGHT TO THE ATTENTION OF THE CONTRACTOR AND AT&T
3. ALL MATERIALS FURNISHED AND INSTALLED SHALL BE IN STRICT ACCORDANCE WITH ALL APPLICABLE CODES, REGULATIONS, AND ORDINANCES. SUBCONTRACTOR SHALL ISSUE ALL APPROPRIATE NOTICES AND COMPLY WITH ALL LAWS, ORDINANCES, RULES, REGULATIONS AND LAWFUL ORDERS OF ANY PUBLIC AUTHORITY REGARDING THE PERFORMANCE OF THE WORK. ALL WORK CARRIED OUT SHALL COMPLY WITH ALL APPLICABLE MUNICIPAL AND UTILITY COMPANY SPECIFICATIONS, AND LOCAL JURISDICTIONAL CODES, ORDINANCES AND APPLICABLE REGULATIONS.
4. DRAWINGS PROVIDED HERE ARE NOT TO SCALE AND ARE INTENDED TO SHOW OUTLINE ONLY
5. UNLESS NOTED OTHERWISE, THE WORK SHALL INCLUDE FURNISHING MATERIALS, EQUIPMENT, APPURTENANCES AND LABOR NECESSARY TO COMPLETE ALL INSTALLATIONS AS INDICATED ON THE DRAWINGS.
6. 'KITTING LIST' SUPPLIED WITH THE BID PACKAGE IDENTIFIES ITEMS THAT WILL BE SUPPLIED BY CONTRACTOR. ITEMS NOT INCLUDED IN THE BILL OF MATERIALS AND KITTING LIST SHALL BE SUPPLIED BY THE SUBCONTRACTOR.
7. THE SUBCONTRACTOR SHALL INSTALL ALL EQUIPMENT AND MATERIALS IN ACCORDANCE WITH MANUFACTURER'S RECOMMENDATIONS UNLESS SPECIFICALLY STATED OTHERWISE.
8. IF THE SPECIFIED EQUIPMENT CAN NOT BE INSTALLED AS SHOWN ON THESE DRAWINGS. THE SUBCONTRACTOR SHALL PROPOSE AN ALTERNATIVE INSTALLATION FOR APPROVAL BY THE CONTRACTOR AND AT&T PRIOR TO PROCEEDING WITH ANY SUCH CHANGE OF INSTALLATION.
9. SUBCONTRACTOR SHALL DETERMINE ACTUAL ROUTING OF CONDUIT, POWER AND T1 CABLES GROUNDING CABLES AS SHOWN ON THE POWER, GROUNDING AND TELCO PLAN DRAWINGS.
10. THE SUBCONTRACTOR SHALL PROTECT EXISTING IMPROVEMENTS, PAVEMENTS, CURBS, LANDSCAPING AND STRUCTURES. ANY DAMAGED PART SHALL BE REPAIRED AT THE SUBCONTRACTOR'S EXPENSE; TO THE SATISFACTION OF THE OWNER.
11. SUBCONTRACTOR SHALL LEGALLY AND PROPERLY DISPOSE OF ALL SCRAP MATERIALS SUCH AS COAXIAL CABLES AND OTHER ITEMS REMOVED FROM THE EXISTING FACILITY. ANTENNAS REMOVED SHALL BE RETURNED TO THE OWNER'S DESIGNATED LOCATION.
12. SUBCONTRACTOR SHALL LEAVE PREMISES IN CLEAN CONDITION, TRASH AND DEBRIS SHOULD BE REMOVED FROM SITE ON A DAILY BASIS.



Vendor



Issued For:

OL0794

TUMWATER CARLYON

1601 NORTH STREET SE
OLYMPIA, WA 98501

PARCEL ID: 8220-02-00104

THE INFORMATION CONTAINED IN THE
SET OF DRAWINGS IS PROPRIETARY &
CONFIDENTIAL TO AT&T WIRELESS.

ANY USE OR DISCLOSURE OTHER THAN
AS IT RELATES TO AT&T WIRELESS IS
STRICTLY PROHIBITED

DRAWN BY: RT

CHECKED BY: KM

[illegible]

THE CONTRACTOR SHALL INSTALL ALL EQUIPMENT AND MATERIALS IN ACCORDANCE WITH MANUFACTURER'S RECOMMENDATIONS AND SPEC'S, UNLESS SPECIFICALLY STATED OTHERWISE, THE MANUFACTURER'S EQUIPMENT INSTALLATION SPEC'S SHALL ALWAYS BE VERIFIED BY THE CONTRACTOR BEFORE INSTALLATION







Licensors

Sheet Title:


GENERAL NOTES

Sheet Number:

GN-2



- 1 GENERAL NOTES
N.T.S.



THE INFORMATION CONTAINED IN THE
SET OF DRAWINGS IS PROPRIETARY &
CONFIDENTIAL TO AT&T WIRELESS.

ANY USE OR DISCLOSURE OTHER THAN
AS IT RELATES TO AT&T WIRELESS IS
STRICTLY PROHIBITED

DRAWN BY: RT

CHECKED BY: KM

[illegible]

THE CONTRACTOR SHALL INSTALL ALL EQUIPMENT AND MATERIALS IN ACCORDANCE WITH MANUFACTURES RECOMMENDATIONS AND SPEC'S, UNLESS SPECIFICALLY STATED OTHERWISE, THE MANUFACTURES EQUIPMENT INSTALLATION SPEC'S SHALL ALWAYS BE VERIFIED BY THE CONTRACTOR BEFORE INSTALLATION

Licensor:

Sheet Title:

SITE SIGNAGE

Sheet Number:

GN-3



Vendor:

PMA

PM&A ID: P-240996

OL0794

1601 NORTH STREET SE
OLYMPIA, WA 6501

ANY USE OR DISCLOSURE OTHER THAN
AS IT RELATES TO AT&T WIRELESS IS
STRICTLY PROHIBITED

REV	DATE	BY	DESCRIPTION
A	10/30/25	?	90% CD

Licensors:

1A
CERTIFICATION

1A



TOWER HEIGHT: 36.92 FEET (AGL)

DATE OF SURVEY: OCTOBER 06, 2025

RE: SITE NAME: OL0794 – TUMWATER CARLYON
1601 NORTH STREET SE
OLYMPIA, WASHINGTON 98501

I CERTIFY THAT THE LATITUDE AND THE LONGITUDE SHOWN ABOVE ARE ACCURATE TO WITHIN ± 15 FEET HORIZONTALLY AND THAT THE SITE ELEVATION IS ACCURATE TO WITHIN ± 3 FEET VERTICALLY, WHICH MEETS 1A STANDARDS AS DEFINED ON THE FAA ASAC INFORMATION SHEET 91:003. THE HORIZONTAL DATUM (GEOGRAPHIC COORDINATES) ARE IN TERMS OF THE NORTH AMERICAN DATUM OF 1983 (NAD 83) AND ARE EXPRESSED AS DEGREES (°), MINUTES ('), AND SECONDS ("). TO THE NEAREST HUNDREDTH OF A SECOND. THE VERTICAL DATUM (ELEVATION AMSL) IS IN TERMS OF THE NORTH AMERICAN VERTICAL DATUM OF 1988 (NAVD 88).



2000' 0 1000' 2000' 4000'


SCALE: 1" = 2000'



S&F Land Services

Date: 10/06/2025
Proj No: 2025-177-250
Prepared: HTF
Checked: JLW



SHEET
1 OF 1



LEGEND:			
	BOUNDARY LINE		FENCE GATE POST
	CENTERLINE		FOUND MONUMENT
	BUILDING		STRAIGHT TRAFFIC ARROW
	BUILDING OVERHANG		BOLLARD
	FLOW LINE CURB		HANDICAPPED SYMBOL
	STANDARD CURB		SIGN SITE
	EDGE OF PAVEMENT		TREE DECIDUOUS
	EDGE OF CONCRETE		TREE CONIFER
	EDGE OF GRAVEL		GAS VALVE
	BREAKLINE		GAS METER
	TOE OF SLOPE		GAS VAULT
	TOP OF SLOPE		GAS RISER
	FENCE - CYCLONE		GAS WARNING SIGN
	PARKING STRIPES		IRRIGATION CONTROL VALVE
	COMMUNICATIONS - CABLE TV		POWER JUNCTION BOX
	UNDERGROUND POWER		POWER CABINET
	OVERHEAD POWER		POWER RISER
	GAS		POWER TRANSFORMER
	UNKNOWN UNDERGROUND UTILITY		POWER/UTILITY POLE
	WATER		STORM CATCH BASIN
	CONTOUR MAJOR		STORM CULVERT
	CONTOUR MINOR		STORM ROOF DRAIN
	CONCRETE HATCH		STORM DRAIN MANHOLE
			CABLE TV RISER

OL0794 TUMWATER CARLYON

LOCATED IN THE SOUTHWEST 1/4 OF SECTION 25,
TOWNSHIP 18 NORTH, RANGE 2 WEST OF THE WILLAMETTE MERIDIAN,
THURSTON COUNTY, WASHINGTON



CARRIER:

208 S AKARD STREET
DALLAS, TX 75202

A CENTERLINE COMMUNICATIONS COMPANY

1000 HOLCOMB WOODS PKWY
SUITE 210 ROSWELL, GA 30076

S&F Land Services

901 NW CARLON AVE, SUITE 3
BEND, OREGON 97703
541-797-0954
www.sflands.com
info@sflands.com

SITE NAME

TUMWATER CARLYON

SITE VISIT DATE

09/05/25

SITE NUMBER

OL0794

SITE ADDRESS

1601 NORTH STREET SE
OLYMPIA, WA 98501

SHEET NAME

SITE SURVEY


DRAFTED / CHECKED BY

HTF / JLW

SHEET NUMBER

1 OF 1

PROPOSED AT&T
PROJECT AREA
REFER TO ENLARGED SITE PLAN &
COMPOUND PLAN ON SHEET A-2



AT&T
 NEW CINGULAR WIRELESS PC
 LLC ("AT&T")
 7670 S. CHESTER ST.
 CENTENNIAL, CO 80112

PM&A
P. MARSHALL & ASSOCIATES
A CENTERLINE COMMUNICATIONS COMPANY
1000 HOLCOMB WOODS PKWY. STE 21
ROSSELL, GA 30076
OFFICE (678) 280-2325
PM&A ID: P-240996

OL0794

1601 NORTH STREET SE
OLYMPIA, WA 98501

THE INFORMATION CONTAINED IN THE SET OF DRAWINGS IS PROPRIETARY & CONFIDENTIAL TO AT&T WIRELESS.

DRAWN BY: RT

[illegible]

Licensors:

Sheet Title:

Sheet Number:

SITE PLAN

A horizontal number line with tick marks at -40, -20, 0, and 40. The region between -20 and 0 is shaded black.



1. PRIOR TO EXCAVATION, CONTRACTOR SHALL CHECK THE AREA FOR UNDERGROUND FACILITIES.



Vendor:

PMA

Issued For:

OL0794

1601 NORTH STREET SE
OLYMPIA, WA 98501

THE INFORMATION CONTAINED IN THE
SET OF DRAWINGS IS PROPRIETARY &
CONFIDENTIAL TO AT&T WIRELESS.

ANY USE OR DISCLOSURE OTHER THAN
AS IT RELATES TO AT&T WIRELESS IS
STRICTLY PROHIBITED

CHECKED BY: KM

[illegible]

THE CONTRACTOR SHALL INSTALL ALL EQUIPMENT AND MATERIALS IN ACCORDANCE WITH MANUFACTURERS RECOMMENDATIONS AND SPEC'S, UNLESS SPECIFICALLY STATED OTHERWISE, THE MANUFACTURERS EQUIPMENT INSTALLATION SPEC'S SHALL ALWAYS BE VERIFIED BY THE CONTRACTOR BEFORE INSTALLATION




DEMO PLAN

A-1.1

24"x36" SCALE: 1" = 30'-0"



1



NEW CINGULAR WIRELESS PCS,
LLC ("AT&T")
7670 S. CHESTER ST.
CENTENNIAL, CO 80112

Vendor:



P. MARSHALL & ASSOCIATES
 **A CENTERLINE COMMUNICATIONS COMPANY**
 1000 HOLCOMB WOODS PKWY. STE 210
 ROSWELL, GA 30076
 OFFICE (678) 280-2325
 PM&A ID: P-240996

Issued For:

OL0794

TUMWATER CARLYON

1601 NORTH STREET SE
OLYMPIA, WA 98501

PARCEL ID: 8220-02-00104

THE INFORMATION CONTAINED IN THE SET OF DRAWINGS IS PROPRIETARY & CONFIDENTIAL TO AT&T WIRELESS.

ANY USE OR DISCLOSURE OTHER THAN
AS IT RELATES TO AT&T WIRELESS IS
STRICTLY PROHIBITED

DRAWN BY: RT

CHECKED BY: KM

REV	DATE	BY	DESCRIPTION
A	10/31/25	RT	90% ZD

THE CONTRACTOR SHALL INSTALL ALL EQUIPMENT AND MATERIALS IN ACCORDANCE WITH MANUFACTURERS RECOMMENDATIONS AND SPEC'S, UNLESS SPECIFICALLY STATED OTHERWISE, THE MANUFACTURERS EQUIPMENT INSTALLATION SPEC'S SHALL ALWAYS BE VERIFIED BY THE CONTRACTOR BEFORE INSTALLATION

Licensors:

Sheet Title:

ENLARGED SITE PLAN
& COMPOUND PLAN

Sheet Number:

A-2

24"x36" SCALE: 1/2" = 1'-0"

24"x36" SCALE: 1/2" = 1'-0"



NEW CINGULAR WIRELESS PCS,
LLC ("AT&T")
7670 S. CHESTER ST.
CENTENNIAL, CO 80112

Vendor:



P. MARSHALL & ASSOCIATES
 **A CENTERLINE COMMUNICATIONS COMPANY**
 1000 HOLCOMB WOODS PKWY, STE 210
 ROSWELL, GA 30076
 OFFICE (678) 280-2325
 PM&A ID: P-240996

Issued For:

OL0794

TUMWATER CARLYON

1601 NORTH STREET SE
OLYMPIA, WA 98501

PARCEL ID: 8220-02-00104

THE INFORMATION CONTAINED IN THE
SET OF DRAWINGS IS PROPRIETARY &
CONFIDENTIAL TO AT&T WIRELESS.

ANY USE OR DISCLOSURE OTHER THAN
AS IT RELATES TO AT&T WIRELESS IS
STRICTLY PROHIBITED

DRAWN BY: RT

CHECKED BY: KM


THE CONTRACTOR SHALL INSTALL ALL EQUIPMENT AND MATERIALS IN ACCORDANCE WITH MANUFACTURERS RECOMMENDATIONS AND SPEC'S, UNLESS SPECIFICALLY STATED OTHERWISE, THE MANUFACTURES EQUIPMENT INSTALLATION SPEC'S SHALL ALWAYS BE VERIFIED BY THE CONTRACTOR BEFORE INSTALLATION

Licensors:



Sheet Title:
ANTENNA ,
SCHEDULE, &
EQUIPMENT PLAN

Sheet Number:


A-3



(E) EAST ELEVATION



(P) EAST ELEVATION



PREPARED FOR



NEW CINGULAR WIRELESS PCS,
LLC ("AT&T")
7670 S. CHESTER ST.
CENTENNIAL, CO 80112

Vendor:



P. MARSHALL & ASSOCIATES
 **A CENTERLINE COMMUNICATIONS COMPANY**
 1000 HOLCOMB WOODS PKWY. STE 210
 ROSWELL, GA 30076
 OFFICE (678) 280-2325
 PM&A ID: P-240996

Issued For:

OL0794

TUMWATER CARLYON

1601 NORTH STREET SE
OLYMPIA, WA 98501

PARCEL ID: 8220-02-00104

THE INFORMATION CONTAINED IN THE SET OF DRAWINGS IS PROPRIETARY & CONFIDENTIAL TO AT&T WIRELESS.

ANY USE OR DISCLOSURE OTHER THAN
AS IT RELATES TO AT&T WIRELESS IS
STRICTLY PROHIBITED

DRAWN BY: RT

CHECKED BY: KM

[illegible]

THE CONTRACTOR SHALL INSTALL ALL EQUIPMENT AND MATERIALS IN ACCORDANCE WITH MANUFACTURER'S RECOMMENDATIONS AND SPEC'S, UNLESS SPECIFICALLY STATED OTHERWISE, THE MANUFACTURER'S EQUIPMENT INSTALLATION SPEC'S SHALL ALWAYS BE VERIFIED BY THE CONTRACTOR BEFORE INSTALLATION


Licensors:

Sheet Title:


ELEVATIONS

Sheet Number:

A-4



(E) NORTH ELEVATION



(P) NORTH ELEVATION

STRUCTURAL ANALYSIS NOTE:
1. ALL RELEVANT STRUCTURAL ANALYSIS IS UNDER A SEPARATE PERMIT BY OTHERS.

NOTE:

1. AT&T RRH'S, TMA'S, AND SURGE SUPPRESSORS NOT DEPICTED IN THIS VIEW FOR CLARITY. FOR LOCATIONS OF THESE ITEMS, PLEASE REFER TO PREVIOUS PLANS VIEWS WITHIN THE DRAWING SET

PREPARED FOR



NEW CINGULAR WIRELESS PCS,
LLC ("AT&T")
7670 S. CHESTER ST.
CENTENNIAL, CO 80112

Vendor:



P. MARSHALL & ASSOCIATES
 **A CENTERLINE COMMUNICATIONS COMPANY**
 1000 HOLCOMB WOODS PKWY. STE 210
 ROSWELL, GA 30076
 OFFICE (678) 280-2325
 PM&A ID: P-240996

Issued For:

OL0794

TUMWATER CARLYON

1601 NORTH STREET SE
OLYMPIA, WA 98501

PARCEL ID: 8220-02-00104

THE INFORMATION CONTAINED IN THE SET OF DRAWINGS IS PROPRIETARY & CONFIDENTIAL TO AT&T WIRELESS.

ANY USE OR DISCLOSURE OTHER THAN
AS IT RELATES TO AT&T WIRELESS IS
STRICTLY PROHIBITED

DRAWN BY: RT

CHECKED BY: KM

[illegible]

THE CONTRACTOR SHALL INSTALL ALL EQUIPMENT AND MATERIALS IN ACCORDANCE WITH MANUFACTURES RECOMMENDATIONS AND SPEC'S, UNLESS SPECIFICALLY STATED OTHERWISE, THE MANUFACTURES EQUIPMENT INSTALLATION SPEC'S SHALL ALWAYS BE VERIFIED BY THE CONTRACTOR BEFORE INSTALLATION

Licensors:

Sheet Title:

ELEVATIONS

Sheet Number:

A-5