SUPPLEMENTAL TERMS & CONDITIONS

Gordon Truck Centers, Inc., dba Freightliner Northwest

Master Contract No. 14022

This Supplemental Terms & Conditions Agreement ("Agreement") is effective as of the date of the last authorizing signature ("effective date"). The parties ("Parties") to this Agreement are the City of Olympia, a Washington municipal corporation ("City") and Gordon Truck Centers, Inc., a Washington Corporation, dba Freightliner Northwest a Washington Corporation ("Contractor") utilizing a cooperative purchase contract through the Washington State Department of Enterprise Services (DES). By execution of this Agreement, the City avails itself of the terms and conditions in the Master Contract No. 14022 between Gordon Truck Centers, Inc., dba Freightliner Northwest and DES.

The City seeks to acquire two (2) 2025 Freightliner MT55D Step Vans for the not-to-exceed contract amount of Seven Hundred Fifty-Six Eight Hundred Seventy Two and 73/100 Dollars (\$756,872.73) and the City agrees to engage the Contractor to provide the above referenced Step Vans to the City.

Now, therefore, the Parties agree as follows:

- I. Contractor shall provide all work described in this Agreement; this Agreement consists of these terms and conditions and attached exhibits, each of which are a part of this agreement:
 - Exhibit A Statement of Compliance with Nondiscrimination Requirement
 - Exhibit B Equal Benefits Compliance Declaration
 - Exhibit C DES Statewide Contract No. 14022 GTC and Freightliner Northwest
 - Exhibit D DES Contract No. 14022 Pricing Discount Category 1
 - Exhibit E Freightliner Northwest Quote
 - Exhibit F Freightliner Custom Chassis Specifications
 - Exhibit G City of Olympia DES Contract Usage Agreement No. 2024CUA278
- II. The supplemental terms and conditions, amend and supplement the DES Master Contract No. 14022 with Gordon Truck Centers, Inc. dba Freightliner Northwest (Exhibit C) and take precedence over any conflicting provisions of the Master Agreement.
 - 1. CONTRACT MANAGERS

The Parties agree that all formal communications about this Agreement, contract deliverables, accomplishments, regulatory oversight, invoicing and requests for amendment must be coordinated directly between the Contractor and City's Contract Manager unless otherwise approved in writing by the City. The contract managers are identified as follows:

Gordon Truck Centers, Inc., dba Freightliner Northwest

Nick Krallis Vocational Sale Representative 13232 Case Road SW Olympia, WA 98512 Nick.krallis@freightlinernw.com 360.529.7408

City of Olympia

Jaime Mastache
Fleet Operations Supervisor
PO Box 1967
Olympia WA 98507
Jmastach@ci.olympia.wa.us
360.709.2782

2. RETENTION OF RECORDS, AUDIT ACCESS AND PROOF OF COMPLIANCE WITH CONTRACT

- A. <u>Retention of Records</u>. The Contractor and its subcontractors shall maintain books, records, and documents of its performance under this Agreement in accordance with generally accepted accounting principles. The Contractor shall retain for seven (7) years after the date of final payment under the Agreement all financial information, data, and records for all Work.
- B. <u>Audit Access</u>. The Contractor shall provide access to its facilities, including those of any subcontractors, to the City, the state, or federal agencies or officials at all reasonable times in order to monitor and evaluate the Work/Product provided under this Agreement. The City shall give reasonable notice to the Contractor of the date on which the audit begins.

3. AUDIT EXCEPTION

The Contractor is financially responsible for and shall repay the City all indicated amounts following an audit exception that occurs due to the negligence, intentional act, or failure for any reason to comply with the terms of this Agreement by the Contractor, its officers, employees, agents, or representatives. This duty to repay survives the expiration or termination of this Agreement.

4. PUBLIC RECORDS REQUESTS

This Agreement is a public record and will be available for inspection and copying by the public in accordance with the Public Records Act, chapter 42.56 RCW (the "Act").

If the Contractor considers any portion of any record provided to the City under this Agreement, whether in electronic or hard copy form, to be protected under law, the Contractor shall clearly identify each such portion with words such as "CONFIDENTIAL," "PROPRIETARY," or "BUSINESS SECRET." If a request is made for disclosure of a record so identified, the City will determine whether the material should be made available under the Act. If the City determines that the material is subject to disclosure, the City will notify the Contractor of the request and

allow the Contractor ten (10) business days to take whatever action it deems necessary to protect its interests. If the Contractor fails or neglects to take such action or fails to provide the City with a court order enjoining release of records by the end of the 10 business days, the City will release the record(s) deemed by the City to be subject to release. The City is not liable to the Contractor for inadvertently releasing records pursuant to a public records request when records are not clearly identified by the Contractor as "CONFIDENTIAL," "PROPRIETARY," or "BUSINESS SECRET."

A record owned, used, or retained by the City is a "public record" pursuant to RCW 42.56.010 and is subject to disclosure upon request under Washington's Public Records Act, even if such record is in Contractor's sole possession. Should the City request, in writing, that the Contractor provide the City with a record that the City, in its sole discretion, deems to be a public record, so that it may be produced in response to a public records request, and should Contractor fail to provide such record to the City within 10 days of the City's request for such record, Contractors shall indemnify, defend, and hold the City harmless for any public records judgment, including costs and reasonable attorney's fees, against the City involving such withheld record.

5. NONDISCRIMINATION AND EQUAL EMPLOYMENT OPPORTUNITY

A. In all Contractor services, programs or activities, and all Contractor hiring and employment made possible by or resulting from this Agreement, Contractor and Contractor's employees, agents, subcontractors, and representatives shall not unlawfully discriminate against any person based on any legally protected class status including but not limited to: sex, age (except minimum age and retirement provisions), race, color, religion, creed, national origin, marital status, veteran status, sexual orientation, gender identity, genetic information, or the presence of any disability, including sensory, mental, or physical handicaps; provided, however, that the prohibition against discrimination in employment because of disability does not apply if the particular disability prevents the performance of the essential functions required of the position.

This requirement applies, but is not limited to the following: employment, advertising, layoff or termination, rates of pay or other forms of compensation, and selection for training, including apprenticeship. Contractor shall not violate any of the terms of Chapter 49.60 RCW, Title VII of the Civil Rights Act of 1964, the Americans with Disabilities Act, Section 504 of the Rehabilitation Act of 1973 or any other applicable federal, state or local law or regulation regarding nondiscrimination. Any material violation of this provision is grounds for termination of this Agreement by the City and, in the case of the Contractor's breach, may result in ineligibility for further City agreements.

B. In the event of Contractor's noncompliance or refusal to comply with the above nondiscrimination provision, this Agreement may be rescinded, canceled, or terminated in whole or in part, and the Contractor may be declared ineligible for further agreements or contracts with the City. The Contractor, will, however, be given a reasonable time in which to correct this noncompliance.

C. To assist the City in determining compliance with the foregoing nondiscrimination requirements, Contractor shall complete and return the Statement of Compliance with Nondiscrimination attached as Exhibit A. If the contract amount is \$50,000 or more, the Contractor shall execute and is bound by the attached Equal Benefits Declaration - Exhibit B.

6. INDEMNIFICATION/INSURANCE REQUIREMENTS

A. <u>Indemnification / Hold Harmless.</u> Contractor shall defend, indemnify, and hold the City, its officers, officials, employees, and volunteers harmless from any and all claims, injuries, damages, losses, or suits including attorney fees, arising out of or resulting from the acts, errors, or omissions of the Contractor in performance of this Agreement, except for injuries and damages caused by the sole negligence of the City.

Should a court of competent jurisdiction determine that this Agreement is subject to RCW 4.24.115, then, in the event of liability for damages arising out of bodily injury to persons or damages to property caused by or resulting from the concurrent negligence of the Contractor and the City, its officers, officials, employees, and volunteers, the Contractor's liability under this Agreement is only to the extent of the Contractor's negligence. It is further specifically and expressly understood that the indemnification provided in this section constitutes the Contractor's waiver of immunity under Industrial Insurance, Title 51 RCW, solely for the purposes of this indemnification. This waiver has been mutually negotiated by the Parties. The provisions of this section survive the expiration or termination of this Agreement.

- B. <u>Insurance Term</u>. The Contractor shall procure and maintain for the duration of the Agreement, insurance against claims for injuries to persons or damage to property that may arise from or in connection with the performance of the work under this Agreement by the Contractor, its agents, representatives, or employees.
- C. <u>No Limitation</u>. Contractor's maintenance of insurance as required by the Agreement does not limit the liability of the Contractor to the coverage provided by such insurance, or otherwise limit the City's recourse to any remedy available at law or in equity.
- D. <u>Minimum Scope of Insurance</u>. Contractor shall obtain insurance of the types described below:
 - 1. Automobile Liability insurance covering all owned, non-owned, hired, and leased vehicles. Coverage must be at least as broad as ISO occurrence form (ISO) form CA 00 01 or a substitute form providing equivalent liability coverage.
 - 2. Commercial General Liability insurance must be at least as broad as ISO occurrence form CG 00 01 and must cover liability arising from premises, operations, independent contractors, stop gap liability, personal injury, and advertising injury. The City must be named as an additional insured under the Contractor's Commercial General Liability insurance policy with respect to the work performed for the City using an additional insured endorsement at least as broad as ISO CG 20 26.
 - 3. Workers' Compensation coverage as required by the Industrial Insurance laws of the State of Washington.

- 4. Professional Liability insurance appropriate to the Contractor's profession.
- E. <u>Minimum Amounts of Insurance</u>. Contractor shall maintain the following insurance limits:
 - 1. Automobile Liability insurance with a minimum combined single limit for bodily injury and property damage of \$1,000,000 per accident.
 - 2. Commercial General Liability insurance must be written with limits no less than \$2,000,000 each occurrence, \$4,000,000 general aggregate.
 - 3. Professional Liability insurance must be written with limits no less than \$2,000,000 per claim and \$2,000,000 policy aggregate limit.
- F. Other Insurance Provisions. The Contractor's Automobile Liability and Commercial General Liability insurance policies are to contain, or be endorsed to contain, that they must be primary insurance as respect the City. Any Insurance, self-insurance, or insurance pool coverage maintained by the City must be excess of the Contractor's insurance and does not contribute with it.
- G. <u>Acceptability of Insurers</u>. Insurance is to be placed with insurers with a current A.M. Best rating of not less than A:VII.
- H. <u>Verification of Coverage</u>. Contractor shall furnish the City with original certificates and a copy of the amendatory endorsements, including but not necessarily limited to the additional insured endorsement, evidencing the insurance requirements of the Contractor before commencement of the work. All certificates of Insurance and any related insurance documents must be delivered to the City of Olympia by U.S. mail, postage prepaid, or sent via email, and must be sent to the address or email address set forth below or to such other address or email address as the City may specify in writing:

US Mail: City of Olympia
Attn: Heather Reed
PO Box 1967
Olympia, WA 98507-1967
hreed@ci.olympia.wa.us

- I. <u>Notice of Cancellation</u>. The Contractor shall provide the City with written notice of any policy cancellation, within two business days of their receipt of such notice.
- K. <u>City's Full Access to Contractor Limits</u>. If the Contractor maintains higher insurance limits than the minimums shown above, the City will be insured for the full available limits of Commercial General and Excess or Umbrella liability maintained by the Contractor, irrespective of whether such limits maintained by the Contractor are greater than those required by this Agreement or any certificate of insurance furnished to the City evidences limits of liability lower than those maintained by the Contractor.

7. SUBCONTRACTORS

The Contractor shall include all subcontractors as insureds under its policies, and upon request from the City, shall furnish separate certificates of insurance and policy endorsements, meeting the above insurance requirements, for its subcontractor(s). Contractor is responsible for subcontractors' compliance with the above insurance requirements.

8. TERMINATION FOR NON-APPROPRIATION

If sufficient funds are not appropriated or allocated for payment under this Agreement for any future fiscal period, the City is not obligated to continue the Agreement after the end of the current fiscal period, and this Agreement will automatically terminate upon the completion of all remaining Services for which funds are allocated. No penalty or expense accrues to the City in the event this provision applies.

9. GENERAL PROVISIONS.

- A. <u>Entire Agreement</u>. This Supplemental Agreement, and its exhibits, contains the entire agreement of the Parties with respect to any matter covered or mentioned in this Agreement and no prior agreements are effective for any purpose.
- B. <u>Modification</u>. No provision of this Agreement, including this provision, may be amended or modified except by written agreement signed by the Parties.
- C. <u>Full Force and Effect; Severability</u>. Any provision of this Agreement that is declared invalid or illegal in no way affects or invalidates any other provision of this Agreement and such other provisions remain in full force and effect. Further, if it should appear that any provision hereof is in conflict with any statutory provision of the State of Washington, the provision appears to conflict therewith is inoperative and null and void insofar as it may be in conflict therewith, and is modified to conform to such statutory provision.
- D. <u>Assignment.</u> Neither the Contractor nor the City has the right to transfer or assign, in whole or in part, any or all of its obligations and rights under this Agreement without the prior written consent of the other Party.
 - 1. If the Contractor desires to assign this Agreement or subcontract any of its work hereunder, the Contractor shall submit a written request to the City for approval not less than fifteen (15) days prior to the commencement date of any proposed assignment or subcontract.
 - 2. Any work or services assigned or subcontracted for hereunder is subject to each provision of this Agreement.
 - 3. Any technical/professional service subcontract not listed in this Agreement, which is to be charged to this Agreement, must have prior written approval by the City.
 - 4. The City reserves the right to inspect any assignment or subcontract document.

- E. <u>Successors in Interest</u>. Subject to the foregoing Subsection, the rights and obligations of the Parties inure to the benefit of and be binding upon their respective successors in interest, heirs, and assigns.
- F. <u>Attorney Fees</u>. In the event either of the Parties defaults on the performance of any term of this Agreement or either Party places the enforcement of this Agreement in the hands of an attorney, or files a lawsuit, the prevailing party is entitled to its reasonable attorneys' fees, costs, and expenses to be paid by the other Party.
- G. <u>No Waiver</u>. Failure or delay of the City to declare any breach or default immediately upon occurrence does not waive such breach or default. Failure of the City to declare one breach or default does not act as a waiver of the City's right to declare another breach or default.
- H. <u>Governing Law</u>. This Agreement is governed by and must be interpreted in accordance with the laws of the State of Washington.
- I. <u>Authority</u>. Each individual executing this Agreement on behalf of the City and Contractor represents and warrants that such individual is duly authorized to execute and deliver this Agreement on behalf of the Contractor or the City.
- J. <u>Notices</u>. Any notices required to be given by the Parties must be delivered at the addresses set forth below. Any notices may be delivered personally to the addressee of the notice or may be deposited in the United States mail, postage prepaid, to the address set forth below. Any notice so posted in the United States mail must be deemed received three (3) days after the date of mailing.
- K. <u>Captions</u>. The respective captions of the Sections of this Agreement are inserted for convenience of reference only and do not modify or otherwise affect any of the provisions of this Agreement.
- L. <u>Performance</u>. Time is of the essence in performance of this Agreement and each and all of its provisions in which performance is a factor. Adherence to completion dates set forth in the description of the Services is essential to the Contractor's performance of this Agreement.
- M. <u>Remedies Cumulative</u>. Any remedies provided for under the terms of this Agreement are not intended to be exclusive, but are cumulative with all other remedies available to the City at law, in equity or by statute.
- N. <u>Counterparts</u>. This Agreement may be executed in any number of counterparts, which counterparts collectively constitute the entire Agreement.
- O. <u>Equal Opportunity to Draft</u>. The Parties have participated and had an equal opportunity to participate in the drafting of this Agreement, and the Exhibits, if any, attached. No ambiguity may be construed against any party upon a claim that that party drafted the ambiguous language.

- P. <u>Venue</u>. Any and all lawsuits or other legal actions whatsoever with regard to this Agreement must be brought and maintained only in Thurston County, Washington, state Superior Court.
- Q. <u>Ratification</u>. Any work performed prior to the effective date that falls within the scope of this Agreement and is consistent with its terms is hereby ratified and confirmed.
- R. <u>Early Retirement from the State of Washington- Certification</u>. By signing this form, the signatory certifies that no one being directly compensated for their services pursuant to this Agreement has retired from the Washington State Retirement System using the 2008 Early Retirement Factors with restrictions on returning to work.

CITY OF OLYMPIA

| Steven J. Burney City Manager City of Olympia PO Box 1967 Olympia WA 98507-1967 | |
|---|--|
| City of Olympia PO Box 1967 | |
| PO Box 1967 | |
| | |
| Olympia WA 98507-1967 | |
| , 1 | |
| Date of Signature: | |

APPROVED AS TO FORM:

Senior Deputy City Attorney

I certify that I am authorized to execute this Agreement on behalf of the Contractor.

GORDON TRUCK CENTERS, INC. dba FREIGHTLINER NORTHWEST

| By: | |
|---------------------------------|--|
| Nick Krallis | |
| Vocational Sale Representative | |
| 13232 Case Road SW | |
| Olympia, WA 98512 | |
| Nick.krallis@freightlinernw.com | |
| 360.529.7408 | |
| Date of Signature: | |

Exhibit "A" STATEMENT OF COMPLIANCE WITH NONDISCRIMINATION REQUIREMENT

The Olympia City Council has made compliance with the City's Nondiscrimination in Delivery of City Services or Resources ordinance (OMC 1.24) a high priority, whether services are provided by City employees or through contract with other entities. It is important that all contract agencies or vendors and their employees understand and carry out the City's nondiscrimination policy. Accordingly, each City agreement or contract for services contains language that requires an agency or vendor to agree that it shall not unlawfully discriminate against an employee or client based on any legally protected status, which includes but is not limited to: race, creed, religion, color, national origin, age, sex, marital status, veteran status, sexual orientation, gender identity, genetic information, or the presence of any disability. Unlawful discrimination includes transphobic discrimination or harassment, including transgender exclusion policies or practices in health benefits.

Listed below are methods to ensure that this policy is communicated to your employees, if applicable.

- Nondiscrimination provisions are posted on printed material with broad distribution (newsletters, brochures, etc.).
- Nondiscrimination provisions are posted on applications for service.
- Nondiscrimination provisions are posted on the agency's web site.
- Nondiscrimination provisions are included in human resource materials provided to job applicants and new employees.
- Nondiscrimination provisions are shared during meetings.

Failure to implement at least two of the measures specified above or to comply with the City of Olympia's nondiscrimination ordinance constitutes a breach of contract.

| By signing this statement, I acknowledge compliance w by the use of at least two of the measures specified abo | • • • |
|---|------------|
| (Signature) | (Date) |
| Print Name of Person Signing | |
| Alternative Section for Sole Proprietor: I am a sole pro agree not to discriminate against any client, or any futu | • |
| (Sole Proprietor Signature) | (Date) |

Exhibit "B" EQUAL BENEFITS COMPLIANCE DECLARATION

Contractors or consultants on City agreements or contracts estimated to cost \$50,000 or more shall comply with Olympia Municipal Code, Chapter 3.18. This provision requires that if contractors or consultants provide benefits, they do so without discrimination based on age, sex, race, creed, color, sexual orientation, national origin, or the presence of any physical, mental or sensory disability, or because of any other status protected from discrimination by law. Contractors or consultants must have policies in place prohibiting such discrimination, prior to contracting with the City.

| | olies with the City of Olympia Equal Benefits Ordinance, ue and correct, and that I am legally authorized to bind |
|-----------------|---|
| Contractor Name | |
| Signature | Name (please print) |
| Date | Title |



STATEWIDE CONTRACT

No. 14022

WALK-IN STEP VANS

CATEGORY: 1- INTERNAL COMBUSTION ENGINE

CLASS: 4,5 AND 6

CATEGORY: 2- ELECTRIC VEHICLE
CLASS: 6

For Use by Eligible Purchasers

By and Between

STATE OF WASHINGTON
DEPARTMENT OF ENTERPRISE SERVICES

and

Gordon Truck Centers, Inc. dba Freightliner Northwest

Date: October 2,2023

STATEWIDE CONTRACT

No. 14022

WALK-IN STEP VANS

This Washington Statewide Contract ("Contract") is made and entered into by and between the State of Washington acting by and through the Department of Enterprise Services, a Washington State governmental agency ("Enterprise Services") and Gordon Truck Centers, Inc dba Freightliner Northwest, a Washington Corporation ("Contractor") and is dated and effective as of October 2, 2023.

RECITALS

- A. Pursuant to Legislative authorization, Enterprise Services, on behalf of the State of Washington, is authorized to develop, solicit, and establish enterprise procurement solutions, including statewide contracts for goods and/or services to support Washington state agencies. See RCW 39.26.050(1). The Washington State Legislature also has authorized Enterprise Services to make these contracts available, pursuant to an agreement in which Enterprise Services ensures full cost recovery, to other local or federal government agencies or entities, public benefit nonprofit organizations, and any tribes located in the State of Washington. See RCW 39.26.050(1) & (2).
- B. Washington state agencies and other eligible purchasers have operational needs for various types of commercial vehicles constructed with a cargo area and a cab, typically in which the cab offers direct access to the cargo space making it easy for delivery drivers to grab goods quickly from the back of the vehicle without leaving the vehicle ("Walk-In Step Vans"). Accordingly, to provide a cost-effective and efficient competitive procurement solution for Washington state agencies and other eligible purchasers to purchase desired Walk-in Step Vans, Enterprise Services, on behalf of the State of Washington, as part of a competitive governmental procurement, issued Competitive Solicitation No. 14022-2 dated August 31, 2022. The Competitive Solicitation was structured to meet purchaser needs and included the opportunity to compete for Contracts, by category, subcategory, and class of Walk-in Step Vans.
- C. Enterprise Services evaluated all responses to the Competitive Solicitation and identified Contractor as an apparent successful bidder for the above-referenced Walk-In Step Vans (i.e., category(ies), subcategory(ies) and class(es).
- D. Enterprise Services has determined that entering into this Contract will meet the identified needs and be in the best interest of the State of Washington.
- E. The purpose of this Contract is to enable eligible purchasers to purchase Walk-In Step Vans as set forth herein.

AGREEMENT

Now Therefore, in consideration of the mutual promises, covenants, and conditions set forth herein, the parties hereto hereby agree as follows:

1. TERM. The initial term of this Statewide Contract commences October 2, 2023, and ends October 1, 2026; *Provided*, however, that if Contractor is not in default, Enterprise Services may extend the term

of this Statewide Contract, by written amendment, up to October 1, 2029. Such extension amendment shall be on the same terms and conditions as set forth in this Statewide Contract. To earn the Statewide Contract term extension, Contractor must achieve the following performance-based metrics:

| PERFORMANCE METRIC | PERFORMANCE REQUIREMENT FOR CONTRACT EXTENSION |
|---|--|
| Performance and Delivery Requirements: | Contractor must: Maintain 90% on-time delivery of ordered vehicles as listed in Section 8.3 (a). Maintain 95% compliance with all other delivery requirements listed in Section 8.3. |
| Technical Specifications: | Delivered goods must match defined technical specifications for the duration of this Contract as stipulated in the <i>Exhibit B - Technical Specifications</i> . |
| Return Warranty: | Contractor must comply with return warranty requirements as set forth in § 5.2. of this Contract |
| Insurance Endorsements: | Timely provide to Enterprise Services at the designated address, without exception, annual insurance endorsements for the insurance coverages required by this Contract. See Exhibit C — Insurance Requirements at § 4. |
| Vendor Management Fee: | Timely remit to Enterprise Service, with no less than a 75% on time rate, the applicable Vendor Management Fee (VMF). Note: Contractor must pay the VMF within thirty (30) calendar days of invoice from Enterprise Services. If Contractor is delinquent in timely paying the VMF for three (3) or more quarters within the first nine (9) quarters of the Contract term, Contractor will not be eligible for a performance-based extension. |
| Contract Sales Reports: | Timely provide to Enterprise Services, with no less than a 75% on time rate, the required Contract quarterly sales reports. Note: Contractor must provide the quarterly sales reports to Enterprise Services within thirty (30) calendar days of the quarter's end. If Contractor is delinquent in providing the quarterly sales reports for three (3) or more quarters within the first nine (9) quarters of the Contract term, Contractor will not be eligible for a performance-based extension. |

- **2. ELIGIBLE PURCHASERS.** This Statewide Contract may be utilized by any of the following types of entities (each an eligible "Purchaser"):
 - 2.1. WASHINGTON STATE AGENCIES. All Washington state agencies, departments, offices, divisions, boards, and commissions.
 - 2.2. WASHINGTON STATE INSTITUTIONS OF HIGHER EDUCATION (COLLEGES). Any the following institutions of higher education in Washington:

- State universities i.e., University of Washington & Washington State University.
- Regional universities i.e., Central Washington University, Eastern Washington University, & Western Washington University
- Evergreen State College.
- Community colleges; and
- Technical colleges.
- 2.3. STATEWIDE CONTRACT USAGE AGREEMENT PARTIES. Any of the following types of entities that have executed a Contract Usage Agreement with Enterprise Services:
 - Political subdivisions (e.g., counties, cities, school districts, public utility districts) in the State of Washington.
 - Federal governmental agencies or entities.
 - Public-benefit nonprofit corporations (i.e., § 501(c)(3) nonprofit corporations that receive federal, state, or local funding); and
 - Federally recognized Indian Tribes located in the State of Washington.
- 2.4. ORCPP MEMBERS. Oregon Cooperative Purchasing Program (ORCPP) Members, which include the following Oregon entities:
 - Cities, counties, school districts, and special districts.
 - Qualified rehabilitation facilities and residential programs in contract with the Oregon Department of Human Services.
 - Quasi-state agencies and independent state agencies with their own procurement authority.
 - Public bodies created as governmental entities but not considered a unit of local or municipal government.
 - Oregon constitutional offices.
 - Specified Public Benefit Nonprofit Corporations; and
 - American Indian tribes or agencies.

ORCPP Members do not include Oregon state agencies subject to the Oregon Department of Administrative Services' procurement authority.

- 3. Scope Included Goods/Services and Price.
 - 3.1. Statewide Contract Scope. Pursuant to this Statewide Contract, Contractor is authorized to sell and provide only those Goods and/or Services set forth in *Exhibit A Included Goods* for the prices set forth in *Exhibit B Prices*. Contractor shall not represent to any Purchaser under this Contract that Contractor has contractual authority to sell or provide any Goods beyond those set forth in *Exhibit A Included Goods*.
 - (a) Goods. For purposes of this Contract, "Goods" means all equipment, materials, supplies, ancillary parts, accessories, components, and other items purchased by Purchaser pursuant to this Contract, Exhibit A and as identified in the Purchase Order.

- (b) Specifications. Where applicable, specifications for Goods and/or Services are detailed in this Contract *Exhibit A Included Goods* and the Purchase Order. Unless otherwise specified in the Purchase Order, all Goods and/or Services provided shall be new and unused.
- (c) Walk-In Step Vans Model Years. For purposes of this Statewide Contract, for the awarded class/subcategory/category, "Goods" and "Walk-In Step Vans" include all vehicle model years during the Contract term; Provided, however, that, to add and include new model year Walk-In Step Vans to the Contract, Contractor request, in writing, to the Enterprise Services contract administrator to do so. All model years updates must be approved by Enterprise Services. Vehicle options shall be added or deleted as available from the manufacturer. This information shall be made available on Enterprise Services' statewide Contract Automobile Request System (CARS).
- 3.2. State's Ability to Modify Scope of Statewide Contract. Subject to mutual agreement between the parties, Enterprise Services reserves the right to modify the Goods and/or Services included in this Contract; *Provided*, however, that any such modification shall be effective only upon thirty (30) calendar days advance written notice; and *Provided further*, that any such modification must be within the scope of the Competitive Solicitation for this Contract.
- 3.3. ECONOMIC PRICE ADJUSTMENT. The Statewide Contract prices are the maximum prices the Contractor may charge. Pricing shall remain firm and fixed for six (6) months from the Contract's effective date. Pricing is list price at the time of order. Beginning six (6) months after the effective date of this Statewide Contractor and quarterly thereafter, Contractor may request a quarterly price adjustment by written notice to the Contract Administrator. Contractor shall not change the percent discount for the duration of this contract. Consideration of price adjustments will be at the sole discretion of the Contract Administrator. A letter from the manufacturer must be sent to the Contract Administrator for approval thirty (30) days prior to the requested date of the changes taking effect. If a price increase is approved in part or in full, the resulting new Contract pricing will be implemented through a Contract Amendment. Contractor may not make Contract extensions contingent on price adjustments.
- 3.4. PRICE CEILING. Although Contractor may offer lower prices to Purchasers, during the term of this Contract, Contractor guarantees to provide the Goods/Services at no greater than the prices set forth in *Exhibit B Prices for Goods* (subject to economic adjustment as set forth herein).
- 3.5. Statewide Contract Information. Enterprise Services shall maintain and provide to eligible Purchasers information regarding this Contract, including scope, pricing, and lowest responsive, responsible bidder designation. In addition, Enterprise Services identifies awarded contractors who qualify as Washington Small Businesses, Certified Veteran-Owned Businesses, or that, pursuant to the Contract provide Goods/Services that meet specified state procurement priorities as set forth in the Competitive Solicitation.
- **4. CONTRACTOR REPRESENTATIONS AND WARRANTIES.** Contractor makes each of the following representations and warranties as of the effective date of this Contract and at the time any order is placed pursuant to this Contract. If, at the time of any such order, Contractor cannot make such representations and warranties, Contractor shall not process any orders and shall, within three (3) business days notify Enterprise Services, in writing, of such breach.

- 4.1. QUALIFIED TO DO BUSINESS. Contractor represents and warrants that Contractor is (a) in good standing; (b) qualified to do business in the State of Washington; and (c) registered with the Washington State Department of Revenue and the Washington Secretary of State.
- 4.2. Taxes. Contractor represents and warrants that Contractor is current, in full compliance, and has paid all applicable taxes owed to the State of Washington.
- 4.3. LICENSES; CERTIFICATIONS; AUTHORIZATIONS; & APPROVALS. Contractor represents and warrants that Contractor possesses and shall keep current during the term of this Contract all required licenses, certifications, permits, authorizations, and approvals necessary for Contractor's proper performance of this Contract.
- 4.4. Suspension & Debarment. Contractor represents and warrants as previously certified in Contractor's Bidder's Certification, that neither Contractor nor its principals or affiliates presently are nor have ever been debarred, suspended, proposed for debarment, declared ineligible, or voluntarily excluded from participation in any governmental contract by any governmental department or agency within the United States.
- 4.5. Wage Violations. Contractor represents and warrants as previously certified in Contractor's Bidder's Certification, that during the term of this Contract and the three (3) year period immediately preceding the award of the Contract, Contractor has not been determined, by a final and binding citation and notice of assessment issued by the Washington Department of Labor and Industries or through a civil judgment entered by a court of limited or general jurisdiction, to be in willful violation of any provision of Washington state wage laws set forth in RCW 49.46, 49.48, or 49.52.
- 4.6. CIVIL RIGHTS. Contractor represents and warrants that Contractor complies with all applicable requirements regarding civil rights. Such requirements prohibit discrimination against individuals based on their status as protected veterans or individuals with disabilities, and prohibit discrimination against all individuals based on their race, color, religion, sex, sexual orientation, gender identity, or national origin.
- 4.7. EXECUTIVE ORDER 18-03 WORKERS' RIGHTS. Contractor represents and warrants, as previously certified in Contractor's Bidder's Certification, that Contractor does <u>NOT</u> require its employees, as a condition of employment, to sign or agree to mandatory individual arbitration clauses or class or collective action waivers. Contractor further represents and warrants that, during the term of this Contract, Contractor shall not, as a condition of employment, require its employees to sign or agree to mandatory individual arbitration clauses or class or collective action waivers.
- 4.8. VEHICLE RESELLER BUSINESS LICENSE FOR STATE OF WASHINGTON. Contractor represents and warrants, as previously certified in Contractor's Bidder Certification, that Contractor is licensed to sell vehicles in the state of Washington. Contractor shall maintain this license for the duration of the Statewide Contract.
- 4.9. VEHICLE RESELLER BUSINESS LICENSE FOR STATE OF OREGON. Contractor represents and warrants, as previously certified in Contractor's Bidder Certification, that Contractor is licensed to sell vehicles in the state of Oregon. Contractor shall maintain this license for the duration of the Statewide Contract.
- 4.10. AUTHORIZED DEALER/DISTRIBUTOR/SERVICE REPRESENTATIVE. Contractor represents and warrants, as previously certified in Contractor's Bidder Certification, that Contractor is an authorized Dealer and Service Representative for a Manufacturer of Walk-In Step Vans. Contractor shall

- maintain this certification for the duration of the Statewide Contract. Upon request by Enterprise Services, Contractor shall provide evidence of its status as an authorized service provider or product reseller.
- 4.11. CONTRACT AUTOMOBILE REQUEST SYSTEM (CARS). Contractor represents and warrants that, during the term of this Contract, Contract shall list available Walk-In Step Vans on Enterprise Services' statewide Contract Automobile Request System (CARS). Contractor further represents and warrants that, during the term of this Contract, Contractor shall ensure that eligible purchasers utilize CARS to generate quotes and submit purchase requests for Walk-In Step Vans.
- 4.12. PUBLIC CONTRACTS AND PROCUREMENT FRAUD. Contractor represents and warrants that, within the three (3) year period prior to this Contract, neither Contractor nor its principals or affiliates: (a) have been convicted of or had a civil judgment rendered against them for commission of fraud or a criminal offence in connection with obtaining, attempting to obtain, or performing a public (federal, state, local, or tribal) contract or purchase order under a public contract; (b) have been in violation of federal or state antitrust statutes or commission of embezzlement, theft, forgery, bribery, falsification or destruction of records, making false statements or receiving stolen property; (c) have been indicted for or otherwise criminally or civilly charged by a government entity (federal, state, local, or tribal) with commission of any of the offense enumerated in subsection (b) of this provision; or (d) had one or more public contracts (federal, state, local, or tribal) terminated for cause or default.
- 4.13. PROCUREMENT ETHICS & PROHIBITION ON GIFTS. Contractor represents and warrants that Contractor complies fully with all applicable procurement ethics restrictions including, but not limited to, restrictions against Contractor providing gifts or anything of economic value, directly or indirectly, to Enterprise Services and Purchasers' employees.
- 4.14. WASHINGTON'S ELECTRONIC BUSINESS SOLUTION (WEBS). Contractor represents and warrants that Contractor is registered in Washington's Electronic Business Solution (WEBS), Washington's contract registration system and that, all of Contractor's information therein is current and accurate and that throughout the term of this Contract, Contractor shall maintain an accurate profile in WEBS.
- 4.15. WASHINGTON'S STATEWIDE PAYEE DESK. Contractor represents and warrants that Contractor is registered with Washington's Statewide Payee Desk, which registration is a condition to payment.
- 4.16. STATEWIDE CONTRACT PROMOTION; ADVERTISING AND ENDORSEMENT. Contractor represents and warrants that Contractor shall use commercially reasonable efforts both to promote and market the use of this Contract with eligible Purchasers and to ensure that those entities that utilize this Contract are eligible Purchasers. Contractor understands and acknowledges that neither Enterprise Services nor Purchasers are endorsing Contractor's Goods and/or Services or suggesting that such Goods and/or Services are the best or only solution to their needs. Accordingly, Contractor further represents and warrants that Contractor shall make no reference to Enterprise Services, any Purchaser, or the State of Washington in any promotional material without the prior written consent of Enterprise Services.
- 4.17. CONTINGENT FEES. Contractor represents and warrants that no person or selling agent has been employed or retained to solicit or secure this Contract upon an agreement or understanding for a commission, percentage, brokerage, or contingent fee, excepting bona fide employees or bona fide established agents as defined in the Federal Acquisition Regulations.

- 4.18. FINANCIALLY SOLVENT. Contractor represents and warrants that Contractor has not commenced bankruptcy proceedings and that there are no judgment, liens, or encumbrances of any kind affecting title to any Goods or Services that are the subject of this Contract.
- 4.19. OPERATIONAL CAPABILITY. Contractor represents and warrants, as previously certified in Contractor's Bidder's Certification, that Contractor has the operational and financial capability to perform the Contract.
- 4.20. Statewide Contract Transition. Contractor represents and warrants that, in the event this Contract or a similar contract, is transitioned to another contractor (e.g., Contract expiration or termination), Contractor shall use commercially reasonable efforts to assist Enterprise Services (including the Purchasers hereunder) for a period of sixty (60) calendar days to effectuate a smooth transition to another contractor to minimize disruption of service and/or costs to the State of Washington and such Purchasers; *Provided*, however, that, if costs are incurred, Contractor shall be compensated for such costs consistent with the terms and conditions pertaining to this Contract for the sixty (60) day period immediately before such transition.

5. QUALITY; WARRANTY; REMEDIES.

- 5.1. GOODS WARRANTY. Contractor warrants that, for a period of thirty- six (36) months from the date when the Goods are put into use, or eighteen (18) months after delivery of the Goods, whichever is later ("Goods Warranty Period"), the Goods: (a) are free from defects in design, material, and workmanship; (b) are fit and safe for the intended purposes and appropriate for the specified application(s) (if any); (c) are consistent with recognized industry quality standards; (d) comply with the requirements, specifications, drawings, standards, and descriptions included in this Statewide Contract; and (e) are produced and delivered in full compliance with applicable law ("Goods Warranty"). Contractor further warrants that it has good and marketable title to the Goods and shall keep Purchaser's property free of liens. If Purchaser receives notice of a lien caused by Contractor, Purchaser may withhold any payment otherwise due Contractor until Contractor submits proof, in a form satisfactory to Purchaser, that all lienable claims have been fully paid or waived.
- 5.2. Goods Remedy. If Goods do not comply with the Goods Warranty or any defects develop during the Goods Warranty Period under normal use, at Purchaser's election, Contractor promptly shall remedy the defect by removing, repairing, correcting, or replacing, and/or reinstalling any defective Goods. Contractor's Goods Warranty support shall include, at Contractor's sole expense, all technical support, parts, materials and equipment, and labor, including freight and "in/out" costs required to address the defect. If, in Purchaser's judgment, repair or replacement is inadequate, or fails of its essential purpose, Contractor shall refund the full amount of any payments that have been made. The rights and remedies of the parties under this warranty are in addition to any other rights and remedies of the parties provided by law or equity, including, without limitation, actual damages, and, as applicable and awarded under the law, to a prevailing party, reasonable attorneys' fees, and costs.
- 5.3. FAILURE TO REMEDY. If Contractor does not remedy a defect or nonconformity within ten (10) calendar days after receipt of written notice from Purchaser, or if an emergency exists rendering it impossible or impractical for Purchaser to have Contractor provide a remedy, Purchaser may, without prejudice to any other rights or remedies available to it, make or cause to be made required modifications, adjustments, or repairs, or may replace Goods,

- Services, IT Goods, or IT Services, in which case Contractor shall reimburse Purchaser for its actual costs or, at Purchaser's option, Purchaser will offset the costs incurred from amounts owing to Contractor.
- 5.4. TECHNICAL SUPPORT. During any applicable warranty period, Contractor shall provide all warranty service and telephone support, including after-hour technical support, at its own cost. Contractor shall maintain a technical support hotline to address breakdowns and safety incidents.
- **6. SAFETY; SECURITY**. Contractor's failure to comply with any of the requirements in this Section shall be cause for termination.
 - 6.1. REGULATORY REQUIREMENTS/SAFETY. Goods/Services supplied by Contractor shall meet all OSHA and other safety-related federal, state, local, and/or tribal regulatory requirements applicable to the Goods/Services.
 - 6.2. MATERIAL SAFETY DATA SHEETS. As applicable, Contractor shall provide Purchaser with all appropriate Material Safety Data Sheets ("MSDS") at the time of delivery of each shipment of Goods which requires such compliance and/or and for materials used by Contractor while performing Services and any updates of the same.
 - 6.3. ACCIDENT AND INJURY REPORTING. If Contractor, its agents, employees, or subcontractors are present at Purchaser's premises, Contractor promptly will report in writing all injuries, accidents, property damage, near-miss incidents, or any claims regarding damages or injury involving Contractor, its agents, employees, or subcontractors occurring at such premises. Contractor agrees to cooperate and assist in any Purchaser investigation of incidents.
 - 6.4. ON SITE REQUIREMENTS. While on Purchaser's premises, Contractor, its agents, employees, or subcontractors shall comply, in all respects, with Purchaser's physical, fire, access, safety, and other security requirements and not interfere with Purchaser's operations. Contractor represents and warrants that Contractor, its agents, employees, or subcontractors who access Purchaser's premises will be adequately trained and at all times comply with Purchaser's requirements.

7. SUBCONTRACTORS.

7.1. CONTRACTOR RESPONSIBILITY. Notwithstanding any provision to the contrary, in the event Contractor elects to utilize subcontractors to perform this Contract, Contractor shall: (a) incorporate Contractor's responsibilities under this Contract into its subcontracts; (b) be fully responsible for the performance of any such subcontractors (regardless of tier) and ensure that subcontractors comply with each and every Contractor obligation set forth in this Contract; (c) be the sole point of contact for Enterprise Services and any Purchasers regarding all contractual matters; (d) ensure that such subcontractors are registered in WEBS; and (e) defend, indemnify, and hold Enterprise Services and Purchasers harmless in case of negligence, other tortious fault, or intentional misconduct by any such subcontractors (regardless of tier). Prior to utilizing any subcontractor to perform this Contract, Contractor shall provide written notice to Enterprise Services' contract administrator. Such notice shall confirm that the subcontractor is registered in WEBS and provide the necessary information for Enterprise Services' contract administrator to include such subcontractor(s) in Washington's Purchasing Contract Management System (PCMS).

STATEWIDE CONTRACT NO. 14022 - WALK-IN STEP VANS (Rev. 2022-08-02)

- 7.2. Reporting. If Contractor is required to report to Purchaser and/or Enterprise Services, such report(s) will include subcontractor data, by subcontractor, for any data that Contractor is required to report as well as a consolidated 'rollup' report combining Contractor and subcontractor data.
- 7.3. SUBCONTRACTOR REPRESENTATIONS AND CERTIFICATIONS. Any Contractor representations or certifications set forth in this Contract shall apply to subcontractors (at any tier) and Contractor shall not utilize any subcontractors (at any tier) who cannot provide such representations or certifications, excepting the certification to be registered with Washington's Statewide Payee Desk, unless Purchaser will pay such subcontractor directly.

8. Using the Statewide Contract – Purchases.

- 8.1. Contract Automobile Request System (CARS). Contractor shall list authorized Walk-In Step Vans on Washington's Contract Automobile Request System (CARS), or, if replaced, the then current platform, and Eligible Purchasers shall generate quotes and submit purchase requests for Walk-In Step Vans through CARS or, if replaced, then the current platform. Contractor shall not generate quotes or receive purchase requests for any Walk-in Step Vans pursuant to this Statewide Contract outside of CARS or, if replaced, then the current platform.
- 8.2. ORDERING REQUIREMENTS. Eligible Purchasers shall order Walk-In Step Vans from this Contract, consistent with the terms hereof and by using any ordering mechanism agreeable both to Contractor and Purchaser but including, at a minimum, a purchase order. When practicable, Contractor and Purchaser also shall use telephone orders, email orders, web-based orders, and similar procurement methods (collectively "Purchaser Order"). All Purchase Orders must reference the Contract number. The terms of this Contract shall apply to any Purchase Order and, in the event of any conflict, the terms of this Contract shall prevail. Notwithstanding any provision to the contrary, in no event shall any 'click-agreement,' software or web-based application terms and conditions, or any other agreement modify the terms and conditions of this Contract.
- 8.3. Performance and Delivery Requirements. Contractor must ensure that the Goods are delivered or provided as required by this Contract, the Purchase Order used by Purchaser, and as otherwise mutually agreed in writing between Purchaser and Contractor. The following apply to all deliveries:
 - (a) Vehicle delivery must be within eighteen (18) months of receipt of Purchase Order, or upon receipt of Purchaser Provided Chassis, whichever is later.
 - (b) Contractor shall make all deliveries to the applicable delivery location specified in the Purchase Order. Such deliveries shall occur during Purchaser's normal work hours and within the time period mutually agreed in writing between Purchaser and Contractor.
 - (c) Contractor shall ship all Walk-In Step Vans purchased pursuant to this Contract, freight charges prepaid by Contractor, FOB Purchaser's specified destination with all transportation and handling charges included. Contractor shall bear all risk of loss, damage, or destruction of the Walk-In Step Vans ordered hereunder that occurs prior to delivery, except loss or damage attributable to Purchaser's fault or negligence.
 - (d) All packing lists, packages, instruction manuals, correspondence, shipping notices, shipping containers, and other written materials associated with

- this Contract shall be identified by the Contract number set forth on the cover of this Statewide Contract and the applicable Purchaser's Purchase Order number. Packing lists shall be enclosed with each shipment and clearly identify all contents and any backorders.
- (e) Contractor shall notify Purchaser at the phone number listed in the Purchase Order, twenty-four (24) hours prior to vehicle delivery. This is to ensure that a Purchaser employee is available to sign and date the bill of lading (or other type delivery document) and receive the above-mentioned documents, and to indicate that Purchaser has received delivery of the vehicle. Purchaser shall not be responsible for vehicles that have been delivered to or left at a Purchaser facility, unless a Purchaser employee has signed and dated the bill of lading or other delivery documents indicating Purchaser has received delivery of the equipment.
- (f) When the vehicle is ready for final delivery, it may be delivered to Purchaser (as specified in the Purchase Order) as arranged with the specific Purchaser. Unless otherwise agreed in writing by Purchaser, deliveries must NOT be made on weekends or on legally recognized state and federal holidays.
- (g) Contractor shall perform the standard Manufacturer's Pre-Delivery Inspection and is responsible for delivering vehicles that are properly serviced, clean, and in first class operating condition. Pre-Delivery Inspection service, at a minimum, shall include the following:
 - Complete lubrication of operating chassis, engine, and mechanisms with Manufacturer's recommended grades of lubricants.
 - Check / Fill all fluid levels to assure proper fill.
 - Adjust engine(s) / motor(s) / drive(s) to proper operating condition(s).
 - Inflate tires (including any spares) to proper pressures.
 - Check to assure proper operation of all accessories, gauges, lights, and mechanical and hydraulic features.
 - Clean equipment, if necessary, and remove all unnecessary tags, stickers, papers, etc.
 - Assure that the vehicle is completely assembled (unless otherwise noted in the specification) including Representative Model, OEM Options (if applicable), Identified Aftermarket Options (if applicable), and thoroughly tested and ready for operation upon Delivery.
 - Completed Washington State title application with original signature must be delivered with the vehicle showing both the legal and registered owner as Purchaser (Contractor may contact ordering Purchaser to obtain a Washington State title application or addresses and information regarding the title).
 - Have base vehicle interior drawings available to work with end users to determine space limitations and show

- standard configuration drawings and have a body builder guide so upfitters can plan their work in relation to wall structure; and
- Have 3D drawings after the PO is cut to eliminate any questions about the body.
- 8.4. RECEIPT AND INSPECTION OF GOODS AND/OR SERVICES. Walk-In Step Vans purchased under this Contract are subject to Purchaser's reasonable inspection, testing, and approval at Purchaser's destination. Purchaser reserves the right to reject and refuse acceptance of Walk-In Step Vans that are not in accordance with this Contract and Purchaser's Purchase Order. If there are any apparent defects in the Walk-In Step Vans at the time of delivery, Purchaser promptly will notify Contractor. At Purchaser's option, and without limiting any other rights, Purchaser may require Contractor to repair or replace, at Contractor's expense, any, or all of the damaged Walk-In Step Vans or, at Purchaser's option, Purchaser may note any such damage on the receiving report, decline acceptance, and deduct the cost of rejected Walk-In Step Vans from final payment. Payment for any Walk-In Step Vans under such Purchase Order shall not be deemed acceptance.
- 8.5. VEHICLE COMPLIANCE AND COMPATIBILITY. It is the Contractor's responsibility to ensure that the vehicles supplied are compliant with the Contract requirements, specifications, terms, and conditions. Additionally, Contractor shall ensure that the Base Equipment and any OEM Options, Identified Aftermarket Options, or Non-Identified Aftermarket Options ordered by the Eligible Purchaser are fully compatible with each other.
 - Contractor's acceptance of the Eligible Purchaser's Purchase Order shall indicate that Contractor agrees to deliver a vehicle that shall be fully compliant and compatible with the Purchase Order requirements, specifications, terms, and conditions. Any changes necessary after the delivery of the vehicle that are required to bring a vehicle into compliance and/or compatibility due to an incorrect order fulfillment by Contractor shall be accomplished at the Contractor's expense. Delivery of non-conforming Walk-In Step Vans, which are not remedied as required herein, may be cause for Contract termination.
- 8.6. Customer Service. Contractor must be available to take calls and respond to e-mails from eligible Purchasers, Monday through Friday, during the hours of 8 a.m. to 5 p.m. PST.

9. INVOICING & PAYMENT.

- 9.1. Contractor Invoice. Contractor shall submit properly itemized invoices to Purchaser's designated invoicing contact for Walk-In Step Vans delivered under this Contract. Such invoices shall itemize the following:
 - (a) Contract No. 14022
 - (b) Contractor name, address, telephone number, and email address for billing issues (i.e., Contractor Customer Service Representative).
 - (c) Contractor's Federal Tax Identification Number.
 - (d) Date(s) of delivery.
 - (e) Applicable Goods.
 - (f) Invoice amount; and
 - (g) Payment terms, including any available prompt payment discounts.

- Contractor's invoices for payment shall reflect accurate Contract prices. Invoices will not be processed for payment until receipt of a complete invoice as specified herein.
- 9.2. PAYMENT. Payment is the sole responsibility of, and will be made by, the Purchaser. Purchaser's obligation to pay invoices is subject to receipt of a timely and accurate invoice and conforming Walk-In Step Vans. Unless Contractor has provided a prompt payment discount set forth in *Exhibit B Prices*, Purchaser's payment is due within thirty (30) calendar days of invoice. Purchaser retains the right of setoff for any amount due or owing to Purchaser. Purchaser may make payments electronically (e.g., ACH payments). Contractor shall provide information necessary to facilitate electronic payments. If Purchaser fails to make timely payment(s), Contractor may invoice Purchaser in the amount of one percent (1%) per month on the amount overdue or a minimum of \$1. Payment will not be considered late if a check or warrant is mailed within the time specified.
- 9.3. OVERPAYMENTS. Contractor promptly shall refund to Purchaser the full amount of any erroneous payment or overpayment. Such refunds shall occur within thirty (30) calendar days of written notice to Contractor; *Provided*, however, that Purchaser shall have the right to elect to have either direct payments or written credit memos issued. If Contractor fails to make timely refunds of overpayment(s) (either directly or by credit memo), Contractor shall pay Purchaser interest at the rate of one percent (1%) per month on the amount overdue thirty (30) calendar days after notice to Contractor.
- 9.4. ADVANCE PAYMENT PROHIBITED. Except as authorized by law, Contractor shall not request or receive advance payment for any Walk-In Step Vans furnished by Contractor pursuant to this Contract.
- 9.5. NO ADDITIONAL CHARGES. Unless otherwise specified herein, Contractor shall not include or impose any additional charges including, but not limited to, charges for shipping, handling, insurance, or payment processing.
- 9.6. TAXES/FEES. Contractor promptly shall pay all applicable taxes on its operations and activities pertaining to this Contract. Failure to do so shall constitute breach of this Contract. Unless otherwise agreed, Purchaser shall pay applicable sales tax imposed by the State of Washington on purchased Goods and/or Services. Contractor's invoices shall separately state (a) taxable and non-taxable charges and (b) sales/use tax due by jurisdiction. Regarding federal excise taxes, Contractor shall include federal excise taxes only if, after thirty (30) calendar days written notice to Purchaser, Purchase has not provided Contractor with a valid exemption certificate from such federal excise taxes.

10. STATEWIDE CONTRACT MANAGEMENT:

10.1. Contract Administration & Notices. Except for legal notices, the parties hereby designate the following contract administrators as the respective single points of contact for purposes of this Contract. Enterprise Services' contract administrator shall provide Contract oversight. Contractor's contract administrator shall be Contractor's principal contact for business activities under this Contract. The parties may change contract administrators by written notice as set forth below.

Any notices required or desired shall be in writing and sent by U.S. mail, postage prepaid, or sent via email, and shall be sent to the respective addressee at the respective address or email address set forth below or to such other address or email address as the parties may specify in writing:

Enterprise Services

Attn: Gideon Simukonda

Washington Dept. of Enterprise Services

PO Box 41411

Olympia, WA 98504-1411

Tel: (360) 407-2212

Email:

DESContractsTeamMaple@des.wa.gov

Contractor

Attn: Doug Wakefield Gordon Truck

Centers, Inc dba Freightliner Northwest 600 South 56th Place

Ridgefield WA 98642 Tel: (360) 887-7503

Email:

Doug.Wakefield@Westernstarnw.com

Notices shall be deemed effective upon the earlier of receipt, if mailed, or, if emailed, upon transmission to the designated email address of said addressee.

- 10.2. CONTRACTOR CUSTOMER SERVICE REPRESENTATIVE. Contractor shall designate a customer service representative (and inform Enterprise Services of the same) who shall be responsible for addressing Purchaser issues pertaining to this Contract.
- 10.3. LEGAL NOTICES. Any legal notices required or desired shall be in writing and delivered by U.S. certified mail, return receipt requested, postage prepaid, or sent via email, and shall be sent to the respective addressee at the respective address or email address set forth below or to such other address or email address as the parties may specify in writing:

Enterprise Services

Attn: Legal Services Manager

Washington Dept. of Enterprise Services

PO Box 41411

Olympia, WA 98504-1411

Email: greg.tolbert@des.wa.gov

Contractor

Attn: Doug Wakefield Gordon Truck Centers, Inc dba Freightliner Northwest 600 South 56th Place Ridgefield WA

98642

Tel: (360) 887-7503

Email:

Doug.Wakefield@Westernstarnw.com

Notices shall be deemed effective upon the earlier of receipt when delivered, or, if mailed, upon return receipt, or, if emailed, upon transmission to the designated email address of said addressee.

11. CONTRACTOR SALES REPORTING; VENDOR MANAGEMENT FEE; & CONTRACTOR REPORTS.

- 11.1. CONTRACT SALES REPORTING. Contractor shall report total Contract sales quarterly to Enterprise Services, as set forth below.
 - (a) Contract Sales Reporting System. Contractor shall report quarterly Contract sales in Enterprise Services' Contract Sales Reporting System. Enterprise Services will provide Contractor with a login password and a vendor number. The password and vendor number will be provided to the Sales Reporting Representative(s) listed on Contractor's Bidder Profile.
 - (b) Data. Each sales report must identify every authorized Purchaser by name as it is known to Enterprise Services and its total combined sales amount invoiced during the reporting period (i.e., sales of an entire agency or political subdivision, not its individual subsections). The "Miscellaneous"

option may be used only with prior approval by Enterprise Services. Upon request, Contractor shall provide contact information for all authorized Purchasers specified herein during the term of the Contract. If there are no Contract sales during the reporting period, Contractor must report zero sales.

(c) Due dates for Contract Sales Reporting. Quarterly Contract Sales Reports must be submitted electronically by the following deadlines for all Contract sales invoiced during the applicable calendar quarter:

| Quarter | For Sales Made In | CONTRACT SALES REPORT | | |
|---------|-------------------------|-----------------------|------------|--|
| | CALENDAR QUARTER ENDING | DUE BY | Past Due | |
| 1 | January 1 – March 31 | April 30 | May 1 | |
| 2 | April 1 – June 30 | July 31 | August 1 | |
| 3 | July 1 – September 30 | October 31 | November 1 | |
| 4 | October 1 – December 31 | January 31 | February 1 | |

- 11.2. VENDOR MANAGEMENT FEE. Contractor shall pay to Enterprise Services a vendor management fee ("VMF") of 1.25 percent on the purchase price for all Contract sales (the purchase price is the total invoice price less applicable sales tax).
 - (a) The sum owed by Contractor to Enterprise Services as a result of the VMF is calculated as follows:

Amount owed to Enterprise Services = Total Contract sales invoiced (not including sales tax) x .0125.

- (b) The VMF must be rolled into Contractor's current pricing. The VMF must not be shown as a separate line item on any invoice unless specifically requested and approved by Enterprise Services.
- (c) Enterprise Services will invoice Contractor quarterly based on Contract sales reported by Contractor. Contractor is not to remit payment until Contractor receives an invoice from Enterprise Services. Contractor's VMF payment to Enterprise Services must reference this Contract number, the year and quarter for which the VMF is being remitted, and Contractor's name as set forth in this Contract, if not already included on the face of the check.
- (d) Contractor's failure to report accurate total net Contract sales, to submit a timely Contract sales report, or to remit timely payment of the VMF to Enterprise Services, may be cause for Enterprise Services to suspend Contractor or terminate this Contract or exercise remedies provided by law. Without limiting any other available remedies, the parties agree that Contractor's failure to remit to Enterprise Services timely payment of the VMF shall obligate Contractor to pay to Enterprise Services, to offset the administrative and transaction costs incurred by the State to identify, process, and collect such sums, the sum of \$200.00 or twenty-five percent (25%) of the outstanding amount, whichever is greater, or the maximum allowed by law, if less.

- (e) Enterprise Services reserves the right, upon thirty (30) calendar days advance written notice, to increase, reduce, or eliminate the VMF for subsequent purchases, and reserves the right to renegotiate Contract pricing with Contractor when any subsequent adjustment of the VMF might justify a change in pricing.
- 11.3. ANNUAL CONTRACT SALES REPORT. Contractor shall provide to Enterprise Services a detailed annual Contract sales report. Such report shall include, at a minimum: the Goods/Services sold (including, as applicable, item number or other identifier), per unit quantities sold, items and volumes purchased by Purchaser, shipment/delivery locations by Purchaser, and Contract price. This report must be provided in an electronic format that can be read by Microsoft (MS) Excel. Such report is due within thirty (30) calendar days of the annual anniversary of the effective date of this Contract.

12. RECORDS RETENTION & AUDITS.

- 12.1. Records Retention. Contractor shall maintain books, records, documents, and other evidence pertaining to this Contract and orders placed by Purchasers under it to the extent and in such detail as shall adequately reflect contract performance and administration of purchases, payments, taxes, and fees. Contractor shall retain such records for a period of six (6) years following expiration or termination of this Contract or final payment for any order placed by a Purchaser against this Contract, whichever is later; *Provided*, however, that if any litigation, claim, or audit is commenced prior to the expiration of this period, such period shall extend until all such litigation, claims, or audits have been resolved.
- 12.2. AUDIT. Enterprise Services reserves the right to audit, or have a designated third-party audit, applicable records to ensure that Contractor properly has invoiced Purchasers and that Contractor has paid all applicable vendor management fees to Enterprise Services. Accordingly, Contractor shall permit Enterprise Services, any Purchaser, and any other duly authorized agent of a governmental agency, to audit, inspect, examine, copy and/or transcribe Contractor's books, documents, papers, and records directly pertinent to this Contract or Purchase Orders placed by a Purchaser under this Contract for the purpose of making audits, examinations, excerpts, and transcriptions. This right shall survive for a period of six (6) years following expiration or termination of this Contract or final payment for any order placed by a Purchaser against this Contract, whichever is later; *Provided*, however, that if any litigation, claim, or audit is commenced prior to the expiration of this period, such period shall extend until all such litigation, claims, or audits have been resolved.
- 12.3. Overpayment of Purchases or Underpayment of Fees. Without limiting any other remedy available to any Purchaser, Contractor shall (a) reimburse Purchasers for any overpayments inconsistent with the terms of this Contract or Purchase Orders placed thereunder, at a rate of 125% of any such overpayments, found as a result of the examination of Contractor's records; and (b) reimburse Enterprise Services for any underpayment of vendor management fees, at a rate of 125% of such fees found as a result of the examination of Contractor's records (e.g., if Contractor underpays the Vendor Management Fee by \$500, Contractor would be required to pay to Enterprise Services \$500 x 1.25 = \$625); Provided, however, that, in the event Contractor timely discovers and corrects any Purchaser overpayment or Contractor underpayment of vendor management fees and does so prior to the initiation of any audit, Contractor shall be entitled to reimburse Purchaser or pay to Enterprise Services

the actual amount of such Purchaser overpayment or such underpayment of vendor-management fees.

13. INSURANCE.

- 13.1. REQUIRED INSURANCE. Contractor, at its expense, shall maintain in full force and effect the insurance coverages set forth in *Exhibit C Insurance Requirements*. All costs for insurance, including any payments of deductible amounts, shall be considered incidental to, and included in the prices for Goods/Services and no additional payment shall be made to Contractor.
- 13.2. Workers Compensation. Contractor shall comply with applicable workers compensation statutes and regulations (e.g., RCW Title 51, Industrial Insurance). If Contractor fails to provide industrial insurance coverage or fails to pay premiums or penalties on behalf of its employees as may be required by law, Enterprise Services may terminate this Contract. This provision does not waive any of the Washington State Department of Labor and Industries (L&I) rights to collect from Contractor. If Contractor performs Services on Purchaser's behalf in the State of Washington, and only to the extent of claims against Contractor by Purchaser under the Indemnity obligations in this Contract, Contractor expressly waives any immunity it may be granted under the Washington State Industrial Insurance Act, Title 51 RCW. Contractor's indemnification obligation will not be limited in any way by any limitation on the amount or type of damages, compensation, or benefits payable to or for any third party under workers' compensation acts, disability benefit acts, or other employee benefit acts. The parties expressly acknowledge and certify that the waiver of immunity under Title 51 RCW was mutually negotiated and agreed upon.

14. CLAIMS.

- 14.1. Assumption of Risks; Claims Between the Parties. Contractor assumes sole responsibility and all risks of personal injury or property damage to itself and its employees and agents in connection with its operations under this Contract. Enterprise Services has made no representations regarding any factor affecting Contractor's risks. Contractor shall pay for all damage to any Purchaser's property resulting directly or indirectly from Contractor's acts or omissions under this Contract, even if not attributable to negligence by Contractor or its agents.
- 14.2. Third-Party Claims; General Indemnity. To the fullest extent permitted by law, Contractor shall defend, indemnify, and hold Enterprise Services and any Purchaser and their employees and agents harmless from and against all claims, demands, judgments, assessments, damages, penalties, fines, costs, liabilities, or losses including, without limitation, sums paid in settlement of claims, attorneys' fees, consultant fees, and expert fees (collectively "Claims") arising out of Contractor's or its successors', agents', or subcontractors' negligence, other tortious fault, or intentional misconduct under this Contract; *Provided*, however, that no right to indemnity will exist as to that portion of a Claim resulting from the sole negligence, tortious fault, or intentional misconduct of Enterprise Services or Purchaser. The parties agree that if there are any limitations of Contractor's liability, including a limitation of liability clause for anyone for whom the Contractor is responsible, such limitations of liability shall not apply to injuries to persons (including death), damages to property, data breach, and/or intellectual property infringement. Contractor shall take all steps needed to keep Purchaser's property

- free of liens arising from Contractor's activities, and promptly obtain or bond the release of any such liens that may be filed.
- 14.3. INTELLECTUAL PROPERTY INDEMNITY. To the fullest extent permitted by law, Contractor shall defend, indemnify, and hold Enterprise Services and any Purchaser and their employees and agents harmless from against any and all Claims resulting from allegations of infringement of any patents, copyrights, trade secret, or similar intellectual property rights covering the Goods or Services provided, or the use of the Goods or Services under this Contract. If Purchaser's use of Goods or Services provided by Contractor is enjoined based on an intellectual property infringement Claim, Contractor shall, at its own expense, either procure for Purchaser the right to continue using the Goods or Services or, after consulting with Purchaser and obtaining Purchaser's consent, replace or modify the Goods or Services with substantially similar and functionally equivalent non-infringing Goods or Services.
- 15. DISPUTE RESOLUTION. The parties shall cooperate to resolve any dispute pertaining to this Contract efficiently, as timely as practicable, and at the lowest possible level with authority to resolve such dispute. If, however, a dispute persists and cannot be resolved, it may be escalated within each organization. In such situation, upon notice by either party, each party, within five (5) business days shall reduce its description of the dispute to writing and deliver it to the other party. The receiving party then shall have three (3) business days to review and respond in writing. In the event that the parties cannot then agree on a resolution of the dispute, the parties shall schedule a conference between the respective senior managers of each organization to attempt to resolve the dispute. In the event the parties cannot agree, either party may resort to court to resolve the dispute.

16. TERMINATION; EXPIRATION; SUSPENSION; & REMEDIES.

- 16.1. TERMINATION. This Contract may be terminated: (a) upon the mutual written agreement of the parties; (b) by the non-breaching party where the breach is not cured within thirty (30) calendar days after written notice of breach is delivered to the breaching party unless a different time for cure is otherwise stated in this Contract; and (c) as otherwise expressly provided for in this Contract. This Contract shall terminate automatically and without further action if a party becomes insolvent or is placed in receivership, reorganization, liquidation, or bankruptcy. In addition to any other available remedies, the non-breaching party may terminate this Contract as provided in subsection (b) above without further liability by written notice to the breaching party. A termination for breach will not affect rights or obligations accrued or owed before the effective date of the termination notice.
- 16.2. Termination for Nonappropriation or Reduction of Funds or Changes in Law. Enterprise Services may suspend or terminate this Contract and Purchasers may suspend or terminate applicable Purchase Orders, in whole or in part, at the sole discretion of Enterprise Services or, as applicable, Purchaser, if Enterprise Services or, as applicable, Purchaser reasonably determines that: (a) a change in Federal or State legislation or applicable laws materially affects the ability of either party to perform under the terms of this Contract or applicable Purchase Order; or (b) that a change in available funds affects Purchaser's ability to pay under the applicable Purchase Order. A change of available funds as used in this section includes but is not limited to a change in Federal or State funding, whether as a result of a legislative act or by order of the President or the Governor. If a written notice is delivered under this provision, Purchaser will reimburse Contractor for Goods properly ordered and/or Services properly performed until the effective date of said notice. Except as stated in this provision,

- in the event of termination for nonappropriation or reduction of funds or changes in law, Purchaser will have no obligation or liability to Contractor.
- 16.3. TERMINATION FOR PUBLIC CONVENIENCE. Enterprise Services, for public convenience, may terminate this Contract; *Provided*, however, that such termination for public convenience must, in Enterprise Services' judgment, be in the best interest of the State of Washington; and *Provided further*, that such termination for public convenience shall only be effective upon sixty (60) calendar days prior written notice; and *Provided further*, that such termination for public convenience shall not relieve any Purchaser from payment for Goods/Services already ordered as of the effective date of such notice. Except as stated in this provision, in the event of such termination for public convenience, neither Enterprise Services nor any Purchaser shall have any obligation or liability to Contractor.
- 16.4. Purchaser Obligations Expiration. Upon expiration of this Contract, Purchaser shall accept and take delivery of all outstanding and not yet fulfilled Purchase Orders and pay Contractor the price as set out in the Contract. Notwithstanding any provision to the contrary, in no event shall a Purchaser's Purchase Order pursuant to this Contract that is executed prior to expiration of this Contract allow for Contractor to provide Goods and/or Services more than twelve (12) months beyond the expiration date of the Contract.
- 16.5. Contractor Obligations Expiration or Termination. Upon expiration or termination of this Contract, Contractor shall: (a) continue to fulfill its warranty obligations with respect to any Goods or Services sold hereunder and all provisions of the Contract that, by their nature, would continue beyond the expiration, termination, or cancellation of the Contract shall so continue and survive; and (b) promptly return to Purchaser all keys, badges, and other materials supplied by Purchaser for the performance of any Purchase Order entered into pursuant to this Contract.
- 16.6. Default. Any of the following events shall constitute cause for Enterprise Services to declare Contractor in default of this Contract:
 - (a) Contractor fails to perform or comply with any of the terms or conditions of this Contract.
 - (b) Contractor fails to timely report contract sales.
 - (c) Contractor fails to timely pay the vendor management fees when due; or
 - (d) Contractor breaches any representation or warranty provided herein.
- 16.7. Suspension & Termination for Default. Enterprise Services may suspend Contractor's operations under this Contract immediately by written cure notice of any default. Suspension shall continue until the default is remedied to Enterprise Services' reasonable satisfaction; *Provided*, however, that, if after thirty (30) calendar days from such a suspension notice, Contractor remains in default, Enterprise Services may terminate Contractor's rights under this Contract. All of Contractor's obligations to Enterprise Services and Purchasers survive termination of Contractor's rights under this Contract, until such obligations have been fulfilled.
- 16.8. REMEDIES FOR DEFAULT.
 - (a) Enterprise Services' rights to suspend and terminate Contractor's rights under this Contract are in addition to all other available remedies.

- (b) In the event of termination for default, Enterprise Services may exercise any remedy provided by law including, without limitation, the right to procure for all Purchasers replacement Goods and/or Services. In such event, Contractor shall be liable to Enterprise Services for damages as authorized by law including, but not limited to, any price difference between the Contract price and the replacement or cover price as well as any administrative and/or transaction costs directly related to such replacement procurement e.g., the cost of the competitive procurement.
- 16.9. LIMITATION ON DAMAGES. Notwithstanding any provision to the contrary, the parties agree that in no event shall any party or Purchaser be liable to the other for exemplary or punitive damages; *Provided*, however, that nothing contained in this Section will in any way exclude or limit: (a) a party's liability for all damages arising out of that party's intentional acts or omissions; (b) the operation of any Goods or Services warranty provided in this Contract; or (c) damages subject to the Intellectual Property Indemnity section of this Contract. Any limitation of either party's obligations under this Contract, by delivery slips or other documentation is void.
- 16.10. SUSPENSION/TERMINATION PROCEDURE. Regardless of basis, in the event of suspension or termination (in full or in part), the parties shall cooperate to ensure an orderly and efficient suspension or termination. Accordingly, Contractor shall deliver to Purchasers all Goods and/or Services that are complete (or with approval from Enterprise Services, substantially complete) and Purchasers shall inspect, accept, and pay for the same in accordance with this Contract and the applicable Purchase Order. Unless directed by Enterprise Services to the contrary, Contractor shall not process any orders after notice of suspension or termination inconsistent therewith.
- 16.11. Purchaser Purchase Orders. Purchaser Orders may be terminated: (a) upon the mutual written agreement of the parties; (b) by the non-breaching party where the breach is not cured within thirty (30) calendar days after written notice of breach is delivered to the breaching party, unless a different time for cure is otherwise stated in the applicable Purchase Order; and (c) as otherwise expressly provided for in the applicable Purchase Orders shall terminate automatically and without further action if a party becomes insolvent or is placed in receivership, reorganization, liquidation, or bankruptcy. In addition to any other available remedies, the non-breaching party may terminate the Purchase Order as provided in subsection (b) above without further liability by written notice to the breaching party. A termination for breach will not affect rights or obligations accrued or owed before the effective date of the termination notice.

17. Public Information & Public Records Disclosure Requests.

- 17.1. WASHINGTON'S PUBLIC RECORDS ACT. Unless statutorily exempt from public disclosure, this Contract and all related records are subject to public disclosure as required by Washington's Public Records Act, RCW 42.56.
- 17.2. CONTRACTOR OBLIGATION. Contractor shall identify and mark the precise portion(s) of the relevant page(s) of any records provided to Enterprise Services that Contractor believes are statutorily exempt from disclosure and identify the precise statutory basis for exemption from disclosure. In addition, if, in Contractor's judgment, certain portions of such records are not statutorily exempt from disclosure but are sensitive because particular portions of Contractor's records (NOT including pricing) include highly confidential, proprietary, or trade

- secret information (or the equivalent) that Contractor protects through the regular use of confidentiality or similar agreements and routine enforcements through court enforcement actions, Contractor shall identify and mark the precise portion(s) of the relevant page(s) of any records that include such sensitive information.
- ENTERPRISE SERVICES' OBLIGATION. In the event that Enterprise Services receives a public records 17.3. disclosure request pertaining to records that Contractor has submitted and marked either as (a) statutorily exempt from disclosure; or (b) sensitive, Enterprise Services, prior to disclosure, will do the following: Enterprise Services' Public Records Officer will review any records marked by Contractor as statutorily exempt from disclosure. In those situations, where the designation comports with the stated statutory exemption from disclosure, Enterprise Services will redact or withhold the record(s) as appropriate. For records marked 'sensitive' or for records where Enterprise Services determines that no statutory exemption to disclosure applies or is unable to determine whether the stated statutory exemption to disclosure properly applies, Enterprise Services will notify Contractor, at the address provided in the Contract, of the public records disclosure request and identify the date that Enterprise Services intends to release the record(s) (including records marked 'sensitive' or exempt from disclosure) to the requester unless Contractor, at Contractor's sole expense, timely obtains a court order enjoining Enterprise Services from such disclosure. In the event Contractor fails to timely file a motion for a court order enjoining such disclosure, Enterprise Services will release the requested record(s) on the date specified. Contractor's failure properly to identify exempted or sensitive information or timely respond after notice of request for public disclosure has been given shall be deemed a waiver by Contractor of any claim that such records are exempt or protected from public disclosure.

18. GENERAL PROVISIONS.

- 18.1. TIME IS OF THE ESSENCE. Time is of the essence for each and every provision of this Contract.
- 18.2. COMPLIANCE WITH LAW. Contractor shall comply with all applicable law. Contractor shall obtain all necessary permits and approvals and give all stipulations, certifications, and representations that may be required for it to perform this Contract.
- 18.3. Entire Agreement. This Contract constitutes the entire agreement and understanding of the parties with respect to the subject matter and supersedes all prior negotiations, representations, and understandings between them. There are no representations or understandings of any kind not set forth herein.
- 18.4. AMENDMENT OR MODIFICATION. Except as set forth herein, this Contract may not be amended or modified except in writing and signed by a duly authorized representative of each party.
- 18.5. AUTHORITY. Each party to this Contract, and each individual signing on behalf of each party, hereby represents and warrants to the other that it has full power and authority to enter into this Contract and that its execution, delivery, and performance of this Contract has been fully authorized and approved, and that no further approvals or consents are required to bind such party.
- 18.6. No Agency. The parties agree that no agency, partnership, or joint venture of any kind shall be or is intended to be created by or under this Contract. Neither party is an agent of the other party nor authorized to obligate it.

- 18.7. INDEPENDENT CONTRACTOR. The parties intend that an independent contractor relationship is created by this Contract. Contractor and its employees or agents performing under this Contract are not employees or agents of Enterprise Services. Contractor shall not have authorization, express or implied, to bind Enterprise Services to any agreement, liability, or understanding, except as expressly set forth herein. Contractor and its employees and agents are not entitled to unemployment insurance or worker's compensation benefits through Enterprise Services, or the State of Washington and Enterprise Services and the State of Washington will not pay for or otherwise provide such coverage for Contractor and its employees and agents.
- 18.8. ASSIGNMENT. Contractor may not assign its rights under this Contract without Enterprise Services' prior written consent and Enterprise Services may consider any attempted assignment without such consent to be void; *Provided*, however, that, if Contractor (a) provides written notice to Enterprise Services within thirty (30) calendar days of such event and (b) timely executes Enterprise Services' Assignment, Assumption, and Consent Agreement, Contractor may assign its rights under this Contract in full to any parent, subsidiary, or affiliate of Contractor that controls or is controlled by or under common control with Contractor, is merged or consolidated with Contractor, or purchases a majority or controlling interest in the ownership or assets of Contractor. Unless otherwise agreed, Contractor guarantees prompt performance of all obligations under this Statewide Contract notwithstanding any prior assignment of its rights.
- 18.9. BINDING EFFECT; Successors & Assigns. This Contract shall be binding upon and shall inure to the benefit of the parties hereto and their respective successors and assigns.
- 18.10. Assignment of Antitrust Rights Regarding Purchased Goods/Services. Contractor irrevocably assigns to Enterprise Services, on behalf of the State of Washington, any claim for relief or cause of action which Contractor now has or which may accrue to Contractor in the future by reason of any violation of state or federal antitrust laws in connection with any Goods and/or Services provided in Washington for the purpose of carrying out Contractor's obligations under this Contract, including, at Enterprise Services' option, the right to control any such litigation on such claim for relief or cause of action.
- 18.11. FEDERAL FUNDS. To the extent that any Purchaser uses federal funds to purchase Goods and/or Services pursuant to this Contract, such Purchaser shall specify, with its Purchase Order, any applicable requirement or certification that must be satisfied by Contractor at the time the Purchase Order is placed or upon delivery of such Goods/Services to Purchaser.
- 18.12. Severability. If any provision of this Contract is held to be invalid or unenforceable, such provision shall not affect or invalidate the remainder of this Contract, and to this end the provisions of this Contract are declared to be severable. If such invalidity becomes known or apparent to the parties, the parties agree to negotiate promptly in good faith in an attempt to amend such provision as nearly as possible to be consistent with the intent of this Contract.
- 18.13. WAIVER. Failure of either party to insist upon the strict performance of any of the terms and conditions hereof, or failure to exercise any rights or remedies provided herein or by law, or to notify the other party in the event of breach, shall not release the other party of any of its obligations under this Contract, nor shall any purported oral modification or rescission of this Contract by either party operate as a waiver of any of the terms hereof. No waiver by either party of any breach, default, or violation of any term, warranty, representation, contract, covenant, right, condition, or provision hereof shall constitute waiver of any subsequent

- breach, default, or violation of the same or other term, warranty, representation, contract, covenant, right, condition, or provision.
- 18.14. Survival. All representations, warranties, covenants, agreements, and indemnities set forth in or otherwise made pursuant to this Contract shall survive and remain in effect following the expiration or termination of this Contract, *Provided*, however, that nothing herein is intended to extend the survival beyond any applicable statute of limitations periods.
- 18.15. Governing Law. The validity, construction, performance, and enforcement of this Contract shall be governed by and construed in accordance with the laws of the State of Washington, without regard to any choice of law principles that would provide for the application of the laws of another jurisdiction.
- 18.16. Jurisdiction & Venue. In the event that any action is brought to enforce any provision of this Contract, the parties agree to exclusive jurisdiction in Thurston County Superior Court for the State of Washington and agree that in any such action venue shall lie exclusively at Olympia, Washington.
- 18.17. Attorneys' Fees. In the event of litigation or other action brought to enforce this Contract, each party shall bear its own attorneys' fees and costs.
- 18.18. FAIR CONSTRUCTION & INTERPRETATION. The provisions of this Contract shall be construed as a whole according to their common meaning and not strictly for or against any party and consistent with the provisions contained herein in order to achieve the objectives and purposes of this Contract. Each party hereto and its counsel has reviewed and revised this Contract and agrees that the normal rules of construction to the effect that any ambiguities are to be resolved against the drafting party shall not be construed in the interpretation of this Contract. Each term and provision of this Contract to be performed by either party shall be construed to be both a covenant and a condition.
- 18.19. FURTHER ASSURANCES. In addition to the actions specifically mentioned in this Contract, the parties shall each do whatever may reasonably be necessary to accomplish the transactions contemplated in this Contract including, without limitation, executing any additional documents reasonably necessary to effectuate the provisions and purposes of this Contract.
- 18.20. EXHIBITS. All exhibits referred to herein are deemed to be incorporated in this Contract in their entirety.
- 18.21. Captions & Headings. The captions and headings in this Contract are for convenience only and are not intended to, and shall not be construed to, limit, enlarge, or affect the scope or intent of this Contract nor the meaning of any provisions hereof.
- 18.22. ELECTRONIC SIGNATURES. An electronic signature or electronic record of this Contract or any other ancillary agreement shall be deemed to have the same legal effect as delivery of an original executed copy of this Contract or such other ancillary agreement for all purposes.

18.23. Counterparts. This Contract may be executed in any number of counterparts, each of which shall be deemed an original and all which counterparts together shall constitute the same instrument which may be sufficiently evidenced by one counterpart. Execution of this Contract at different times and places by the parties shall not affect the validity thereof so long as all the parties hereto execute a counterpart of this Contract.

By:

EXECUTED as of the date and year first above written.

STATE OF WASHINGTON
Department of Enterprise Services

Ву:

Elena McGrew

Its:

Enterprise Procurement Manager

GORDON TRUCK CENTERS, INC DBA FREIGHTLINER NORTHWEST, a Washington Corporation

Doug Wakefield

Its: Regional VP Sales

INCLUDED GOODS/SERVICES

| Category | Brand | Side Entry | Rear Entry |
|------------|--------------|--------------------|--------------------|
| | | 14001-16000 GVWR | 14001-16000 GVWR |
| 1-Internal | Freightliner | 16001-19500 GVWR | 16001-19500 GVWR |
| Combustion | | 19,001-22,000 GVWR | 19,001-22,000 GVWR |
| Engine | | | |
| 2-Electric | Freightliner | 19001-22000 GVWR | 19001-22000 GVWR |
| Vehicle | | | |

CATEGORY 1 INTERNAL COMBUSTION ENGINE-TECHNICAL SPECIFICATIONS

| Specificatio | on Requirements -Side entry and Rear Entry. | Bidder Meets Requirem ents Mark Y or | Describe Offered Alternatives |
|--------------|---|--|----------------------------------|
| Walk-In Ste | • | | |
| | 000- 14,000 GVWR) | | |
| Stripped Va | | | |
| | ne and Equipment | | |
| a. | Eight cylinder, minimum 6.0 Liter displacement, gasoline engine rated @ minimum 308 Gross Horsepower and 690 Lb./ Ft. Gross Torque. Meets current Federal EPA regulations | Y | |
| b. | PTO (Fast Idle) set for 1,000 RPM using cab cruise control set switch | N | NOT APPLICABLE |
| C. | 10-minute automatic engine shut-down except when in PTO (Fast Idle) mode | N | TRANSMISSION NOT CONFIGURED |
| d. | 145-amp Delco Remy alternator (or equal). | Υ | |
| e. | One 12V 700 CCA battery | Υ | |
| f. | Automatic shut-down for low oil pressure, low coolant, and high coolant temperature. | Υ | |
| g. | Horizontal exhaust and after-treatment system. RH mounted 10-gallon diesel exhaust fluid tank (if EPA10 certified or newer). | N | NO DEF ON GAS ENGINES |
| h. | Exhaust tailpipe exiting to right side ahead of rear wheels | N | AFT EXIT ONLY |
| i. | Minimum 690 Sq. In. radiator with plastic surge tank to visually see coolant level | Υ | |
| j. | Viscous engine fan drive. | Υ | |
| k. | Ethylene Glycol coolant, pre-mixed with SCA (corrosion inhibitor). 50/50 mix rated -35 degrees F. | Υ | |
| l. | Electric cold-start air intake heater. | N | NOT APPLICABLE TO |
| m. | Heavy duty 12 V starter, "Delco Remy" brand (or equal | Υ | |

| | ssion and Equipment Allison 1000RDS 5-speed automatic | | ALLISON 1005HS N |
|-------------|---|----------|------------------|
| | ransmission with parking pawl. | N | PTO PROVISION |
| | synthetic transmission fluid, factory fill, | | TTOTROTISION |
| | approved by Allison. The dipstick/fill tube | | |
| | hall have a tag showing the brand and | Υ | |
| | ype of fluid. | | |
| | nterface wiring to access neutral signal and | | NO AVAILABLEWIT |
| | TO functions. Chassis | N | 1005HS |
| | Allison programmed to package #360 | N | NOT AVAILABLE O |
| | | | 1005HS |
| | -handle shift selector mounted to right | | |
| | ide of steering column on dash with park | Υ | |
| | rake "P" position | | |
| | Vater-to-Oil transmission heat exchanger | Υ | |
| | oil cooler). | | |
| | de and Equipment | | |
| a. 8 | 3,000 Lb. rated I-beam | Υ | |
| b. 5 | 0-degree wheel-cut angle for maximum | Υ | |
| r | naneuverability | | |
| c. H | Hydraulic pin-slide disc front brakes. Non- | Υ | |
| a | sbestos pads | • | |
| d. C | Grease type wheel seals. | Υ | |
| e. F | Power steering rated to axle capacity. 2- | | |
| C | uart reservoir with filter and dipstick | Υ | |
| Į. | ocated outboard the frame rail for easy | • | |
| ā | iccess. | | |
| f. 5 | 5,790 Lb. front leaf springs with rubber | Υ | |
| k | oushings providing maximum stability. | ' | |
| g. F | ront sway bar and shock absorbers | Υ | |
| 4. Rear Ax | e and Equipment | | |
| a. 8 | 3,000 Lb. (or greater) single speed | Υ | 13,000 STD |
| b. <i>A</i> | Axle ratio to provide 55 MPH at 80% of | Υ | |
| 6 | engine maximum horsepower RPM | | |
| | Automatic traction locking differential. | Υ | |
| | "Trac-Tech" or equal) | | |
| ` | 710 or 70 series main driveline with safety | N | DANA SPICER SPI |
| | oops. | | 70XS |

| | | | · |
|------------|---|---|-------------------------|
| e. | Synthetic gear lube as approved by axle manufacturer with tag located at the oil fill plug | Υ | |
| f. | Hydraulic pin-slide disc rear brakes. Non-asbestos pads. | Υ | |
| g. | Transmission mounted drum style parking brake | Υ | |
| h. | Parking brake control mounted on dash to left side of steering column with indicator light in instrument panel. | Y | |
| i. | Oil type rear wheel seals. | Υ | |
| j. | 12,000 Lb. rear leaf suspension. | Υ | |
| k. | Rear sway bar and shock absorbers. | Υ | |
| 5. Brake S | | | |
| | 4-wheel dual piston hydraulic disc pin-slide brakes with ABS. | Υ | |
| 6. Wheel | base and Frame | | |
| | 158 In. wheelbase with adequate frame overhang for 14 Ft. van body. | Υ | |
| | 1/4" x 3" x 8" continuous straight channel 50,000 PSI steel rails. | | |
| | 6.8 In. frame extension so bumper is ahead of grille for maximum protection. | Υ | |
| d. | 11 In. "C" channel front bumper with contoured ends. | Υ | |
| e. | Two front frame mounted tow hooks | Υ | |
| | Frame provisions for generator. | N | NOT AVAILABLE ON GAS |
| g. | Frame pre-drilled for body supports. | Υ | |
| 7. Fuel Ta | nk and Equipment | | |
| | 40-gallon, rectangular fuel tank mounted between the frame rails | Υ | |
| | Fuel/water separator with electric heat and water-in-fuel indicator light on dash. Davco model 233 (or equal). | N | NOT AVAILABLE ON GAS |
| C. | Spare fuel supply and return ports in fuel tank for generator. | N | NOT AVAILABLE ON GAS |
| 8. Tires a | nd Wheels | | |
| a. | Size: 225/70R19.5, 12 or 14 Ply | Υ | |
| b. | Type: Steel belted radial | Υ | |

| c. Front: (2) highway rib with tread and sidewalls rated for Urban Service | Υ | |
|--|---|-----------------------|
| d. Rear: (4) traction tread rated for Urban | Υ | |
| Service. | | |
| e. Wheels: (6) 19.5" x 6.75" 8-stud hub piloted steel 5-hand disc | Υ | |
| f. Hubs: Steel | Υ | |
| g. Spare Tire and Wheel: None | Υ | NO SPARE REQUESTED |
| 9. Cab and Miscellaneous Equipment | | |
| a. Dual electric horns | Υ | |
| b. Factory A/C compressor and 5/8" heater lines for body manufacturer installed HVAC system. | Υ | |
| c. Double-sided heavy duty ignition keys. Five keys per vehicle. | Υ | |
| d. Ignition switch with accessory position | Υ | |
| e. Chassis power distribution panel with circuit breakers (in-lieu-of fuses). | Υ | |
| f. Adjustable tilting steering column. | Υ | |
| g. 4-spoke "soft-feel" steering wheel | Υ | |
| h. Electric back-up alarm, 97 decibels or greater. | Υ | |
| i. Cruise control switches on dash to left or right side of steering column. | Υ | |
| j. Instruments and controls: | | |
| Speedometer | Υ | |
| Tachometer | Υ | |
| Oil Pressure Gauge | Υ | |
| Engine Temperature Gauge | Υ | |
| Transmission Temperature Gauge | Υ | |
| Fuel Level Gauge | Υ | |
| Engine Hour Display or Hour Meter | Υ | |
| LCD Display linked to J1939 Data Bus for fault codes. | Υ | |
| Voltmeter Display or Gauge | Υ | |
| Self-Cancel Turn Signal Switch | Y | |
| 10. Chassis Warranty | Y | |

| a. | Complete Chassis, including starter and | | |
|----------------|--|---|--------------------|
| a. | alternator: 3 Years/50,000 Miles | Υ | |
| h | Engine: 3 Years/50,000 Miles | Υ | |
| C. | | | |
| | Miles | Υ | |
| d. | Batteries: 3 Years/50,000 Miles | Υ | |
| e. | Towing Coverage: 3 Years/50,000 Miles | Υ | |
| f. | All warranties are for 100% parts and | | |
| | labor during the specified time or mileage | Υ | |
| | limits. | | |
| g. | Bidder shall include manufacturer's | | |
| | warranty statements in this | | |
| | SOLICITATION. The statements must list | | |
| | "What Is Not Covered" or "Exclusions". | Y | |
| | DES reserves the right to reject a bid that, | T | |
| | in DES's sole discretion, includes a | | |
| | warranty that provides inadequate | | |
| | protection | | |
| Walk-In Van Be | ody (Aluminum) | | |
| 1. Dimens | sions | | |
| a. | Cargo Floor Length: 168 In. (14 Ft.) | Υ | |
| b. | Interior Height: 85 In. (Floor to ceiling) | Υ | |
| C. | Interior Width: 86.5 In. (Outside skin to | N | 93" wide body |
| | outside skin, aft of front door pockets.) | | 33 mac sou, |
| d. | Useable Interior Width: 81 In. (Inside Wall | Υ | 90" usable width |
| | to Wall) | | yo asasic main |
| 2. Docum | entation | | |
| a. | Drawings, printed on ANSI size B and in | | |
| | CAD electronic format (universal | | |
| | exchange *.dxf) on CD R/W, showing the | | |
| | exterior and interior body and chassis | | |
| | details shall be submitted with this | | CAD data available |
| | SOLICITATION, including: | Υ | after purchase and |
| b. | Exterior front, rear, left, and right-side | • | signed NDA |
| | views showing height, width, length, | | 3.8.13.4.13.1 |
| | location of body stiffeners, lighting, | | |
| | mirrors, windows, step and bumper | | * |
| | height. Show with full width roll-up rear | | |
| | door. | | |

| c. Interior front, rear, left, and right-side | | |
|--|----|--------------------|
| views showing support structure, interior | | |
| side walls and cabinet support hardware, | | |
| bulkhead with sliding door, front seats, | | |
| worktable and storage, useable inside | | |
| dimensions, and sliding door pockets. Also | | |
| show interior lighting. | | |
| d. Front, top and side views of Options | | |
| including rear door variances, cabinets, | | |
| work benches, generator compartment, | | |
| side boxes, etc. showing height, width, | | |
| and depth and also drawer and shelf | | |
| dimensions of the cabinets, as called out | | |
| in the Options section of this Solicitation. | | |
| e. None of the above drawings need to have | | |
| the detail for actual construction of the | | |
| vehicle or cabinets but are intended to | | |
| allow the purchaser to determine the | | |
| external clearances, interior layout and | | |
| | | |
| space available when selecting items from | | |
| the Option section when ordering each vehicle. | | |
| 3. Cab Doors. | | |
| 5. Cap Doors. | | D =: |
| a. Sliding type left and right | Υ | Requires roll up |
| | ., | windows |
| b. Roll-down windows left and right | Υ | |
| c. Fixed wing windows between doors and | N | Not available with |
| front "A" pillar. | | roll up windows |
| d. 100-gauge aluminum door pockets | Y | 4102" aluminum |
| e. "Kason" (or equal) sliding door latches | Υ | |
| f. "Kason" (or equal) #3412 Key-to-lock | | |
| exterior handles. (Not push-to-lock). | Y | |
| Chrome or black powder coated finish. | | |
| g. Keyed to rear door(s). | Υ | Maximum security / |
| g. Keyed to rear door(s). | Ť | uses paddle lock |
| h. Five door keys per vehicle. | N | 4 keys standard |
| 4. Rear Door(s) | | |
| a. Full width roll-up | Υ | |
| b. Aluminum clad panels, white topcoat | N | Composite |
| c. Galvanized steel door hardware | N | E-Coated |
| | L) | 1 |

| | Center mounted rear door latch with two-point cable or rod-controlled side latches and inside door release handle. Center latch and handle shall be "Kason" (or equal) #0168-01 latch, #0168S outside handle and #1600 inside handle. Keyed to front doors (no exception.) Chrome or black powder coated exterior handle finish | N | 2-point latch not available. Maximum security at bottom with inside release |
|-------------|---|---|---|
| e. | Door windows: None | Υ | |
| 5. Seating | | | |
| a | Driver seat: High back, Standard Bucket Seats Dual arm rests Heavy duty dark gray or black cloth covering, such as "DuPont Cordura", or equal. Sears Magnum 200 series mechanical suspension Non-tilting seat base 3-point lap-shoulder belt system with retractor | Y | |
| b. | Passenger seat: High back, Standard Bucket Seats Dual arm rests Heavy duty dark gray or black cloth covering, such as "DuPont Cordura", or equal. Sears Magnum 200 series mechanical suspension Non-tilting seat base 3-point lap-shoulder belt system with retractor. | Y | |
| 6. Bulkhead | | | |
| a. | Aluminum with center mounted sliding door with window in the door. | Υ | |

| ŀ | o. Blandex lining for bulkhead and sliding door for stiffening. | Y | .102" Aluminum |
|-------------|--|---|---|
| (| c. Carpet or sound absorbing material on the forward side of the bulkhead. | Y | |
| (| d. "Kason" (or equal) sliding door latch. (Non-locking) | Y | 1 |
| | e. "Kason" (or equal) non-locking door handle and interior handle. | Y | |
| 1 | f. Bulkhead positioned at forward cargo "0" line. (Important Note: This location will vary among the vehicles to be ordered and is called out in the Options section.) | N | Will be at 5.5" aft o |
| 7. Driver A | rea Equipment | | |
| a | . Electric windshield wipers (single motor) with intermittent control. | Y | |
| b | full width floor mat with rubber top surface, approximately ½" thick. Metal nosing at exposed edges | Y | Acoustical matting on center floor pla and step risers wit diamond plate trin |
| C | Diesel sound reduction "package" on firewall and engine access cover | Y | |
| C | I. Dual (left and right) cup holders | Υ | |
| € | e. AM/FM/CD radio with two speakers and side mounted rubber antenna. | N | AM/FM/BT/AUX |
| f | . Dual sun visors. | Y | |
| 8. Storage | and Worktables | | |
| | a. Full width overhead shelf without | N | Enclosed aluminur passenger door |
| k | Worktable extending from instrument panel to right side with 1 ln. lip. | Υ | |
| (| . Pocket on face of engine cover | Υ | |
| | | | |

| a | . Cab domes: One 18-In. LED, centered | Υ | |
|-------------------------|---|---|-------------------|
| b | . Cargo domes: Three 18-In. LED recessed in the roof down center. | Υ | |
| С | Switches for front and rear domes located on instrument panel. Additional switch at right rear cargo door post for cargo dome lights. | Y | |
| 10. Roof | | | |
| а | . Aluminum roof, .040 Gauge, seamless | Υ | |
| b | . Roof bows on 8 In. centers (except at roof vent). | N | Bows on 12" cente |
| C. | Roof bows attached to roof with industrial adhesive to reduce noise. | Y | |
| d | . 12-volt power roof vent and skylight assembly located in the center (approximately) of the cargo area. Shall include a Maxxair roof vent cover | Y | |
| e. | Interior roof liner, .022 Gauge embossed finish with insulation (R4). | Y | |
| 11. Floor | | | |
| | a. Extruded aluminum interlocking plank construction. | Υ | |
| | b. Diamond aluminum tread plate down center isle and full width from wheel boxes to end of cargo area. Tread plate plug welded to the floor for noise reduction | N | Hucked not welded |
| | c. Access panel in floor for fuel tank sending unit. | Υ | |
| 12. Side and | Rear Walls | | |
| a. Aluminur and lowe | n exterior side panels, .125 Gauge upper | N | .102" thick |

| b. Heavy duty 2 In. deep wall studs placed on 24 In. centers aft of the door pockets. | N | Heavy duty aluminum hat siffeners 1.5" |
|---|---------|--|
| c. 5/8 thick plywood or particle board with durable white composite covering or vinyl covering. | N | ½" kemply liner |
| d. 2 In. foam (polystyrene) or fiberglass insulation between the wall studs. If foam panels are used, then they must be glued to the exterior wall for noise control. | N | 1" polystyrene not glued |
| e. Grid style cabinet anchor system: Five galvanized steel cabinet support/anchor struts, "Power Strut" (or equal) #500 or #520 running horizontally between front door pockets and end of cargo area to accept "Power Strut" (or equal) 3/8 In. spring loaded channel nuts. Channels accurately spaced 16 In. apart starting from the floor. Support/anchor struts recessed among the inner wall boards with a maximum protrusion of 1/16 In. Support/anchor struts riveted or bolted to the wall studs with proper fasteners for maximum pul strength. Industrial adhesive is also suggested in combination with the fasteners. (Note: The center strut located at 48 In. from the floor will be reserved for 110-volt wire routing. | a II | Will quote with cabinet package |
| f. Supply (50) "Power Strut" (or equal) 3/8-16 spring loaded channel nuts with each vehicle. | 3 | Not quoting |
| g. Rear Bumper | | |
| a. 12 In. deep with open grate surface | Υ | |
| b. Class IV 2 ½" receiver hitch | Y | |
| c. 7-way receptacle wired for 2-light trailer. (Red is open, green, and yellow are assigned to stop and turn.) Blue is ignition power for charging trailer battery. Brown is tail. Black is marker. | γ Υ | |
| | Υ | |
| d. Electric Brake Control: None | | |

| a. Windshield: Tinted and bonded. | Y | Rubber gasket mount |
|--|---|------------------------|
| b. Cab mirrors: "Velvac" (or equal) Revolution mid-sized 4-way power adjustable and heated mirrors on single pod mounted fixed arms with integral convex sections. | Y | Velvac 2030 Black |
| c. Rear cross view mirror: 10 ln. convex on pod mounted swing arm. | Y | |

| d. Grab handles: | | |
|---|---|--------------------------------|
| Two front 18 In. aluminum located at forward door post approximately 72 In. from ground. Two rear 18 In. aluminum located at rear door posts approximately 72 In. from ground. | Υ | |
| i. Hood and Front Bumper | | |
| a. Composite lift hood with gas support struts. | N | Riveted aluminum tilt up |
| b. Protection screen located behind the grille bars. | N | Not available |
| c. Chassis manufacturer supplied front bumper. | Υ | |
| j. Paint and Decals | | |
| a. Polyurethane single stage paint, DuPont Imron 5000 (or equal), #N0006HN | Υ | Azalta single stage N0006HN |
| k. Exterior Lighting | | |
| a. Headlamps: Halogen | Υ | |
| i. LED Lighting, Includes:1. Front and Rear tail,turn/stop amps. Marker andID lights2. Back-up lights | Υ | |

| b. Mid-side (aft of door pocket) amber turn signal.(Located in the body skirt below the floor.) | Y | |
|---|---|----------------------------------|
| Rear license plate lamps (incandescent) with center mounted front and rear license plate holders. | N | Left or Right mount |
| d. HVAC | | |
| Factory installed cab heater, defroster, and air conditioning system. | Υ | |
| b. Ducting and/or louvers for driver and passenger sides. | Υ | |
| 18.Electrical and Miscellaneous | | |
| Two 12-volt cigar lighter style receptacles in dash for cell phones, etc. | Y | |
| b. Rubber fender flares and mud flaps | N | Not required on 93" body |
| 19.Warranty | | |
| a. Basic coverage: 12 months or 12,000 miles. | Y | |
| b. Body Structure, hood, and main panels: 60 months or 50,000 miles | 5 У | |
| c. The bidder shall include the manufacturer's warranty statement including "What Is Not Covered" or "Exclusions" in this SOLICITATION. DES reserves the right to reject a bid that, in DES's sole discretion, includes a warranty that provides inadequate protection | Y | |
| d. Warranties are for 100% parts and labor during the specified time or mileage limits. | Υ | |
| Specification Requirements | Bidder Meets Require ments Mark Y or N | Describe Offered Alternatives |
| Walk-In Step Van – | | |
| <u>Class 5</u> (14,001- 19,000 GVWR) | | |

| | ne and Equipment | | |
|----------------|--|---|--------------|
| a. | In-line six cylinder, minimum 6.7 Liter displacement, seven main bearings, turbocharged | Y | |
| | and after-cooled diesel rated 220 Gross | ī | |
| | Horsepower and 520 Lb./ Ft. Gross Torque. Meets | | |
| | existing Federal EPA regulations. | | |
| b. | PTO (Fast Idle) set for 1,000 RPM using cab cruise control set switch | Υ | |
| C. | 10-minute automatic engine shut-down except | | 5 MINUTES |
| | when in PTO (Fast Idle) mode | N | |
| d. | | Υ | |
| e. | Two group 31 heavy duty 12-volt high cycle batteries rated 1,340 CCA | Υ | 1400 CCA |
| f. | Automatic shut-down for low oil pressure, low coolant, and high coolant temperature. | Y | |
| g. | Horizontal exhaust and after-treatment system. RH mounted 10-gallon diesel exhaust fluid tank (if EPA10 certified or newer). | Υ | |
| h. | Exhaust tailpipe exiting to right side ahead of rear wheels. | N | REAR OF TIRE |
| i. | Fuel water separator with heating element. | Υ | |
| j. | Dry air cleaner with restriction indicator. | Υ | |
| k. | Forward mounted oil dipstick and transmission fill tubes. | Υ | |
| l. | Minimum 680 Sq. In. radiator with plastic surge tank to visually see coolant level. | Υ | |
| m. | On/Off type electric engine fan clutch | Y | |
| n _ĕ | Ethylene Glycol coolant, pre-mixed with SCA (corrosion inhibitor). 50/50 mix rated -35 degrees F. | Υ | |
| 0. | Electric cold-start air intake heater. | Υ | |
| р. | Heavy duty starter with tungsten contacts and | Υ | |
| | ground stud, "Denso" brand (or equal). | | |
| . Trar | nsmission and Equipment | | |
| a. | Allison 1000RDS 5-speed automatic transmission with parking pawl | Y | |
| b. | Synthetic transmission fluid, factory fill, approved by Allison. The dipstick/fill tube shall have a tag | Υ | |

| C. | Interface wiring to access neutral signal and PTO functions. Chassis components located to allow installation of a PTO and direct mount pump. | Υ | |
|----------------|---|---|--------------------|
| d. | Allison programmed to package #360. | N | OPTION NOT OFFERED |
| e. | T-handle shift selector mounted to right side of steering column on dash with park brake "P" position | Υ | |
| f. | Water-to-Oil transmission heat exchanger (oil cooler). | Υ | |
| 3. <u>Fror</u> | nt Axle and Equipment | | |
| a. | 8,000 Lb. rated I-beam | γ | |
| b. | 50-degree wheel-cut angle for maximum maneuverability. | Υ | |
| C. | Hydraulic pin-slide disc front brakes. Non-asbestos pads. | Υ | |
| d. | Grease type wheel seals. | Υ | |
| e. | Power steering rated to axle capacity. 2-quart reservoir with filter and dipstick located outboard the frame rail for easy access. | Y | |
| f. | 7,000 Lb. front leaf springs with rubber bushings, mounted outboard frame rails for maximum stability. | Y | |
| g. | Front sway bar and shock absorbers. | Υ | |
| | Axle and Equipment | | |
| | 12,000 Lb. (or greater) single speed. | Y | 13000 |
| b. | Axle ratio to provide 55 MPH at 80% of engine maximum horsepower RPM. | Υ | |
| C. | Automatic traction locking differential. ("Trac- Tech" or equal) | Υ | |
| d. | 1710 or 70 series main driveline with safety loops. | Υ | |
| e. | Synthetic gear lube as approved by axle manufacturer with tag located at the oil fill plug. | Υ | |
| f. | Hydraulic pin-slide disc rear brakes. Non-asbestos pads. | Υ | |
| g. | Transmission mounted drum style parking brake. | Υ | |
| h. | Parking brake control mounted on dash to left side of steering column with indicator light in instrument panel. | Υ | |

| j. | Oil type rear wheel seals. | Υ | |
|----------------|---|---|--------------|
| j. | 12,000 Lb. rear leaf suspension. | Y | |
| k, | Rear sway bar and shock absorbers. | Y | |
| | ke System | 1 | |
| | | | |
| a. | Hydraulic 4-sensor, 4-module (4S/4M) antilock | Υ | |
| 6 Mh | system without automatic traction control. eelbase and Frame | | |
| | | | |
| a. | 158 In. wheelbase with adequate frame overhang | Υ | |
| l. | for 14 Ft. van body. | | |
| D. | 1/2" x 3" x 8" continuous straight channel 50,000 PSI | Υ | |
| | steel rails. | | |
| c. | 6.8 In. frame extension so bumper is ahead of grille | Υ | |
| | for maximum protection. | | |
| d. | 11 In. "C" channel front bumper with contoured | Υ | |
| | ends. | | |
| | Two front frame mounted tow hooks | Υ | |
| f. | Frame provisions for generator. | Υ | |
| g. | Frame pre-drilled for body supports. | Υ | |
| 7. <u>Fuel</u> | Tank and Equipment | | |
| a. | 40 gallons, (compatible with biodiesel) fuel tank | | |
| | located forward and outboard on left frame rail. | Υ | |
| b. | Fuel/water separator with electric heat and water- | | |
| | in-fuel indicator light on dash. Davco model 233 (or | Υ | |
| | equal). | | |
| c. | Spare fuel supply and return ports in fuel tank for | v | |
| | generator. | Υ | |
| 8. Tires | s and Wheels | | |
| a. | Size: 225/70R19.5, 12 or 14 Ply | Υ | |
| b. | Type: Steel belted radial | Υ | |
| C. | Front: (2) highway rib with tread and sidewalls | | |
| | rated for Urban Service. | Υ | |
| d. | Rear: (4) traction tread rated for Urban Service. | Υ | |
| | Wheels: (6) 19.5" x 6.75" 8-stud hub piloted steel | | |
| | 5-hand disc. | N | 4 HOLE |
| f. | Hubs: Steel | Υ | |
| | Spare Tire and Wheel: None | Υ | NOT REQESTED |
| 9. Cab | and Miscellaneous Equipment | | |
| | Dual electric horns. | Υ | |

| b. Factory A/C compressor and 5/8" heater lines for body manufacturer installed HVAC system. | Υ | |
|---|---|--|
| c. Double-sided heavy duty ignition keys. Five keys per vehicle. | Υ | |
| d. Ignition switch with accessory position. | Υ | |
| e. Chassis power distribution panel with circuit | | |
| breakers (in-lieu-of fuses). | Υ | |
| f. Adjustable tilting steering column. | Υ | |
| g. 4-spoke "soft-feel" steering wheel. | Υ | |
| h. Electric back-up alarm, 97 decibels or greater. | Υ | |
| Cruise control switches on dash to left or right side of steering column. | N | ON STEERING WHEEL SPOKES |
| j. Instruments and controls: | | Willes of the state of the stat |
| Speedometer | Υ | |
| Tachometer | Y | |
| Oil Pressure Gauge | Υ | |
| Engine Temperature Gauge | Y | |
| Transmission Temperature Gauge | Υ | |
| Fuel Level Gauge | Υ | |
| Engine Hour Display or Hour Meter | Υ | |
| LCD Display linked to J1939 Data Bus for | | |
| fault codes. | Υ | |
| Voltmeter Display or Gauge | Υ | |
| Self-Cancel Turn Signal Switch | Υ | |
| 10. Chassis Warranty | | |
| a. Complete Chassis, including starter and alternator: 3 Years/50,000 Miles | Υ | |
| b. Engine: 3 Years/50,000 Miles | Υ | |
| c. Allison Transmission: 3 Years/50,000 Miles | Υ | |
| d. Batteries: 3 Years/50,000 Miles | Υ | |
| e. Towing Coverage: 3 Years/50,000 Miles | Υ | |
| f. All warranties are for 100% parts and labor during | Υ | |
| the specified time or mileage limits. | ľ | |
| g. Bidder shall include manufacturer's warranty | | |
| statements in this SOLICITATION. The statements | | |
| must list "What Is Not Covered" or "Exclusions". | Υ | |
| DES reserves the right to reject a bid that, in DES's | | |
| sole discretion, includes a warranty that provides | | |
| inadequate protection. | | |

| | alk-In Van Body (Aluminum) | | |
|-------|--|-----------|--------------------|
| | ensions (44.5) | V | |
| a. | Cargo Floor Length: 168 In. (14 Ft.) | Y | |
| | Interior Height: 85 In. (Floor to ceiling). | Υ | |
| C, | Interior Width: 86.5 In. (Outside skin to outside | N | 93" width |
| | skin, aft of front door pockets.) | | |
| | Useable Interior Width: 81 In. (Inside Wall to Wall) | Υ | |
| . Doc | <u>umentation</u> | | |
| a. | Drawings, printed on ANSI size B and in CAD | | |
| | electronic format (universal exchange *.dxf) on CD | | CAD Data available |
| | R/W, showing the exterior and interior body and | Exception | after purchase and |
| | chassis details shall be submitted with this | Exception | NDA |
| | Solicitation. | | INDA |
| | | | |
| b. | Exterior front, rear, left, and right-side views | | |
| | showing height, width, length, location of body | | |
| | stiffeners, lighting, mirrors, windows, step and | | |
| | bumper height. Show with full width roll-up rear | | |
| | door. | | |
| | | | |
| c. | Interior front, rear, left, and right-side views | | |
| | showing support structure, interior side walls and | | |
| | cabinet support hardware, bulkhead with sliding | | |
| | door, front seats, worktable and storage, useable | | |
| | inside dimensions, and sliding door pockets. Also | | |
| | show interior lighting. | | |
| Ь | Front, top and side views of Options including rear | | |
| ч. | door variances, cabinets, work benches, generator | | |
| | compartment, side boxes, etc. showing height, | | |
| | width, and depth and also drawer and shelf | | |
| | dimensions of the cabinets, as called out in the | | |
| | Options section of this SOLICITATION. | | |
| | options section of this societration. | | |
| e. | None of the above drawings need to have the | | |
| | detail for actual construction of the vehicle or | | |
| | cabinets but are intended to allow the purchaser to | | |
| | determine the external clearances, interior layout, | | |
| | and space available when selecting items from the | | |
| | Option section when ordering each vehicle. | | |

| 3. <u>Cab</u> | Doors | | |
|---------------|--|-----------|----------------------------------|
| a. | Sliding type left and right upper door windows | Υ | |
| b. | Fixed wing windows between doors and front "A" pillar. | Y | |
| C. | Fixed lower left and right lower door windows. | Υ | |
| d. | 100-gauge aluminum door pockets. | Υ | |
| e, | "Kason" (or equal) sliding door latches. | Υ | |
| f. | "Kason" (or equal) #3412 Key-to-lock exterior | | |
| | handles. (Not push-to-lock). Chrome or black | Υ | |
| | powder coated finish. | | |
| g. | Keyed to rear door(s). | N | Maximum security for paddle lock |
| h. | Five door keys per vehicle. | N | 4 Keys are standard |
| 4.Rear | Door(s) | | |
| a. | Full width roll-up. | Υ | |
| b. | Aluminum clad panels, white topcoat. | N | Composite door |
| c. | Galvanized steel door hardware. | N | E- coated |
| d. | Center mounted rear door latch with two-point | | |
| | cable or rod-controlled side latches and inside door | | 2-point latch not |
| | release handle. Center latch and handle shall be | | available |
| | "Kason" (or equal) #0168-01 latch, #0168S outside | Exception | Maximum security |
| | handle and #1600 inside handle. Keyed to front | | at bottom with |
| | doors (no exception.) Chrome or black powder | | inside release |
| | coated exterior handle finish. | | |
| e. | Door windows: None | Y | |
| 5.Seati | ng | | |

| a. Driver seat: High back, Standard Bucket Seats Dual arm rests Heavy duty dark gray orblack cloth covering, such as "DuPont Cordura", or equal. Sears Magnum 200 series mechanical suspension Non-tilting seat base 3-point black lap-shoulder belt system with retractor. | Υ | |
|---|---|-----------------------------|
| b. Passenger seat: • High back, Standard Bucket Seats • Dual arm rests • Heavy duty dark gray or black cloth covering, such as "DuPont Cordura", or equal. • Sears Magnum 200 series mechanical suspension • Non-tilting seat base • 3-point black lap-shoulder belt system with retractor. | Y | |
| 6.Bulkhead | Y | |
| a. Aluminum with center mounted sliding door. | Ĭ | |
| b. Blandex lining for bulkhead and sliding door for stiffening. | N | .102" Aluminum |
| c. Carpet or sound absorbing material on the forward side of the bulkhead. | Y | |
| d. "Kason" (or equal) sliding door latch. (Non-locking) | Y | |
| e. "Kason" (or equal) non-locking door handle and interior handle. | Y | |
| f. Bulkhead positioned at forward cargo "0" line. (Important Note: This location will vary among the | N | Bulkhead @5.5" aft "0" line |

| | vehicles to be ordered and is called out in the Options section.) | | |
|----------------|---|---|--|
| 7.Driv | er Area Equipment | | |
| a. | Electric windshield wipers (single motor) with intermittent control. | Y | |
| b. | Sound absorbing (closed cell urethane) full width floor mat with rubber top surface, approximately ½" thick. Metal nosing at exposed edges. | Y | Acoustical floor matting on center floor plate and step risers with aluminum diamond plate trim |
| C. | Diesel sound reduction "package" on firewall and engine access cover. | Y | |
| d. | Dual (left and right) cup holders | Y | |
| e. | AM/FM/CD radio with two speakers and side mounted rubber antenna. | N | AM/FM/BT/Aux |
| f. | Dual sun visors. | Υ | |
| 8. <u>Cab</u> | Storage and Worktables | | |
| a. | Full width overhead shelf without doors. | N | Enclosed aluminum passenger storage door |
| b. | Worktable extending from instrument panel to right side with 1 In. lip. | Y | |
| c. | Pocket on face of engine cover. | Y | |
| 9. <u>Inte</u> | rior Lighting | | |
| a. | Cab domes: One 18-In. LED, centered. | Υ | |
| b. | Cargo domes: Three 18-In. LED recessed in the roof down center. | Y | |
| C. | Switches for front and rear domes located on instrument panel. Additional switch at right rear cargo door post for cargo dome lights. | Y | |
| 10. <u>Ro</u> | <u>of</u> | | |
| a. | Aluminum roof, .040 Gauge, seamless. | Υ | |
| b. | Roof bows on 8 In. centers (except at roof vent). | N | Bows on 12" centers |

| c, | Roof bows attached to roof with industrial adhesive to reduce noise. | Υ | |
|----------------|---|---|------------------------------------|
| d. | 12-volt power roof vent and skylight assembly located in the center (approximately) of the cargo area. Shall include a Maxxair roof vent cover. | Y | |
| e. | Interior roof liner, .022 Gauge embossed finish with insulation (R4). | Y | |
| 11. Flo | oor | | |
| a. | Extruded aluminum interlocking plank construction. | Y | |
| b. | Diamond aluminum tread plate down center isle and full width from wheel boxes to end of cargo area. Tread plate plug welded to the floor for noise reduction. | Y | Hucked not welded |
| c. | Access panel in floor for fuel tank sending unit. | Y | |
| 12. <u>Sic</u> | le and Rear Walls | | |
| a. | Aluminum exterior side panels, .125 Gauge upper and lower sheets. | N | .102" thick |
| b. | Heavy duty 2 In. deep wall studs placed on 24 In. centers aft of the door pockets. | N | Heavy duty aluminum hat stiffeners |
| C. | 5/8 thick plywood or particle board with durable white composite covering or vinyl covering. | N | ½" Kemply |
| d. | 2 In. foam (polystyrene) or fiberglass insulation between the wall studs. If foam panels are used, then they must be glued to the exterior wall for noise control. | N | 1" polystyrene not glued |
| e. | Grid style cabinet anchor system: Five galvanized steel cabinet support/anchor struts, "Power Strut" (or equal) #500 or #520 running horizontally between front door pockets and end of cargo area to accept "Power Strut" (or equal) 3/8 In. spring loaded channel nuts. Channels accurately spaced 16 In. apart starting from the floor. Support/anchor struts recessed among the inner | N | Will quote with cabinet package |

| | wall boards with a maximum protrusion of 1/16 In. Support/anchor struts riveted or bolted to the wall studs with proper fasteners for maximum pull strength. Industrial adhesive is also suggested in combination with the fasteners. (Note: The center strut located at 48 In. from the floor will be reserved for 110-volt wire routing. | | |
|---------------|--|---|------------------------|
| f. | Supply (50) "Power Strut" (or equal) 3/8-16 spring loaded channel nuts with each vehicle. | | Not Quoting |
| 13. <u>Re</u> | ar Bumper | | |
| a. | 12 In. deep with open grate surface. | Υ | |
| b. | Class IV 2 ½" receiver hitch | Υ | |
| C. | 7-way receptacle wired for 2-light trailer. (Red is open, green, and yellow are assigned to stop and turn.) Blue is ignition power for charging trailer battery. Brown is tail. Black is marker. | Y | |
| d. | Electric Brake Control: None | Υ | |
| 14. Bo | dy Exterior | | |
| a. | Windshield: Tinted and bonded. | Υ | Rubber gasket mount |
| b. | Cab mirrors: "Velvac" (or equal) Revolution mid- sized 4-way power adjustable and heated mirrors on single pod mounted fixed arms with integral convex sections. | N | Velvac 2030 Black |
| c. | Rear cross view mirror: 10 In. convex on pod mounted swing arm. | Y | |

| d. Grab handles: a. Two front 18 In. aluminum located at forward door post approximately 72 In. from ground. b. Two rear 18 In. aluminum located at rear door posts approximately 72 In. from ground. | Y | |
|---|---|--------------------------------|
| 15. Hood and Front Bumper | | |
| a. Composite lift up hood with gas support struts. | N | Riveted aluminum tilt up hood |
| b. Protection screen located behind the grille bars. | N | Not available |
| c. Chassis manufacturer supplied front bumper. | Υ | |
| 16. Paint and Decals | | |
| a. Polyurethane single stage paint, DuPont Imron 5000 (or equal), #N0006HN Arctic White (or equal). | Y | Axalta single stage N0006HN |
| 17. Exterior Lighting | | |
| a. Headlamps: Halogen | Υ | |
| b. Daytime Running Lights: No | Υ | |
| a. LED Lighting, Includes: Front and Rear tail, turn/stop lamps. Marker and ID lights Back-up lights | Υ | |

| c. Mid-side (aft of door pocket) amber turn signal. (Located in the body skirt below the floor.) | Y | |
|--|---|---------------------------------|
| d. Rear license plate lamps (incandescent) with center mounted front and rear license plate holders. | Y | Front plate left or right mount |
| 18. <u>HVAC</u> | | |
| Factory installed cab heater, defroster, and air conditioning system. | Υ | |
| b. Ducting and/or louvers for driver and passenger sides. | Y | |
| 19. Electrical and Miscellaneous | | |
| a. Two 12-volt cigar lighter style receptacles in dash for cell phones, etc.b. Rubber fender flares and mud flaps | Y | |

| 20 Mayaraha | | |
|--|---|--------------------------------------|
| a. Basic coverage: 12 months or 12,000 miles. | Υ | |
| b. Body Structure, hood, and main panels: 60 months or 50,000 miles. | Y | |
| c. The bidder shall include the manufacturer's warranty statement including "What Is Not Covered" or "Exclusions" in this SOLICITATION. DES reserves the right to reject a bid that, in DES's sole discretion, includes a warranty that provides inadequate protection. | Y | |
| d. Warranties are for 100% parts and labor during the specified time or mileage limits. | Y | |
| Specification Requirements Walk-In Step Van Class 6 (19,001- 25,500 GVWR) | Bidder Meets Require ments Mark Y | |
| Stripped Van Chassis | | |
| 1.Engine and Equipment | | |
| a. In-line six cylinder, minimum 6.7 Liter displacement, seven main bearings, turbocharged and after-cooled diesel rated 220 Gross Horsepower and 520 Lb./ Ft. Gross Torque. Meets Newer Federal EPA regulations. | Y | |
| b. Cummins turbo brake | Y | <u> </u> |
| c. PTO (Fast Idle) set for 1,000 RPM using cab cruise control set switch. | Y | |
| d. 10-minute automatic engine shut-down except when in PTO (Fast Idle) mode. | N | 5 MINUTES |
| e. 320-amp heavy duty pad mounted alternator with heavy duty wiring harness. | N | NOT AVAILABLE AT PRESENT WILL ADVISE |

| f. | Two group 31 heavy duty 12-volt high cycle batteries rated 1,340 CCA. | Y | 1400 CCA |
|---------|---|------------|--|
| g. | Automatic shut-down for low oil pressure, low coolant, and high coolant temperature. | Y | |
| h. | Horizontal exhaust system. | Υ | |
| i. | Exhaust tailpipe exiting to right side ahead of rear wheels. | N | AFT |
| j. | Fuel water separator with heating element. | Υ | |
| k. | Dry air cleaner with restriction indicator. | Υ | |
| i. | Forward mounted oil dipstick and transmission fill tubes. | Y | |
| m. | 680 Sq. In. radiator with plastic surge tank to visually see coolant level. | * Y | |
| n. | On/Off type electric engine fan clutch. | Y | |
| 0. | Ethylene Glycol coolant, pre-mixed with SCA (corrosion inhibitor). 50/50 mix rated -35 degrees F. | Υ | |
| p. | Gates "Blue Stripe" main coolant hoses. | Y | |
| q. | Electric cold-start air intake heater. | Υ | |
| rg | Heavy duty starter with tungsten contacts and ground stud, "Denso" brand (or equal). | Υ | |
| S. | Engine block heater wired to shore power receptacle with switch for summer use. | N | HEATER RECEPTICLI TO BE MOUNTED BY BODY COMPANY. NO "SUMMER" SWITCH. |
| 2. Tran | nsmission and Equipment | | |
| a. | Allison 2200RDS 5-speed automatic transmission. | Υ | |
| b. | Synthetic transmission fluid, factory fill, approved by Allison. The dipstick/fill tube shall have a tag showing the brand and type of fluid. | Y | |

| Interface wiring to access neutral signal and functions. Chassis components located to al installation of PTO with direct mounted hyd pump. | low _Y | |
|---|------------------|--|
| d. Allison programmed to package #360. | N | NO PROGRAMMING OPTION |
| e. T-handle shift selector mounted to right sid steering column on dash with park brake "P position. | | |
| f. Water-to-Oil transmission heat exchanger (cooler). | pil y | |
| 3. Front Axle and Equipment | | |
| a. 8,000 Lb. rated I-beam. | Υ | |
| b. 50-degree wheel-cut angle for maximum maneuverability. | Υ | |
| c. 15" x 5" drum front brakes. Non-asbestos p | ads. N | NOT AVAILABLE WITH 22.5 WHEELS |
| d. Grease type wheel seals. | Υ | |
| e. Power steering rated to axle capacity. 2-quareservoir with filter and dipstick located out the frame rail for easy access. | | |
| f. 8,000 Lb. front leaf springs with rubber bus | nings. | |
| g. Front shock absorbers. | Υ | |
| 4. Rear Axle and Equipment | | |
| a. 17,500 Lb. (or greater) single speed. | Y | 20,000 REQUIRED FOR AIR SUSPENSION, AIR BRAKE AND OTHER COMPONENTS |
| b. Axle ratio to provide 55 MPH at 80% of eng maximum horsepower RPM. | ine Y | |
| c. Automatic traction locking differential. ("Tr Tech" or equal) | ас- ү | |
| d. 1710 or 70 series main driveline with safety | loops. N | SPICER SPL70XS |

| e. | Synthetic gear lube as approved by axle manufacturer with tag located at the oil fill plug. | Y | |
|---------------|---|---|---|
| f. | 15" x 8.62" drum rear brakes. Non-asbestos pads. | N | 16.5X7 REQUIRED FOR 22.5 WHEELS FOR AIR SUSPENSION |
| _ | Rear axle mounted piggyback style spring parking brakes. | Y | |
| | Parking brake control mounted on dash to right side of steering column with indicator light in instrument panel. Transmission control will apply parking brakes when in the "P" position. | Y | |
| i. | Oil type rear wheel seals. | Υ | |
| j. | 18,000 Lb. rear air suspension. | Υ | |
| k. | Rear shock absorbers, | Υ | |
| 5. Brak | e System_ | | |
| | Full air, 4-sensor, 4-module (4S/4M) antilock system without automatic traction control. | Y | |
| 6. <u>Whe</u> | elbase and Frame | | |
| | Wheelbase to provide adequate frame overhang for 16 Ft. van body. | Y | |
| | 5/16" x 3" x 10" continuous straight channel 50,000 PSI steel rails. | Y | |
| | 6.8 to 7.7 In. frame extension so bumper is ahead of grille for maximum protection. | Y | |
| | 11 In. "C" channel front bumper with contoured ends. | Y | |
| e. | Two front frame mounted tow hooks. | Υ | |
| f. | Frame provisions for generator. | Y | |
| | me pre-drilled for body supports. Tank and Equipment | Υ | |
| 60 ફ | gallons, (compatible with biodiesel) fuel tank Ited between the frame rails. | Υ | |

| Fuel tank sender access cover in floor covered in rubber diamond plate overlay. | N | BODY COMPANY TO PROVIDE |
|---|---|--|
| Fuel/water separator with electric heat and water-in- fuel indicator light on dash. Davco model 233 (or equal). | Υ | |
| Spare fuel supply and return ports in fuel tank for generator. | Y | |
| 8. Tires and Wheels | | |
| Size: 245/70R19.5, 14 or 16 Ply | N | 22.5 WHEELS/TIRES FOR 18,000 REAR AIR SUSPENSION |
| Type: Steel belted radial | Y | |
| Front: (2) highway rib with tread and sidewalls rated for Urban Service. | Y | |
| Rear: (4) traction tread rated for Urban Service. | Y | |
| Wheels: (6) 19.5" x 7.50" 8-stud hub piloted steel 5-hand disc. | N | 22.5 WHEELS/TIRES FOR 18,000 REAR AIR SUSPENSION |
| Hubs: Steel | Υ | |
| Full size spare Tire and Wheel: | Υ | |
| 9. Cab and Miscellaneous Equipment | | |
| Dual electric horns. | Υ | |
| Factory A/C compressor and 5/8" heater lines for body manufacturer installed HVAC system. | Y | |
| Double-sided heavy duty ignition keys. Five keys per vehicle. | Υ | |
| Ignition switch with accessory position. | Y | |
| Chassis power distribution panel with circuit breakers (in-lieu-of fuses). | Y | |
| Adjustable tilting steering column. | Y | |
| 4-spoke "soft-feel" steering wheel. | Υ | |
| Electric back-up alarm, 97 decibels or greater. | Y | |
| | N | ON STEERING WHEEL SPOKES. |

| Cruise control switches on dash to right side of steering column. | | |
|---|---|--|
| Instruments and controls: | | |
| Speedometer | Υ | |
| Tachometer | Υ | |
| Oil Pressure Gauge | Υ | |
| Engine Temperature Gauge | Υ | |
| Transmission Temperature Gauge | Υ | |
| Fuel Level Gauge | Y | |
| Engine Hour Display or Hour Meter | Υ | |
| LCD Display linked to J1939 Data Bus for fault codes. | Y | |
| Voltmeter Display or Gauge | Y | |
| Self-Cancel Turn Signal Switch | Υ | |
| 10. Chassis Warranty | | |
| Complete Chassis, including starter and alternator: 3 Years/50,000 Miles | Y | |
| Engine: 3 Years/50,000 Miles | Υ | |
| Allison Transmission: 3 Years/50,000 Miles | Y | |
| Batteries: 3 Years/50,000 Miles | Y | |
| Towing Coverage: 3 Years/50,000 Miles | Y | |
| All warranties are for 100% parts and labor during the specified time or mileage limits. | Y | |
| Bidder shall include manufacturer's warranty statements in this SOLICITATION. The statements must list "What Is Not Covered" or "Exclusions". DES reserves the right to reject a bid that, in DES's sole discretion, includes a warranty that provides inadequate protection. | Y | |
| 11. Walk-In Van Body (Aluminum) | | |
| 1. <u>Dimensions</u> | | |
| Cargo Floor Length: 192 In. (16 Ft.) | Υ | |
| Interior Height: 85 In. (Floor to ceiling). | Y | |

| Interior Width: 93.5 In. (Outside skin to outside skin, aft of front door pockets.) | N | 93" inside skin to skin |
|--|---|---|
| Useable Interior Width: 88 In. (Inside Wall to Wall) | N | 90" useable space |
| 2.Documentation | | |
| Drawings, printed on ANSI size B and in CAD electronic format (universal exchange *.dxf) on CD R/W, showing the exterior and interior body and chassis details shall be submitted with this SOLICITATION, including: | | |
| Exterior front, rear, left, and right-side views showing height, width, length, location of body stiffeners, lighting, mirrors, windows, step and bumper height. Show with full width roll-up rear door. | Υ | |
| Interior front, rear, left, and right-side views showing support structure, interior side walls and cabinet support hardware, bulkhead with sliding door, front seats, worktable and storage, useable inside dimensions, and sliding door pockets. Also show interior lighting. | | CAD data available after purchase and when NDA is on file |
| Front, top and side views of Options including rear door variances, cabinets, work benches, generator compartment, side boxes, etc. showing height, width, and depth and also drawer and shelf dimensions of the cabinets, as called out in the Options section of this SOLICITATION. | | s |
| None of the above drawings need to have the detail for actual construction of the vehicle or cabinets but are intended to allow the purchaser to determine the external clearances, interior layout and space available when selecting items from the Option section when ordering each vehicle. | | |
| 3. <u>Cab Doors</u> | | |
| Sliding type left and right upper door windows | Y | |
| Fixed wing windows between doors and front "A" pillar. | Υ | Only available with roll up windows |
| Fixed lower left and right lower door windows. | Y | Passenger side only |
| .100-gauge aluminum door pockets. | Y | .102" thick |
| "Kason" (or equal) sliding door latches. | Υ | |

| | | 1 |
|---|---|----------------------------------|
| "Kason" (or equal) #3412 Key-to-lock exterior handles. (Not push-to-lock). Chrome or black powder coated finish. | Υ | |
| Keyed to rear door(s). | Υ | |
| Five door keys per vehicle. | N | 4 keys standard |
| 4. Rear Door(s) | | |
| Standard 2 – panel center swing door, 40-in opening | N | Twin 19" swing doors 38" opening |
| Double door windows | Υ | |
| Galvanized steel door hardware. Keyed to front doors (no exception.) latch and handle shall be "Kason" (or equal) chrome or black powder coated exterior handle finish. | Y | |
| 5.Seating | | |
| Driver seat: | | |
| High back, Standard Bucket Seat – Sears Magnum 200 | | |
| Dual arm rests | | |
| Heavy duty dark gray or black cloth covering, such as "DuPont Cordura", or equal. | Y | |
| Mechanical suspension | | |
| Non-tilting seat base | | |
| 3-point High Visibility Orange lap-shoulder belt system with retractor. | | |
| Passenger seat: | | |
| High back Standard Bucket Seat Sears Magnum 200 | | |
| Dual arm rests | | |
| Heavy duty dark gray or black cloth covering, such as "DuPont Cordura", or equal. | | |
| Mechanical suspension | Y | |
| Non-tilting seat base | | |
| 3-point High Visibility Orange lap-shoulder belt system with retractor. | | |
| Passenger seat to be mounted in 8-1n. set-back location | | |
| 6. Bulkhead | | |
| | | |

57

| Aluminum with center mounted locking sliding door keyed to front doors. | Υ | |
|---|---|---|
| Window in sliding bulkhead door. | Υ | |
| Blandex lining for bulkhead and sliding door for stiffening. | Y | 102" thick |
| Carpet or sound absorbing material on the forward side of the bulkhead. | Υ | |
| "Kason" (or equal) sliding door latch. | Υ | |
| "Kason" (or equal) non-locking door handle and interior handle. | Y | |
| Bulkhead positioned aft or door pocket to accommodate optional 3 rd seat and locker installation. (Important Note: This location will vary among the vehicles to be ordered and is called out in the Additional Equipment, | Y | |
| 7. <u>Driver Area Equipment</u> | | |
| Electric windshield wipers (single motor) with intermittent control. | Y | |
| Sound absorbing (closed cell urethane) full width floor mat with rubber top surface, approximately ½" thick. Metal nosing at exposed edges. | Υ | Acoustical floor matting on center floor plate and step risers with aluminum diamond plate trim |
| Diesel sound reduction "package" on firewall and engine access cover. | Υ | |
| AM/FM/CD radio with two speakers and side mounted rubber antenna. | Y | AM/FM/BT/AUX |
| Dual (left and right) cup holders | Υ | |
| Dual sun visors. | Υ | |
| B. Cab Storage and Worktables | | |
| Full width overhead shelf without doors. | N | Enclosed aluminum passenger storage door |
| Worktable extending from instrument panel to right side with 1 In. lip. | Υ | |

| Pocket on face of engine cover. | Υ | |
|--|---|---|
| 9. Interior Lighting | | |
| Cab dome: One 18-In. recessed LED rectangular light with dash switch | Υ | |
| Cargo domes: Three 18-In. recessed LED rectangular lights equally spaced down center aisle. | Υ | |
| Switches for front and rear domes located on instrument panel. Additional switch at right rear cargo door post for cargo dome lights. | Υ | |
| 10.Roof | | |
| Aluminum roof, .040 Gauge, seamless. | Υ | |
| Roof bows on 8 In. centers (except at roof vent). | N | Bows on 12" centers |
| Roof bows attached to roof with industrial adhesive to reduce noise. | Υ | |
| 12-volt power roof vent and skylight assembly located in the center (approximately) of the cargo area. | Υ | |
| Vent covers for 12-volt power roof vent. | Υ | |
| Interior roof liner, .022 Gauge embossed finish with insulation (R4). | Υ | |
| 11.Floor | | |
| Extruded aluminum interlocking plank construction. | Y | |
| Diamond aluminum tread plate down center isle and full width from wheel boxes to end of cargo area. Tread plate plug welded to the floor for noise reduction. | Υ | Hucked not welded |
| Access panel in floor for fuel tank sending unit. | Υ | |
| 12. Side and Rear Walls | | 3 |
| Aluminum exterior side panels, .125 Gauge upper and lower sheets. | N | .102" thick |
| Heavy duty 2 In. deep wall studs placed on 24 In. centers aft of the door pockets. | N | Heavy duty aluminum hat stiffeners 1.5" |
| 5/8 In. thick plywood with Kimlite covering. Boards with durable white covering may be provided if Power Struts are installed locally. | N | ½" kemply liner |

| 2 In. foam (polystyrene) or fiberglass insulation between the wall studs. If foam panels are used, then they must be glued to the exterior wall for noise control. | N | 1" polystyrene not glued |
|--|---|---------------------------------|
| Grid style cabinet anchor system: Five galvanized steel cabinet support/anchor struts, "Power Strut" (or equal) #500 or #520 running horizontally between front door pockets and end of cargo area to accept "Power Strut" (or equal) 3/8 In. spring loaded channel nuts. Channels accurately spaced 16 In. apart starting from the floor. Support/anchor struts recessed among the inner wall boards with a maximum protrusion of 1/16 In. Support/anchor struts riveted or bolted to the wall studs with proper fasteners for maximum pull strength. Industrial adhesive is also suggested in combination with the fasteners. (Note: The center strut located at 48 In. from the floor will be reserved for 110-volt wire routing. | | Will quote with cabinet package |
| Supply (50) "Power Strut" (or equal) 3/8-16 spring loaded channel nuts with each vehicle. | | Not available |
| 13. Rear Bumper | | |
| 12 In. deep with open grate surface. | Υ | |
| Class IV 2 ½" receiver hitch | Y | |
| 7-way receptacle wired for 2-light trailer. (Red is open, green, and yellow are assigned to stop and turn.) Blue is ignition power for charging trailer battery. Brown is tail. Black is marker. | Y | |
| Electric Brake Control: None | Υ | |
| 14. Body Exterior | | |
| Windshield: Tinted and bonded. | Y | Rubber gasket mount |
| Cab mirrors: "Velvac" (or equal) Revolution medium profile 4-way power adjustable and heated mirrors on single pod mounted fixed arms with integral convex sections. | Y | Velvac 2030 Black |
| Rear cross view mirror: 10 In. convex on pod mounted swing arm. | Υ | |
| d. Grab handles: | Y | |

| Two front 18 In. aluminum located at forward door post approximately 72 In. from ground. | | |
|---|---|---------------------------------|
| Two rear 18 In. aluminum located at rear door posts approximately 72 In. from ground. | | |
| 15. Hood and Front Bumper | | |
| Composite lift hood with gas support struts. | N | Riveted aluminum tilt up hood |
| Protection screen located behind the grille bars. | N | Not available |
| Chassis manufacturer supplied front bumper. | Υ | |
| 16. Paint and Decals | | |
| Polyurethane single stage paint, DuPont Imron 5000 (or equal), #N0006HN Arctic White (or equal). | Y | Axalta single stage N0006HN |
| 17. Exterior Lighting | | |
| Headlamps: Halogen | Υ | |
| Daytime Running Lights: No | Y | |
| LED Lighting, Includes: | | |
| Front and Rear tail, turn/stop lamps. | | |
| Marker and ID light | | |
| Back-up lights | | |
| Mid-side (aft of door pocket in lower skirt) amber turn signal. | Y | |
| Rear license plate lamps (incandescent) with center mounted front and rear license plate holders. | N | Right or left front plate mount |
| 18.HVAC | | |
| Factory installed cab heater, defroster, and air conditioning system. | Y | |
| Ducting and/or louvers for driver and passenger sides. | Υ | |
| 19. Electrical and Miscellaneous | | |
| Two 12-volt cigar lighter style receptacles in dash for cell phones, etc. | Υ | |
| Rubber fender flares and mud flaps | N | Not required with 93" wide body |

| Remote battery jumps studs installed under the hood on curb side inner fender. | N | |
|--|---|---|
| 20. Warranty | | |
| Basic coverage: 12 months or 12,000 miles. | Y | |
| Body Structure, hood, and main panels: 60 months or 50,000 miles. | Υ | |
| The bidder shall include the manufacturer's warranty statement including "What Is Not Covered" or "Exclusions" in this SOLICITATION. DES reserves the right to reject a bid that, in DES's sole discretion, includes a warranty that provides inadequate protection. | Y | |
| Warranties are for 100% parts and labor during the specified time or mileage limits. | Υ | |
| 21.Light Options | | |
| Electric drivetrain sufficient for vocational operations. | Υ | |
| Components including motors, inverters, controllers, transmissions, and energy storage shall be suitable for use on class 4 through 6 on-road trucks, weighing up to 26,000 lbs. GVWR | Y | |
| Fossil fuel burning components not permitted (i.e., ICE, diesel fired heaters, range extenders). | Y | |
| 81in High ILO 85in High | Υ | |
| Small Bulkhead behind driver's seat | Υ | |
| Full Width overhead compartment with doors ILO std overhead | Y | |
| No Passenger Seat or Seat Belt | Υ | |
| Vinyl Seat Covering ILO Cloth | Υ | |
| 3rd seat, non-suspension, fixed pedestal. Vinyl covering. Will come with 3-point black seat belt. | Y | |
| Wall Studs in 16-in Spacing ILO 24-in Spacing | Y | _ |
| Doors for Std Overhead Tray/Shelf | Y | |
| Onan QD-5000 2 cyl Belt Drive Generator | Υ | |
| Floor Mtd Generator Enclosure | Υ | |

| Receptacle | | |
|--|---|--|
| Replace Batteries with (2) 2300CCA Odyssey Brand PC2150 | Υ | |
| Engine Block Heater move to above bumper at rear | Υ | |
| Fold Down 24in W step for HD Bumper Center Mtd | Υ | |
| Std Rear Bumper without Trailer Hitch | Υ | |
| Ladder Rack on Roof | Υ | |
| Access Ladder Rear Door | Υ | |
| Special Wheel Chock Holder | Υ | |
| Additional LED Stop Turn Taillights Rear Structure | Υ | |
| Brigade White Noise Self Adjusting Backup Alarm | Υ | |
| No Diamond Plate Overlay Cargo Area | Υ | |
| Ribbed Rubber Floor Mat Center Isle Only ILO Tread Plate | Y | |
| Safety Tread Covering on Entry Steps (Comp. Mat. ILO Diam. Plate | Y | |
| No Plywood lining or insulation | Υ | |
| Exterior Paint, Yellow School Bus Chrome Paint N0938HNW Code | Y | |
| Roof mounted A/C with Cover | Υ | |
| Delete Powered Roof Vent in cargo area | Υ | |
| QTY 1 Additional Roof Vent with Fan | Υ | |
| 30W x 12H x 20D Low Profile Exterior Cabinet | Υ | |
| Chassis Shop and Parts Manuals CD Rom | Y | |
| Extended Warranty 5yr 100K Mile Ext Chassis, Eng, Trans | Υ | |

CATEGORY 2 ELECTRIC VEHICLE -TECHNICAL SPECIFICATIONS

| Walk-In Step Vans Class 6 (19,001- 23,000 GVWR) BATTERY TECHNOLOGY a. Lithium-iron Traction batteries shall be latest | Bidder Meets Require ments Mark Y or N | |
|---|---|---------------------------------|
| lithium-ion battery technology approved for vehicle applications | | |
| | | |
| WHEELBASE | | |
| 178", 208" | Y & Y | |
| BRAKES | | |
| 4-wheel hydraulic disc with regenerative braking | Y | |
| DRIVING RANGE | | |
| a. 150-200 mil/240-273 km at full GVWR. | N | PROJECTED 120-170 Mile Range |
| MAX SPEED | | |
| a. 68/70 mph or 110 km/H at full 23,000 lbs. GVWR | Υ | |
| HVAC SYSTEM | | |
| Heating and ventilation with windshield defrost. A/C optional | Y | |
| PEAK MOTOR TORQUE RATING | | |
| 2,400 Nm/1,770 ft-lbs. | N | 2200Nm (1622FT-FT) |
| DRIVE SYSTEM | | |
| Zero- emission all-electric Proterra drive technology | Υ | |
| BATTERY CAPACITY | | |
| 226 or 237 KWh industrial grade liquid -cooled lithium-ion-battery | Y | |
| CHARGING | | |

| Full charge in 3.5 hours with 60kw charger or 108 hours with 150kw DC fast charging. | N | FULL CHARGE 8 HOURS W/STD SAE J1772 LEVEL 2 CHARGER. 2 HOURS TO 80% W/STD SAE J1778 LEVEL 2 2 HRS TO 80% STANDARD OPERATING CHARGE W/SEA J1772 CCS-1 DC FAST CHARGING |
|--|---|---|
| OPERATING TEMPERATURE | | |
| -40 F to 120 F/-40C to 49C | Y | |
| WARRANTY | | |
| Drive and Battery: 8 years or 150,000 ml/240,000 km, whichever comes first. | Υ | |
| SAFETY | | |
| Complies with or exceeds all US and Canadian requirements | Υ | |
| CERTIFICATIONS | | |
| Meet all applicable US Federal national standards. | Υ | |
| OPTIONS | | |
| Traction batteries shall be latest lithium-ion battery technology approved for vehicle applications. | N | NO OPTIONS CURRENTLY AVAILABLE |
| Battery size options shall fit utilization requirements. Provide size options in bid response. Battery capacity may need to be identified upon award of contract. | N | NO OPTIONS CURRENTLY AVAILABLE |
| Inverter charger should be integrated into the vehicle | N | BODY COMPANY OPTION IF AVAILABLE |
| System should be designed to allow for "opportunity charging." Opportunity charging allows the vehicle to charge for short periods of time during the day while the vehicle is not being used. | Y | |
| Battery state of charge indicator shall be visible to operator from driver's seat. | Y | |

| Peak shaving, smart grid and vehicle-to-grid technologies preferred. | Y | |
|--|--------------------------------|--|
| EVSE equipment shall be included with the vehicle pricing if proprietary and equipment provided by vendor. Vehicles using standard charging protocols need not submit charger pricing, i.e., J1772, CCS2, CHAdeMO, etc. Please state required charging protocol(s) | STD SAEJ177 2 LEVEL 2 | |

PRICES FOR GOODS/SERVICES

| Category | Item 1-Internal Combustion Engine | Description | Discount Percentage |
|------------|-----------------------------------|---------------------|---------------------|
| | Side Entry | 10,000 -14,000 GVWR | 24% |
| | Side Entry | 14,001- 19,000 GVWR | 24% |
| | Side Entry | 19,001- 25,500 GVWR | 24% |
| | Commonly Configured Van | | 0% |
| Category 1 | Item 2- Internal | | |
| | Combustion Engine | | |
| | Rear Entry | 10,000 -14,000 GVWR | 24% |
| | Rear Entry | 14,001- 19,000 GVWR | 24% |
| | Rear Entry | 19,001- 25,500 GVWR | 24% |
| | Commonly Configured Van | | 0% |
| | | | |
| | Item 1-Electric Vehicle | | |
| | Side Entry | 19,001-22,000 GVWR | 29% |
| Category 2 | | | |
| | Item 2-Electric Vehicle | | |
| | Rear Entry | 19,001-22,000 GVWR | 29% |

Links to MSRP Catalog:

 $\frac{https://www.freightlinernorthwest.com/des-14022-walk-in-step-van-diesel-mt55-18-body.pdf}{https://www.freightlinernorthwest.com/des-14022-walk-in-step-van-mt45-gas-16.pdf}{https://www.freightlinernorthwest.com/des-14022-walk-in-step-van-mt50e-electric-16-body.pdf}$

INSURANCE REQUIREMENTS

- 1. **Insurance Obligation**. During the Term of this Statewide Contract, Contractor shall possess and maintain in full force and effect, at Contractor's sole expense, the following insurance coverages:
 - a. COMMERCIAL GENERAL LIABILITY INSURANCE. Commercial general liability insurance (and, if necessary, commercial umbrella liability insurance) covering bodily injury, property damage, products/completed operations, personal injury, and advertising injury liability on an 'occurrence form' that shall be no less comprehensive and no more restrictive than the coverage provided by Insurance Services Office (ISO) under the most recent version of form CG 00 01 in the amount of not less than \$2,000,000 per occurrence and \$4,000,000 general aggregate. This coverage shall include blanket contractual liability coverage. This coverage shall include a cross-liability clause or separation of insured condition.
 - b. WORKERS' COMPENSATION INSURANCE. Contractor shall comply with applicable Workers' Compensation or Industrial Accident insurance providing benefits as required by law.
 - c. EMPLOYERS' LIABILITY (STOP GAP) INSURANCE. Employers' liability insurance (and, if necessary, commercial umbrella liability insurance) with limits not less than \$1,000,000 each accident for bodily injury by accident, \$1,000,000 each employee for bodily injury by disease, and \$1,000,000 bodily injury by disease policy limit.

The insurance coverage limits set forth herein are the minimum. Contractor's insurance coverage shall be no less than the minimum amounts specified. Coverage in the amounts of these minimum limits, however, shall not be construed to relieve Contractor from liability more than such limits. Contractor waives all rights against the State of Washington for the recovery of damages to the extent such damages are covered by any insurance required herein.

- 2. Insurance Carrier Rating. Coverages provided by Contractor must be underwritten by an insurance company deemed acceptable to the State of Washington's Office of Risk Management. Insurance coverage shall be provided by companies authorized to do business within the State of Washington and rated A- Class VII or better in the most recently published edition of Best's Insurance Rating. Enterprise Services reserves the right to reject all or any insurance carrier(s) with an unacceptable financial rating.
- 3. **ADDITIONAL INSURED.** Commercial General Liability, Commercial Automobile Liability, and Pollution Liability Insurance shall include the State of Washington and all authorized Purchasers (and their agents, officers, and employees) as Additional Insureds evidenced by copy of the Additional Insured Endorsement attached to the Certificate of Insurance on such insurance policies.
- 4. CERTIFICATE OF INSURANCE. Prior to execution of the Contract, Contractor shall furnish to Enterprise Services, as evidence of the insurance coverage required by this Contract, a certificate of insurance satisfactory to Enterprise Services that insurance, in the above-stated kinds and minimum amounts, has been secured. In addition, no less than ten (10) calendar days prior to coverage expiration, Contractor shall furnish to Enterprise Services an updated or renewed

certificate of insurance, satisfactory to Enterprise Services, that insurance, in the above-stated kinds and minimum amounts, has been secured. Failure to maintain or provide proof of insurance, as required, will result in contract cancellation. All policies and certificates of insurance shall include the Contract number stated on the cover of this Contract. All certificates of Insurance and any related insurance documents shall be delivered to Enterprise Services by U.S. mail, postage prepaid, or sent via email, and shall be sent to the address or email address set forth below or to such other address or email address as Enterprise Services may specify in writing:

US Mail: Contracts & Procurement – Statewide Contract Insurance Certificate

Contract No.14022 - Walk-In Step Vans

Attn: Maple Team

Washington Dept. of Enterprise Services

PO Box 41411

Olympia, WA 98504-1411

Email: <u>DESContractsTeamMaple@des.wa.gov</u>

Note: For Email notice, the Email Subject line must state:

Contract Insurance Certificate - Contract No. 14022 - Walk-In Step

Vans

- 5. **PRIMARY COVERAGE**. Contractor's insurance shall apply as primary and shall not seek contribution from any insurance or self-insurance maintained by, or provided to, the additional insureds listed above including, at a minimum, the State of Washington and/or any Purchaser. All insurance or self-insurance of the State of Washington and/or Purchasers shall be excess of any insurance provided by Contractor or subcontractors.
- 6. Subcontractors. Contractor shall include all subcontractors as insureds under all required insurance policies. Alternatively, prior to utilizing any subcontractor, Contractor shall cause any such subcontractor to provide insurance that complies with all applicable requirements of the insurance set forth herein and shall furnish separate Certificates of Insurance and endorsements for each subcontractor. Each subcontractor must comply fully with all insurance requirements stated herein. Failure of any subcontractor to comply with insurance requirements does not limit Contractor's liability or responsibility.
- 7. WAIVER OF SUBROGATION. Contractor waives all rights of subrogation against the State of Washington and any Purchaser for the recovery of damages to the extent such damages are or would be covered by the insurance specified herein.
- 8. **Notice of Change or Cancellation**. There shall be no cancellation, material change, exhaustion of aggregate limits, or intent not to renew insurance coverage, either in whole or in part, without at least sixty (60) calendar days prior written Legal Notice by Contractor to Enterprise Services. Failure to provide such notice, as required, shall constitute default by Contractor. Any such written notice shall include the Contract number stated on the cover of this Contract.
- 9. **EXTENDED REPORTING PERIOD**. If any required insurance coverage is on a claims-made basis (rather than occurrence), Contractor shall maintain such coverage for a period of no less than three (3) years following expiration or termination of the Contract.

* * * END OF INSURANCE REQUIREMENTS * * *

| State of Washington Contracts & Procurement Division Department of Enterprise Services | CONTRACT AMENDMENT | |
|--|--------------------|------------------|
| P.O. Box 41411 Olympia, WA 98504-1411 | Contract No.: | 14022 |
| Gordon Truck Centers, Inc dba Freightliner Northwest | Amendment No.: | 1 |
| 600 South 56 th Place Ridgefield WA, 98642 | Effective Date: | November 1, 2024 |

FIRST AMENDMENT

TO

CONTRACT No. 14022 WALK IN STEP VANS

This First Amendment ("Amendment") to Contract No. 14022 is made and entered into by and between the State of Washington acting by and through the Department of Enterprise Services, a Washington State governmental agency ("Enterprise Services") and Gordon Truck Centers, Inc dba Freightliner Northwest, a Washington Corporation ("Contractor") and is dated as of November 1, 2024.

RECITALS

- A. Enterprise Services and Contractor (collectively the "Parties") entered into that certain Contract No. 14022 dated effective as of October 2,2023 "Contract").
- B. The Parties now desire to amend the Contract to include a 'pay equality provision' as required by the Washington State Legislature. See LAWS OF 2023, ch. 475, § 919(4).
- C. The Parties further desire to amend the Contract to include a 'nondiscrimination provision' as required by the Washington State Legislature. *See* LAWS OF 2023, ch. 468 [codified at RCW 39.26.245(3) and RCW 49.60.530].
- D. The amendment set forth herein is within the scope of the Contract.

AGREEMENT

Now Therefore, in consideration of the mutual covenants and agreements set forth herein, the Parties hereby agree to amend the Contract, as previously amended, as follows:

- 1. PAY EQUALITY. The following provision is added to the end of section 4 (Contractor Representation and Warranties) as a new subsection:
 - 4.21 WASHINGTON STATE PAY EQUALITY FOR 'SIMILARLY EMPLOYED' INDIVIDUALS. Contractor represents and warrants that, among Contractor's employees, 'similarly employed' individuals are compensated as equals. For purposes of this provision, employees are similarly employed if the individuals work for the same employer, the performance of the job requires comparable skill, effort, and responsibility, and the jobs are performed under similar working conditions. Job titles alone are

not determinative of whether employees are similarly employed. Contractor may allow differentials in compensation for Contractor's workers based in good faith on any of the following: a seniority system; a merit system; a system that measures earnings by quantity or quality of production; a bona fide job-related factor or factors; or a bona fide regional difference in compensation levels. A bona fide job-related factor or factors may include, but is not limited to, education, training, or experience that is: consistent with business necessity; not based on or derived from a gender-based differential; and accounts for the entire differential. A bona fide regional difference in compensation level must be consistent with business necessity; not based on or derived from a gender-based differential; and account for the entire differential. Notwithstanding any provision to the contrary, upon breach of warranty and Contractor's failure to provide satisfactory evidence of compliance within thirty (30) days, Enterprise Services may suspend or terminate this Contract and any Purchaser hereunder similarly may suspend or terminate its use of the Contract and/or any agreement entered into pursuant to this Contract.

2. Nondiscrimination. The following provision is added to the end of section 18(General Provisions) as a new subsection:

18.23 Nondiscrimination.

- (a) Nondiscrimination Requirement. During the term of this Contract, beginning as of the effective date of this Amendment, Contractor, including any subcontractor, shall not discriminate on the bases enumerated at RCW 49.60.530(3). In addition, Contractor, including any subcontractor, shall give written notice of this nondiscrimination requirement to any labor organizations with which Contractor, or subcontractor, has a collective bargaining or other agreement.
- (b) Obligation to Cooperate. Contractor, including any subcontractor, shall cooperate and comply with any Washington state agency investigation regarding any allegation that Contractor, including any subcontractor, has engaged in discrimination prohibited by this Contract pursuant to RCW 49.60.530(3).
- (c) <u>Default</u>. Notwithstanding any provision to the contrary, Enterprise Services may suspend Contractor, including any subcontractor, upon notice of a failure to participate and cooperate with any state agency investigation into alleged discrimination prohibited by this Contract, pursuant to RCW 49.60.530(3). Any such suspension will remain in place until Enterprise Services receives notification that Contractor, including any subcontractor, is cooperating with the investigating state agency. In the event Contractor, or subcontractor, is determined to have engaged in discrimination identified at RCW 49.60.530(3), Enterprise Services may terminate this Contract in whole or in part, and Contractor, subcontractor, or both, may be referred for debarment as provided in

- RCW 39.26.200. Contractor or subcontractor may be given a reasonable time in which to cure this noncompliance, including implementing conditions consistent with any court-ordered injunctive relief or settlement agreement.
- (d) Remedies for Breach. Notwithstanding any provision to the contrary, in the event of Contract termination or suspension for engaging in discrimination, Contractor, subcontractor, or both, shall be liable for contract damages as authorized by law including, but not limited to, any cost difference between the original Contract and the replacement or cover contract and all administrative costs directly related to the replacement contract, which damages are distinct from any penalties imposed under Chapter 49.60, RCW. Enterprise Services and/or Purchasers shall have the right to deduct from any monies due to Contractor or subcontractor, or that thereafter become due, an amount for damages Contractor or subcontractor will owe Enterprise Services and/or Purchasers for default under this provision.
- 3. NO CHANGE OTHER THAN AMENDMENT. Except as amended herein, the Contract is unaffected and remains in full force and effect.
- 4. INTEGRATED AGREEMENT; MODIFICATION. This Amendment constitutes the entire agreement and understanding of the Parties with respect to the subject matter and supersedes all prior negotiations and representations. In the event of any conflict between this Amendment and the Contract or any earlier amendment, this Amendment shall control and govern. This Amendment may not be modified except in writing signed by the Parties.
- 5. AUTHORITY. Each party to this Amendment, and each individual signing on behalf of each party, hereby represents and warrants to the other that it has full power and authority to enter into this Amendment and that its execution, delivery, and performance of this Amendment has been fully authorized and approved, and that no further approvals or consents are required to bind such party.
- 6. ELECTRONIC SIGNATURES. An electronic signature or electronic record of this Amendment or any other ancillary agreement shall be deemed to have the same legal effect as delivery of an original executed copy of this Amendment or such other ancillary agreement for all purposes.

- 7. COUNTERPARTS. This Amendment may be executed in one or more counterparts, each of which shall be deemed an original, and all of which counterparts together shall constitute the same instrument which may be sufficiently evidenced by one counterpart. Execution of this Amendment at different times and places by the parties shall not affect the validity thereof so long as all the parties hereto execute a counterpart of this Amendment.
- 8. EXECUTED AND EFFECTIVE as of the day and date first above written.

PRICES FOR GOODS/SERVICES

| Category | Item 1-Internal Combustion Engine | Description | Discount Percentage |
|------------|-----------------------------------|---------------------|---------------------|
| | Side Entry | 10,000 -14,000 GVWR | 24% |
| | Side Entry | 14,001- 19,000 GVWR | 24% |
| | Side Entry | 19,001- 25,500 GVWR | 24% |
| | Commonly Configured Van | | 0% |
| Category 1 | | | |
| | Item 2- Internal | | |
| | Combustion Engine | | |
| | Rear Entry | 10,000 -14,000 GVWR | 24% |
| | Rear Entry | 14,001- 19,000 GVWR | 24% |
| | Rear Entry | 19,001- 25,500 GVWR | 24% |
| | Commonly Configured Van | | 0% |
| | | | |
| | Item 1-Electric Vehicle | | |
| _ | Side Entry | 19,001-22,000 GVWR | 29% |
| Category 2 | | | |
| | Item 2-Electric Vehicle | | |
| | Rear Entry | 19,001-22,000 GVWR | 29% |

Links to MSRP Catalog:

https://www.freightlinernorthwest.com/des-14022-walk-in-step-van-diesel-mt55-18-body.pdf https://www.freightlinernorthwest.com/des-14022-walk-in-step-van-mt45-gas-16.pdf https://www.freightlinernorthwest.com/des-14022-walk-in-step-van-mt50e-electric-16-body.pdf

| MR. JAIME MASTACHE | | |
|-------------------------------|-----------------|--|
| CITY OF OLYMPIA | 3-Dec-25 | |
| 1401 EASTSIDE ST SE | | |
| OLYMPIA, WASHINGTON | | |
| DES CONTRACT | 14022 | |
| OLIOTE ID | MY 2027 WATER | |
| QUOTE ID | VANS | |
| MAKE | FREIGHTLINER | |
| MODEL | FCC MT55 DIESEL | |
| MODEL YEAR | 2027 | |
| MSRP | \$463,304.00 | |
| DES DISCOUNT | 24.00% | |
| DES REDUCTION | (\$111,192.96) | |
| DES PRICE PER UNIT | \$352,111.04 | |
| MULTIPLE UNIT CONCESSION EACH | (\$3,000.00) | |
| EACH | \$349,111.04 | |
| TOTAL TWO UNITS | \$698,222.08 | |
| TAXABLE @ 8.4% | \$58,650.65 | |
| TOTAL | \$756,872.73 | |
| | | |

QUOTE PROVIDED BY: NICK KRALLIS

GORDON TRUCK CENTERS dba FREIGHTLINER NORTHWEST

13232 CASE ROAD SW
OLYMPIA, WASHINGTON 98512
360-529-7408
nick.krallis@freightlinernw.com



Exhibit F

SPECIFICATION PROPOSAL

| Data Code | Description | Weight Front | Weight Rear |
|----------------|--|--------------|-------------|
| Price Level | | | |
| PRL-83E | WALK-IN VAN FRONT ENGINE DIESEL CHASSIS MY 2026 (EFF 10/18/24) | | |
| Data Version | | | |
| DRL-018 | SPECPRO21 DATA RELEASE VER 018 | | |
| Vehicle Config | guration | | |
| 001-306 | MT55 FRONT ENGINE WALK-IN VAN CHASSIS | 4 467 | 3 398 |
| 002-008 | SET-FORWARD FRONT AXLE CHASSIS | | |
| 003-001 | LH PRIMARY STEERING LOCATION | | |
| Pre Specing | | | |
| AF3-015 | MORGAN OLSON | | |
| General Servi | ce | | |
| A66-99D | EXPECTED FRONT AXLE(S) LOAD 8000 0 lbs | | |
| A68-99D | EXPECTED REAR DRIVE AXLE(S) LOAD 15500 0 lbs | | |
| A63-99D | EXPECTED GROSS VEHICLE WEIGHT CAPACITY 23500 0 lbs | | |
| A88-99D | EXPECTED TRUCK BODY LENGTH (FEET) 315 0 in | | |
| AA1-005 | CHASSIS CONFIGURATION | | |
| A85-010 | UTILITY/REPAIR/MAINTENANCE SERVICE | | |
| AA3-001 | DRY VAN BODY | | |
| A84-1UT | UTILITY BUSINESS SEGMENT | | |
| AA4-998 | NO COMMODITY SPECIFIED | | |
| AA5-002 | TERRAIN/DUTY 100% (ALL) OF THE TIME IN TRANSIT IS SPENT ON PAVED ROADS | | |
| AB1-008 | MAXIMUM 8% EXPECTED GRADE | | |
| AB5-001 | SMOOTH CONCRETE OR ASPHALT PAVEMENT - MOST SEVERE IN-TRANSIT (BETWEEN SITES) ROAD SURFACE | | |



Prepared by
Nox Kitalis
FREIGHTLINER NORTHWEST
13232 CASE POAD S W
OLYMPIA WA 98512
Phace 183 836 7408

| Data Code | Description | Weight Front | Weight Rear |
|------------------|---|--------------|-------------|
| AF2-998 | NO STATE/PROVINCE DOMICILE SELECTED | | Weight Rear |
| AA 6-002 | DOMICILED USA (EXCLUDING CALIFORNIA AND CARB OPT-IN STATES) | | |
| Eпgine | | | |
| 101-21V | CUM B6 7 260 HP @ 2400 RPM 2600 GOV 660 LB/FT @ 1600 RPM | | |
| Engine Contro | ols & Parameters | | |
| 162-998 | NO IDLE LIMITER, ELECTRONIC ENGINE | | |
| 79A-085 | 85 MPH ROAD SPEED LIMIT | | |
| 79B-020 | CRUISE CONTROL SPEED LIMIT 75 MPH MAX ALLOWED | | |
| 79G-998 | NO IDLE SHUTDOWN CONFIGURATION | | |
| 7 9K -017 | PTO MODE ENGINE RPM LIMIT - 2300 RPM | | |
| 79 M -001 | PTO MODE BRAKE OVERRIDE - SERVICE BRAKE ONLY ENABLED | | |
| 79P-005 | PTO RPM W/CRUISE SET SW - 1000 RPM | | |
| 79Q-005 | PTO RPM WITH CRUISE RESUME SWITCH - 1000 RPM | | |
| 79S-009 | PTO MODE CANCEL VEHICLE SPEED - 0 MPH | | |
| 79U-006 | PTO GOVERNOR RAMP RATE - 200 RPM PER SECOND | | |
| 80G-002 | PTO MINIMUM RPM - 700 | | |
| 80J-002 | REGEN INHIBIT SPEED THRESHOLD - 5 MPH | | |
| 80M-002 | ALTERNATE SWITCH SPEED 950 RPM | | |
| 80N-002 | MAXIMUM ENGINE RPM = 2500 ON VSS FAILURE | | |
| Engine Equipm | ent de la companya de | | |
| 266-1A5 | 690 SQ-IN DOWNFLOW RADIATOR MOUNTED IN FRONT | | |
| 105-026 | ENGINE OIL CHECK AND FILL MOUNTED ON RADIATOR | | |
| 111-001 | 15W-40 WT ENGINE OIL | | |





Prepared by NOR KISHS FPE GHTLINER NORTHWEST 1232 CASE ROAD S.W. DUYMPIA WA 98512 Prone 360 529 T428

| Data Code | Description | Weight Front | W = |
|-----------|--|--------------|-------------|
| 190-054 | FARR ECO BC AIR CLEANER WITH WATER SEPARATOR | Weight Front | Weight Rear |
| 188-001 | FRONTAL AIR INTAKE | | |
| 189-001 | AIR INTAKE PIPING - CLNR TO ENGINE | | |
| 192-003 | AIR CLEANER MOUNTED ON RAIL | | |
| 124-1E0 | DR 12V 200 AMP 28-SI QUADRAMOUNT PAD ALTERNATOR | | |
| 292-097 | (2) ALLIANCE MODEL 1131, GROUP 31, 12V MAINTENANCE FREE 1900 CCA THREADED STUD BATTERIES | | |
| 290-1CV | BATTERY BOX MOUNTED RIGHT HAND WITH BATTERIES PERPENDICULAR TO FRAME RAIL | | |
| 291-006 | FRAME GROUND RETURN, BATTERY CABLES WITH EYELET CONNECTORS | | |
| 293-020 | AUTOMATIC BATTERY SHUTOFF SWITCH | | |
| 107-998 | NO AIR COMPRESSOR | | |
| 108-998 | NO AIR COMPRESSOR GOVERNOR | | |
| 131-998 | NO COMPRESSOR DISCHARGE LINE | | |
| 152-062 | ELECTRONIC ENGINE INTEGRAL SHUTDOWN PROTECTION WITH OVERRIDE SWITCH | | |
| 128-076 | CUMMINS EXHAUST BRAKE INTEGRAL WITH VARIABLE GEOMETRY TURBO WITH ON/OFF DASH SWITCH | | |
| 129-023 | RETARDER CTRL WRG_OFF/ON | | |
| 28F-002 | ENGINE AFTERTREATMENT DEVICE AUTOMATIC OVER THE ROAD REGENERATION AND DASH MOUNTED REGENERATION REQUEST SWITCH | | |
| 234-025 | HORIZONTAL DIESEL PARTICULATE FILTER AFTERTREATMENT DEVICE | | |
| 235-100 | RH OUTBOARD FRAME MOUNTED HORIZONTAL AFTERTREATMENT DEVICE/SYSTEM | | |
| 23U-010 | 10 GALLON DEF TANK RH FRAME MTD | | |
| 23C-001 | HORIZONTAL SCR CATALYST | | |
| 23D-998 | NO SCR CATALYST MTG | | |



Prepared by
NOX 1015
FREIGHTLINER NORTHWEST
1222 CASE ROAD 5 W
COMMPA WA 98512
Prine 180 529 1408

| Data Code | Description | Weight Front | Weight Rear |
|-----------------|---|--------------|-------------|
| 35W-001 | EXHAUST MITIGATION DEVICE FTL 4" ID SLIP-FIT | | |
| 237-027 | LH HORIZONTAL TAILPIPE EXIT FORWARD OF REAR TIRES | | |
| 273-015 | ADC ELEC-MG ON/OFF ENGINE FAN CLUTCH | | |
| 110-003 | CUMMINS SPIN ON FUEL FILTER | | |
| 118-001 | FULL FLOW OIL FILTER | | |
| 267-003 | RADIATOR MOUNTED SURGE TANK | | |
| 103-039 | ANTIFREEZE TO -34F, OAT (NITRITE &SILICATE FREE) EXTENDED LIFE COOLANT | | |
| 171-003 | RUBBER COOLANT HOSES | | |
| 172-001 | CONSTANT TENSION HOSE CLAMPS FOR COOLANT HOSES | | |
| 261-001 | STANDARD CHARGE AIR COOLER PLUMBING | | |
| 270-998 | NO OPTIONAL RADIATOR PLUMBING | | |
| 138-011 | PHILLIPS-TEMRO 1000 WATT/115 VOLT BLOCK HEATER | | |
| 140-010 | CHROME ENGINE HEATER RECEPTACLE TEMPORARILY MOUNTED TO ENGINE | | |
| 134-001 | ALUMINUM FLYWHEEL HOUSING | | |
| 155-023 | DENSO 12V STARTER WITH COPPER CONTACTS | | |
| Transmission | | | |
| 342-1 MM | ALLISON 2200 RDS AUTOMATIC TRANSMISSION WITH PARK PAWL WITH PTO PROVISION | | |
| Transmission C | ontrols & Parameters | | |
| 345-015 | SHIFT LEVER CABLE LINKAGE AUTO TRANS MTD ON RH SIDE OF CONTROL SUPPORT | | |
| 353-001 | VEHICLE INTERFACE CONNECTOR WIRED TO TRANSMISSION ECU | | |
| 343-302 | PKG 360 - 1K/2KRDS/EVS/SPS - 5TH GEN | | |
| 97F-002 | ALLISON TRANS - SEM/LRTP REQ | | |



Predared by Nor Kiralis FRE GHTLINER NORTHINEST 13232 DASE ROAD SIW DUYMPIA INA 88512 Propel 180 829 7438

| Data Code | Description | Weight Front | Weight Rear |
|---------------|--|--------------|---------------|
| 84C-003 | 5 3 2 1 - D 3 2 L -1K/2K PRIMARY GEARS | | Trongite (Car |
| 85B-011 | RANGE INDICATION PARK NEUT | | |
| ansmission l | Equipment | | |
| 370-006 | WATER TO OIL TRANSMISSION COOLER | | |
| 346-001 | TRANSMISSION OIL CHECK AND FILL | | |
| 35T-001 | SYNTHETIC TRANSMISSION FLUID (TES-295 COMPLIANT) | | |
| ont Axle & Ed | quipment | | |
| 400-1BC | DA-F-8 0-2 8 000# FC1 68 0 KPI/3 74DROP SINGLE FRONT AXLE | | |
| 403-002 | NON-ASBESTOS FRONT BRAKE LINING | | |
| 402-054 | BOSCH HYDRAULIC PIN-SLIDE DISC FRONT BRAKES | | |
| 427-001 | FRONT BRAKE DUST SHIELDS | | |
| 419-004 | FRONT DISC BRAKE ROTORS | | |
| 418-062 | CONMET IRON FRT HUBS W/SHORT STUD LENGTH PNTD WHITE | | |
| 409-006 | FRONT OIL SEALS | | |
| 408-001 | VENTED FRONT HUB CAPS W/WINDOW CENTER AND SIDE PLUGS - OIL | | |
| 40T-002 | SYNTHETIC 75W-90 FRONT AXLE LUBE | | |
| 416-022 | STANDARD SPINDLE NUTS FOR ALL AXLES | | |
| 618-002 | STANDARD CUPS AND CONES (WHEEL BEARINGS) FRONT AND REAR | | |
| 536-011 | TRW TAS 55 POWER STEERING | | |
| 534-001 | 2 QUART POWER STEERING RESERVOIR | | |

Appropriate version 12 00000

SUSPENSION

8 000# TAPERLEAF FRONT SUSPENSION

MAINTENANCE FREE RUBBER BUSHINGS - FRONT

620-032

619-005



Prepared by Nick Kiralis Nick Kiralis FREIGHTLINER NOR THINEST 11232 SASE ROAD SIW DUKMPIA WA 98513 Phone 180 829 Tana

| Data Code | Description | Weight Front | Weight Rear |
|----------------|--|--------------|-------------|
| 629-998 | NO FRONT SWAYBAR | | Weight Near |
| 410-017 | SACHS FRONT SHOCK ABSORBERS | | |
| Rear Axle & E | quipment | | |
| 420-1M2 | MERITOR MS-17-14X 17 500# L-SRS SINGLE REAR AXLE | | |
| 421-488 | 4 88 REAR AXLE RATIO | | |
| 424-001 | IRON REAR AXLE CARRIER WITH STANDARD AXLE HOUSING | | |
| 386-055 | SPL100 DANA SPICER MAIN DRIVELINE WITH HALF ROUND YOKES | | |
| 41T-002 | SYNTHETIC 75W-90 REAR AXLE LUBE | | |
| 423-054 | BOSCH HYDRAULIC PIN-SLIDE DISC REAR BRAKES | | |
| 433-002 | NON-ASBESTOS REAR BRAKE LINING | | |
| 451-005 | REAR DISC BRAKE ROTORS | | |
| 425-002 | REAR BRAKE DUST SHIELDS | | |
| 440-006 | REAR OIL SEALS | | |
| 435-001 | TRANSMISSION MOUNTED DRUM PARK BRAKE | | |
| Rear Suspensi | on | | |
| 622-046 | 17 500# TAPERLEAF SPRING REAR SUSPENSION WITH RADIUS LEAF | | |
| 621-001 | SPRING SUSPENSION - NO AXLE SPACERS | | |
| 630-001 | REAR SWAYBAR | | |
| 439-017 | SACHS REAR SHOCK ABSORBERS | | |
| Tag Axle & Equ | aipment | | |



NO TAG AXLE

HYDRAULIC BRAKE PACKAGE

443-998

O18-001

Prepared by Nick Kirs is FRE GHTL NER NORTHWEST 1210 DASE ROAD S.V. OLYMPIA WA 98510 Rooms 180 429 1274

| | Data Code | Description | Weight Front | Maight Daga |
|-----|--------------|--|-----------------|-------------|
| | 490-117 | WABCO NG HYDRAULIC 4S/4M ABS W/DTC/ATC/EBD W/ATC SHUTOFF SW | vicigit i Tolic | Weight Rear |
| | 871-005 | HYDRAULIC CHASSIS TUBING | | |
| N | 477-006 | BW DV-2 AUTO DRAIN VALVE WITHOUT HEATER ON ALL TANK(S) | | |
| W | neelbase & F | rame | | |
| | 545-482 | 4825MM (190 INCH) WHEELBASE | | |
| | 546-1AR | 5/16X2 81X9-1/8 INCH STEEL FRAME (7 94MMX231 8MM/0 312X9 12 INCH) 80KSI | | |
| | 552-067 | 2675MM (105 INCH) REAR FRAME OVERHANG | | |
| | 553-001 | SQUARE END OF FRAME | | |
| | 550-998 | NO FRONT CLOSING CROSSMEMBER | | |
| | 56A-001 | FRONT SUSPENSION CROSSMEMBER | | |
| | 562-001 | STANDARD MIDSHIP #1 CROSSMEMBER(S) | | |
| | 565-001 | STANDARD SUSPENSION CROSSMEMBER | | |
| Ch | assis Equipr | ment | | |
| | 556-1AP | THREE-PIECE 14 INCH PAINTED STEEL BUMPER WITH COLLAPSIBLE ENDS | | |
| | 599-001 | PROVISION FOR C/F GENERATOR | | |
| | 606-1B9 | DRILLING PREP FOR CUST INSTALLED BODY SUPPORTS FOR 93" WALK-IN VAN BODY WIDTH | | |
| | 498-004 | ENHANCED STABILITY CONTROL | | |
| | 923-001 | STANDARD ROUTING AND CLIPPING | | |
| Fue | el Tanks | | | |
| | 230-043 | 40 GALLON/151 LITER RECTANGULAR STEEL FUEL TANK - BETWEEN RAILS | | |
| | 5A3-003 | PETROLEUM DIESEL FUEL | | |
| | 231-004 | FUEL TANK(S) MOUNTED BETWEEN RAILS AFT OF REAR AXLE | | |
| | 205-009 | LH SIDEFILL FUEL TANK CAP | | |



Prepared by Nick Krains FREIGHTLINEP NORTHWEST 13332 CASE POAD 3 AV OLYMPIA INA 98512 Prone 363 529 1408

| Data Code | Description | Weight Front | Weight Rear |
|--------------|--|--------------|-------------|
| 122-1J1 | DETROIT F/W SEP W/WIF SENSOR HAND PRIMER & 12V PREHEATER | | Worght Real |
| Tires | | | |
| 093-16R | MICHELIN AGILIS HDZ 245/70R19 5 16 PLY RADIAL FRONT TIRES | | |
| 094-1FT | MICHELIN XDS2 245/70R19 5 16 PLY RADIAL REAR TIRES | | |
| Hubs | | | |
| 450-063 | CONMET IRON RR HUBS PNTD BLACK | | |
| Wheels | | | |
| 502-1EB | ACCURIDE 50180 19 5X6 75 8-HUB PILOT 5 12 INSET 4- HAND STEEL DISC FRONT WHEELS | | |
| 505-1EB | ACCURIDE 50180 19 5X6 75 8-HUB PILOT 4-HAND STEEL DISC REAR WHEELS | | |
| 498-049 | FREIGHTLINER VALVE STEMS | | |
| Cab Exterior | | | |
| 829-998 | NO CAB SIZE | | |
| 57A-067 | 18 BODY LENGTH | | |
| 57C-022 | 85" BODY HEIGHT | | |
| 820-001 | OPERATOR STATION (CONTROL SUPPORT) | | |
| 652-039 | FREIGHTLINER CUSTOM CHASSIS FRONT NAMEPLATE | | |
| 646-023 | HOOD MOUNTED CHROMED PLASTIC GRILLE | | |
| 726-002 | DUAL ELECTRIC HORNS | | |
| 657-027 | IGNITION KEY ONLY | | |
| 30B-009 | INCANDESCENT BODY MTD MARKER LAMPS | | |
| 311-024 | DAYTIME RUNNING LTS 85% LOW BEAMS &AUTO EXTERIOR LAMPS W/LOW LT SENSOR | | |
| 301-010 | COMBO STOP/TURN SIGNAL WIRING | | |
| 335-001 | CHASSIS POWER DISTRIBUTION MODULE (CPDM) | | |
| | | | |

Cab Interior



Prepared by Nor K alia FPE OHTLINER NORTHWEST 13232 CASE ROAD SIW DLYMPIA WA 98512 Phane 1361 830 1363

| Data Code | Description | Weight Front | Weight Rear |
|-----------------|---|--------------|---------------|
| 130-003 | SANDEN COMPACT AIR CONDITIONER COMPRESSOR | | vveignt iteal |
| 685-995 | FCCC PARTIAL AC SYSTEM FCCC CERTIFIED PER AGREEMENT | | |
| 698-001 | RADIATOR MOUNTED AIR CONDITIONER CONDENSER | | |
| 70B-001 | HVAC WIRING PROV LOC INSIDE CAB | | |
| 170-024 | 5/8" HEATER PLUMBING HOSE - TO FRONT OF CHASSIS | | |
| 285-005 | AUTO SELF-RESET CIRCUIT BREAKERS AND FUSES | | |
| 763-801 | FASTEN SEAT BELT IND ACTIVE LOW FOR C/F SEAT BELT | | |
| 532-046 | ZF TILT/3 00" TELESCOPIC GLOBAL STEERING COLUMN WITH FOOT ACTUATED PEDAL | | |
| 540-044 | 4-SPOKE 18" (450MM) BLACK STEERING WHEEL WITH SWITCHES | | |
| Instruments & (| Controls | | |
| 83K-001 | ENGLISH UNITS MAJOR SCALE | | |
| 83L-005 | DIGITAL ODOMETER IN DRIVER DISPLAY | | |
| 811-045 | OPTIVIEW 12 3" LCD | | |
| 810-062 | DIGITAL SPEEDOMETER IN DRIVER DISPLAY CONFIGURABLE TO MPH OR KPH SCALE | | |
| 852-003 | ELECTRIC ENGINE OIL PRESSURE GAUGE W/WARNING LAMP AND ALARM | | |
| 856-003 | ELECTRIC ENGINE COOLANT TEMP GAUGE W/WARNING LAMP AND ALARM | | |
| 836-015 | DIGITAL VOLTAGE DISPLAY INTEGRAL WITH DRIVER DISPLAY | | |
| 844-024 | FUEL LÉVEL INDICATION W/LOW LEVELWARNING IN DRIVER DISPLAY, LINEAR | | |
| 830-022 | ENGINE HOUR METER, INTEGRAL TO MESSAGE CENTER LCD | | |
| 198-025 | INTAKE MOUNTED AIR RESTRICTION INDICATOR WITHOUT GRADUATIONS | | |
| 149-015 | ELECTRONIC CRUISE CONTROL W/CONTROLSON STEERING WHEEL SPOKES | | |
| 148-083 | PROGRAMMABLE RPM CTRL W/LOW VOLTAGE AUTO HIGH IDLE & RPM CTRL SWITCHES | | |



Not kind to FREIGHTUNER NORTHWEST 1222 DASE ROAD 5 W DUMPIA I MA 68519 Profes 180 829 1408

| Data Code | Description | Weight Front | Weight Rear |
|-------------------|---|--------------|-----------------|
| 736-998 | NO OBSTACLE DETECTION SYSTEM | | . ro.giic recui |
| 73H-998 | NO CAMERA SYSTEM | | |
| 73B-998 | NO IMAGINGING SYSTEM | | |
| 298-053 | TURN SIGNAL FLASHER INTEGRAL CAB MULTIPLEXING UNIT | | |
| Color | | | |
| 962-972 | POWDER WHITE (N0006EA) FRT WHEELS/RIMS (PKWHT21, TKWHT21, W, TW) | | |
| 966-972 | POWDER WHITE (N0006EA) REAR WHEELS/RIMS (PKWHT21, TKWHT21, W, TW) | | |
| Certification / C | compliance | | |
| 996-001 | U.S. FMVSS CERTIFICATION | | |

999-998 NO SPECIAL NARRATIVE

Special Narrative Instructions

GRAND TO AN AND AND AND AN AND AN AND AN ANALYSIS AND A

Sales Programs

Mintales Co.

NO SALES PROGRAMS HAVE BEEN SELECTED

TOTAL VEHICLE SUMMARY

| | Weight Front | Weight Rear | Total Weight | |
|-----------------|-----------------|----------------|-----------------|--|
| Factory Weight+ | 4467 !bs | 3398 ibs | 7865 fbs | |
| Total Weight+ | 4467 !bs | 3398 lbs | 7865 lbs | |

Other Factory Charges

| PNZ-998 | NO CARB22 BASE WARRANTY |
|---------|--|
| PNV-998 | No CARB24 Pricing Impact |
| 998-034 | FCCC PDI PROCESSING |
| RFY-022 | Front Tire Surcharge |
| RFU-022 | Rear Tire Surcharge |
| PAT-004 | TARIFF IMPACT FEE FCCC WALKIN VAN DIESEL CHASSIS |
| | STANDARD DELIVERY CHARGE |

Extended Warranty



Prepared For

Freightliner Custom Chassis Corporation

Prepared by DISSIDASE ROAD S W

Extended Warranty

995-011 FREIGHTLINER CUSTOM CHASSIS CORPORATION BASIC CHASSIS WARRANTY

CUMMINS ENG CARB22 B6 7 HD1 MD DTY 5 YEARS / 150 000 MILES / 241 500 KM WAI-7F7

WAK-255 ALLISON 2200 RDS SERIES TRANS EXTENDED WARRANTY, 7 YEARS/UNLIMITED MILES

FEX

(+) Weights Shown are estimates only If weight is critical contact Customer Application Engineering

(**) Prices shown do not include taxes fees etc... "Net Equipment Selling Price" is located on the Quotation Details Proposal Report

(***) All cost increases for major components (Engines, Transmissions, Axles, Front and Rear Tires) and government mandated requirements, tariffs, and raw material surcharges will be passed through and added to factory invoices





C-184377-2

Quoted By: Rod Carls

3/25/2024

Created: Revised:

3/26/2024

1801 South Nottawa Street • Sturgis, MI 49091-2005 • Phone 800-321-3758 • Fax 269-659-0430 • www.morganolson.com

Reference: Freightliner NW MT55G 18FT 190WB CITY OF

OLYMPIA 31924-R

End User: MT55G 18FT 190WB CITY OF OLYMPIA

Salesperson: Carls, Rod

Cust, Rep: None

Qty:

Customer

FREIGHTLINER NORTHWEST

13232 Case Road SW

Contact

Mr. Nick Krallis

Ship To

Utility Sales and Service Inc.

412 Randolph

Olympia, WA 98512

p.

Appleton, WI 54913

Customer Number

Terms

Shipping Method (FOB PLANT)

Delivery / Driveaway

Model

Description

Freightliner Route Star Walk-in 85"INSIDE HEIGHT 18'CARGO LENGTH 93"INSIDE WIDTH

<u>Plant</u>

Sturgis, MI

Body Dimensional Information

Inside Height. 85

RSK851893X190

Inside Length: 216

Inside Width. 89

Rear Door Opening (W x H): 38X76.44

Note Dimensional information above for reference only. These dimensions may change based on any special pricing items included in this quotation.

| Cha | 3 <u>5515</u> |
|-----|---------------|
| | |

| Freightliner | Expected Date | | Rear Wheels: | DUAL | A/C Prep | Yes |
|--------------|---------------------|--|---|--|--|---|
| MT55 | Engine Type: | GM 6.6L V8 | Air Suspension: | No | Air Filter Pastrictor | N- |
| 2025 | Block Heater. | No | | | | No |
| 100 | Cont. Tour | | | 19.5 | Cruise Control | No |
| 190 | Loc: | 40 GAL Rear Mount LH Fill | Emergency Brake | Hand Brake | Clean Power/Printer Cable: | No |
| 23000 | Fuel Type | Gas | Transmission. | Automatic | Bumper: | 11 in. Sweptback painted steel C- Channel(556-022) |
| | MT55 2025 190 | Date MT55 Engine Type: 2025 Block Heater, 190 Fuel Tank Loc: | Date MT55 Engine Type: GM 6.6L V8 2025 Block Heater. No 190 Fuel Tank 40 GAL Rear Mount LH Fill | Date MT55 Engine Type: GM 6.6L V8 Air Suspension: 2025 Block Heater. No Tire Size: 190 Fuel Tank 40 GAL Rear Mount Loc: LH Fill Errergency Brake | Date MT55 Engine Type: GM 6.6L V8 Air Suspension: No 2025 Block Heater, No Tire Size: 19.5 190 Fuel Tank 40 GAL Rear Mount Loc: LH Fill Brake 23000 Fuel Type: Cape Type: Act Windows DOAL 23000 Fuel Type: Act Windows DOAL 230 | Date MT55 Engine Type: GM 6.6L V8 Air Suspension: No Air Filter Restrictor: 2025 Block Heater: No Tire Size: 19.5 Cruise Control: 190 Fuel Tank Loo: LH Fill Emergency LH Fill Emergency Brake 23000 Fuel Type: Gas |

Specifications

[Configuration: C-184377]

Option

Description

NOTES

Please review the chassis information listed above. The dealer must confirm the chassis has been ordered with these options. If the chassis arrives with different specifications, your order can be delayed and there could be additional charges

Chassis must be ordered with the 11 inch freightliner bumper 1

MISCELLANEOUS

FCC/WCC PRE DELIVERY INSPECTION, TOE IN

1

Qty

CHASSIS PREP

HEAT SHIELD INSTALL

1

REAR DOORS

REAR DOOR, 19 INCH TWIN WITH 2 WINDOWS, POSITIVE ROD LATCH ROADSIDE AND CURBSIDE. AND 3 HINGES, WINDOW SIZE IS 13 INCH X 19 INCH

RUBBER SEAL FOR TOP OF REAR DOOR AND TRANSOM. 1 CLEAR GLASS WINDOW 13.62 INCH X 19 88 INCH INSTALLATION IN REAR DOOR 2 *** INSTALL 3RD REAR SWING DOOR APPROX, 12"INCHES WIDE SEE PHOTOS ***

DOOR HANDLES

BLACK HANDLE FOR REAR DOOR, KEY TO LOCK

BLACK KEY TO LOCK DOOR HANDLES 2 BLACK LOCKING HANDLE ON BULKHEAD DOOR

BACK

REAR FRAME FOR TWIN 19 INCH DOORS WITH 4 ROUND LIGHTS IN REAR SILL

REAR DOORS PLUNGER HOLD BACK FOR REAR DOOR

1



C-184377-2

Quoted By Rod Carls Created: 3/25/2024

Revised: 3/26/2024

1801 South Nottawa Street • Sturgis, MI 49091-2005 • Phone 800-321-3758 • Fax 269-659-0430 • www.morganolson.com

| | CAB DOORS | LEFT-HAND SLIDING DOOR | 1 |
|---|-----------------------|--|-----|
| | CAB | LEFT-HAND SLIDING WINDOW | |
| | CAB DOORS | | 1 |
| | 7.12 POOKS | DOOR POST SEAL | 2 |
| | | RIGHT-HAND SLIDING DOOR | 1 |
| | CAB | RIGHT-HAND SLIDING WINDOW | 1 |
| | CAB DOORS | DOOR POCKET INSTALL CURBSIDE | |
| | | DOOR POCKET INSTALL ROADSIDE | 1 |
| | | BRONZE SIDE DOOR STRIKER | 1 |
| | | SIDE DOOR LOWER PANEL ALUMINUM, ROADSIDE OR CURBSIDE | 2 |
| | | TO T | 2 |
| | SEATS | MAGNUM 200 SEAT MECHANICAL SUSPENSION SEAT WITH PREMIUM BLACK CLOTH MATERIAL AND ARM | 1 2 |
| | | ***Passenger seat to match driver's seat*** | |
| | | DRIVER'S SIDE NON-TILT SEAT SOCKET FOR USE WITH 3 POINT SEATBELT | 1 |
| | | SEAT SOCKET INSTALL MAG200 CURBSIDE | 1 |
| | | SEAT PEDESTAL FOR 3 POINT MAGNUM, 100 AIR SUSPENSION, 200 MECHANICAL | 1 |
| | | DRIVER'S SEAT BELT, ORANGE | 2 |
| | ROOF | TRANSLUCENT OUTER ROOF SKIN | 1 |
| | WINDSHIELD | ROOF NOSING | |
| | ROOF | | 1 |
| | NOOF | ROOF LINER EMBOSSED ALUMINUM WITH ONE INCH FIBERGLASS INSULATION WITH CENTER OPENING FOR TRANSLUCENT SKYLIGHT. 86 INCH WIDE BODY IS 22 INCH OPENING, 93 INCH WIDE BODY IS 29 INCH | 1 |
| | | EMBOSSED ALUMINUM CAB ROOF LINER WITH 1 INCH FIBERGLASS INSULATION | 4 |
| | ELECTRICAL (URBBEAU) | | 1 |
| | ELECTRICAL (HIDDEN) | ROOF WIRING | 1 |
| ı | ROOF/INTERIOR LIGHTS/ | 19 INCH RECTANOUS ARE TO THE TOTAL OF THE TO | , |
| ١ | VENTS | 18 INCH RECTANGULAR LED CAB DOME LAMP INSTALL WITH SWITCH ON I/P (OPTRONICS) | 1 |
| | | ***Locate cab dome lamp centered in cab celling*** | 4 |
| | | DOME LAMP LED 18" RECTANGULAR IN LOAD SPACE RECESSED MOUNTED.(OPTRONICS) | 1 |
| | | 20dae at C1, C5, C6, C9 | 1 |
| | | FANTASTIC ROOF VENT THREE SPEED ***Locate at C5*** | 1 |
| | | Editate at Co | 1 |
| 1 | NTERIOR CAB | SWITCH MOUNTED ON DASH FOR CARGO AREA DOME LAMPS | |
| | | *** EXTEND ACOUSTICAL ON FLOOR BACK FROM YOUR WE TO THE | 1 |
| | | *** EXTEND ACOUSTICAL ON FLOOR BACK FROM "O" LINE TO FRONT OF SET BACK BULKHEAD *** *** CUP HOLDER ON WORK TABLE IN CAB. LOCATE 2-CUP, CUP HOLDER ON REARWARD CORNER NEAR CENTER AISLE. SIMULAR TO LOCATION FOR SME.*** | 1 |
| | | CENTER AISLE. SIMLIAR TO LOCATION FOR SMF *** | 1 |
| c | ARGO AREA | 3-WAY SWITCH MOUNTED IN RECESSED CUP ON CURBSIDE IN REAR LINER | |
| | | THE SECOND OF ON CORBSIDE IN REAR LINER | 1 |
| C | HASSIS PREP | CHASSIS PREP REAR 190 WHEEL BASE, W/BDY ANG 2010 18 FOOT FREIGHTLINER MT55 | |
| _ | | 2010 TO TOOL FREIGHT LINER IN 155 | 1 |
| 8 | ACK | REAR SILL FILLER PLATE | 4 |
| | | | 1 |



C-184377-2

Quoted By: Rod Carls Created: 3/25/2024

Revised: 3/26/2024

1801 South Nottawa Street • Sturgis, MI 49091-2005 • Phone: 800-321-3758 • Fax: 269-659-0430 • www.morganolson.com

| | and 200-039-0430 - www.morganoison.com | |
|-----------------------|--|-----|
| FLOOR | FORWARD FLOOR, HEAVY DUTY RIBBED ALUMINUM | |
| | MID FLOOR, HEAVY DUTY RIBBED ALUMINUM, 44" WHEELBOXES | 1 |
| | REAR FLOOR, HEAVY DUTY RIBBED ALUMINUM | 1 |
| | ACCESS DOOR WITH DZUS LATCH | 1 |
| | | 1 |
| | 1 INCH WIDE SIDEWALL SUPPORT GUSSET ATTACHED TO LOWER SIDEWALL. | 1 |
| HOOD | | |
| 11000 | ALUMINUM HOOD FOR 93 WIDE FREIGHTLINER WITH MODEL 33 RECESSED LIGHTS AND SQUARE HEADLIGHTS. | |
| | | 1 |
| | GAS SPRING MOUNTING INSTALL 150LBS | |
| | FRONT GRILLE | 1 |
| | | 1 |
| FENDERS AND MUD FLAPS | SPLASH PAN INSTALL | |
| | SPLASH PAN INSTALL, BLACK VINYL | 1 |
| | THE THE PARTY OF T | 1 |
| EXTERIOR LIGHTING | RECTANGULAR HEADLAMPS | |
| | TO MITOURANTES | 1 |
| BUMPERS | STEEL DEAD BUILDED | |
| | STEEL REAR BUMPER, 93 WIDE 12 INCH WITH GRIP STRUT, WITH HITCH PROVISION | 1 |
| | REAR BUMPER SUPPORT BRACES 3/4INCH DIAMETER STEEL BRACES ATTRIBET | 1 |
| | FRAME AND THE BUMPER CORNERS. | F |
| MISCELLANEOUS | 20 Digit Turn and | |
| | 36 INCH FLIP DOWN STEP WITH LOCK PIN | 1 |
| BUMPERS | | 1 |
| DOMPERS | ***Locate step at center of rear bumper*** | |
| DIN KATA- | | 1 |
| BULKHEAD | BULKHEAD ALUMINUM, CENTERED SLIDING DOOR, UPPER POSITIVE HANDLE | |
| | SPECIAL BULKHEAD LOCATION LOCATE 2 DIECE ALLIMANIA BULKHEAD | 1 |
| | BACK FROM "O" LINE NEAR END OF DOOR POCKETS NO MORE THAN 40"INCHES. CUSTOMER TO INSTALL LOCKER BEHIND DRIVERS SEAT INSTALL LATCHING HANDLE ON BULKHEAD DOOR WITHOUT | ₹ 1 |
| | | |
| INTERIOR CAB | GREY SOUND REDUCTION CARPET ON CAB SIDE OF ALUMINUM BULKHEAD, SIDE PANELS AND DOORS WHEN APPLICABLE | |
| | WHEN APPLICABLE | 1 |
| | | |
| BACK | REAR TRANSOM FOR HINGED DOOR OR SOLID BACK WITH CUTOUTS FOR MODEL 33 LAMPS | |
| | THE COLOUTS FOR MODEL 33 LAMPS | 1 |
| CAB | CAB SKIRT TAILS, 2-DOOR | |
| | | 1 |
| SIDES | ROADSIDE UPPER SIDE PANEL | |
| | | 1 |
| | ROADSIDE LOWER SIDE PANEL, GAS FREIGHTLINER | 1 |
| | CURBSIDE UPPER SIDE PANEL | 1 |
| | ***The sidewalls are constructed using 102 aluminum*** | 4 |
| | CURBSIDE LOWER SIDE PANEL, WITH UREA TANK, NO FUEL FILL, 44 INCH WHEEL BOXES AND SWITCH BACK EXHAUST. | 1 |
| | | 1 |
| | ROUND FUEL FILL DOOR | 4 |
| | RUBBER BUMPER FOR FUEL/UREA FILL DOOR | 1 |
| | ROADSIDE FUEL FILL IN WHEEL BOX | 1 |
| | | 1 |
| FENDERS AND MUD FLAPS | MUD FLAPS, NO LOGO | |
| | | 1 |
| CAB | CAB WITH ROADSIDE AND CURBSIDE VENTS AT FOOT AREAS | |
| | THE SOLD AND COMBGINE VENTS AT FOOT AREAS | 1 |
| CHASSIS PREP | STEP SHIM, MT55 | |
| | | 1 |
| | | |



C-184377-2

Quoted By: Rod Carls Created: 3/25/2024

3/25/2024 3/26/2024

Revised: 3/26/20 1801 South Nottawa Street • Sturgis. MI 49091-2005 • Phone 800-321-3758 • Fax: 269-659-0430 • www.morganolson.com

| | 300 321 3730 Tax 209-039-0430 - www.morganolson.com | |
|---------------------|--|--------|
| WINDSHIELD | WINDSHIELD FRAME WITH TOP MOUNTED WIPERS, MODEL 33 LAMPS | |
| | WINDSHIELD GLASS INSTALLED IN RUBBER HARNESS | 1 |
| | HEAVY DUTY WINDSHIELD WIPER MOTOR | 1 |
| | WINDSHIELD WIPERS, 22" ARM WITH 24" BLADES | 1 |
| | SIDE MIRROR, DUAL HEAD, POWER CONTROLLED, REVOLUTION, HEATER, CONTROLLED | 1 |
| | ROADSIDE AND CURBSIDE. | L 1 |
| EXTERIOR LIGHTING | SPITFIRE REFLEX REFLECTORS | 1 |
| MISCELLANEOUS | FINAL INSPECTION KIT DIESEL GAS WITH MORGAN OLSON LOGO U.S. | 1 |
| EXTERIOR LIGHTING | REAR TAIL LIGHT KIT (2 RED LED LIGHTS AND 2 WHITE LED LIGHTS)INCLUDES LED LICENSE PLATE | 1 |
| васк | RECESSED LICENSE PLATE BOX BELOW REAR DOOR(S) | |
| | LAMP GUARDS IN REAR SILL | 1 |
| ELECTRICAL (HIDDEN) | TRANSOM WIRING CENTERED HIGH MOUNTED STOP LIGHT READY M100 | |
| | REAR WIRE INSTALL RAN THROUGH ROOF | 1 |
| _ | | 1 |
| EXTERIOR LIGHTING | LED FRONT PARKTURN LAMPS | |
| | HOOD MARKER LIGHTS, AMBER LED | 1 |
| | FRONT MARKER AND CLEARANCE LAMPS. AMBER LED | 2 |
| | REAR SIDE MARKER LAMPS, RED LED | 4 |
| | REAR MARKER AND CLEARANCE LAMPS, RED LED | 2 |
| NTERIOR CAB | | 5 |
| WENOK CAB | BLACK TINTED PLASTIC SUN VISOR | 2 |
| | WASTE BASKET INSTALL, ROADSIDE STEPWELL | 1 |
| | ***Locate in roadside stepwell at rearward inboard corner or if doorless locate roadside of driver's seat*** | 1 |
| CAB | HEAT AND SOUND REDUCTION INSULATION ON FIREWALL UNDER HOOD. | 1 |
| NTERIOR CAB | ACOUSTICAL CAB MATTING FULL CAB AREA WITH ALUMINUM DIAMOND PLATE TRIM | 1 |
| CAB | SMOOTH ALUMINUM TRANSMISSION COVER | |
| | ENGINE BOX LID WITH SIDE-MOUNT LATCHES | 1 |
| | The state of the s | 1 |
| NTERIOR CAB | WORK TABLE INSTALL CURBSIDE WITH SUPPORT LEG, 30" LONG X 16" DEEP POWDER COATED BLACK | |
| | CLIP BOARD CLIPS ADDED TO THE WORKTABLE QUANTITY OF 2. | 1 |
| | JENSON AM/FM RADIO WITH BLUETOOTH WITH DUAL 6 5 INCH SPEAKERS | 1 |
| | CONVENIENCE CENTER MOUNTED TO THE ENGINE BOX, INCLUDES TWO CUP HOLDERS, A CLIPBOARD HOLDER AND MISCELLANEOUS STORAGE | 1 1 |
| | TWO SPEED FAN LOCATED ON INSTRUMENT PANEL | |
| | ***Located curbside of instrument panel*** | 1 |
| | WIPER MOTOR COVER PLATE, ALUMINUM, WITH ACCESS DOOR TO WIPER MOTOR ABOVE THE DRIVER AND A COMPARTMENT WITH DOOR ABOVE THE PASSENGER. | 1 |
| | COCKPIT STYLE INSTRUMENT PANEL | |
| | TWO 12-VOLT POWER POINTS LOCATED IN INSTRUMENT PANEL | 1 |
| | ONE-CUP FOLD-DOWN CUP HOLDER ON LEFT SIDE OF INSTRUMENT PANEL | 1 |
| | THE STATE OF THE STATE OF THE STRUMENT PANEL | 1 |
| | GREY CARPET ON ENGINE BOX LID | |
| | GREY CARPET ON ENGINE BOX LID FIBERGLASS STEP OVERLAY, DRIVER AND PASSENGER SIDE STEPS | 1 |



C-184377-2

Quoted By: Rod Carls

Rod Carls 3/25/2024

Created: Revised:

3/26/2024

1801 South Nottawa Street • Sturgis, MI 49091-2005 • Phone 800-321-3758 • Fax 269-659-0430 • www.morganolson.com

| SIDES | STIFFENERS ON SIDEWALLS. 1.5 ALUMINUM HAT SECTION ON 24 INCH CENTERS ***Sidewall stiffeners on 24" centers*** ANGLE STIFFENER ATTACHED TO LEAVE FOR THE PROPERTY OF THE PROP | 1 |
|--------------------------|--|-----|
| | ANGLE STIFFENER ATTACHED TO LOWER SIDE PANEL, ROADSIDE AND CURBSIDE. | 1 |
| CARGO AREA | SIDEWALL LINER, 1-2 INCH PLYWOOD AND KEMLITE OVERLAY SIDEWALL INSULATION, 1 INCH POLYSTYRENE R-5 BACK INSULATION ONE INCH POLYSTYRENE, 50 INCH KEMPLY LINER | 1 1 |
| | REAR DOOR INSULATION 1 INCH POLYSTYRENE, .50 INCH KEMPLY LINER | 1 |
| PAINT | EXTERIOR BODY PAINT - AXALTA PRIMER, AXALTA TOP COAT | 1 |
| PAINT_BODY | ***De | |
| | ***Paint white N00C6H*** | 1 |
| | PAINT FRONT BUMPER | 1 |
| PAINT_FRONT_BUMPER | BLACK N0001H | 1 |
| PAINT_BODY | DAINT BEAD DUNGED | |
| | PAINT REAR BUMPER | 1 |
| PAINT_REAR_BUMPER | PLACK Manager | |
| THE TREAT DOME EN | BLACK N0001H | 1 |
| PAINT_BODY | PAINT 4 HUBS | 1 |
| PAINT_HUBS | PAINT WHEEL HUBS SAME COLOR AS BODY | 1 |
| HEAT/AIR CONDITIONING | 10 FEET EXTRA HEATER HOSE | |
| | AIR CONDITIONING FARM OUT | 1 |
| | HEATER CORE WITH A:C AND AIR FILTER | 1 |
| | TIEATER CORE WITH ACC AND AIR FILTER | 1 |
| SAFETY EQUIPMENT | CDAR HANDLE 40 NOVEMBER 1 | |
| The second second | GRAB HANDLE, 18 INCHES LONG | 2 |
| | ***Locate roadside door exterior 72" on center from ground*** | 1 |
| | ***Locate curbside door exterior 72" on center from ground*** | 1 |
| | *** INSTALL VOYAGER BACK UP CAMERA SYSTEM WITH MONITOR LOCATED IN INSTRUMENT PANEL. INCLUDED LEFT AND RIGHT SIDE LANE DEPARTURE CAMERAS *** | 1 |
| LABOR (HIDDEN) | | |
| , | COOLANT SYSTEM PURGE | 1 |
| CHASSIS PREP | | |
| | | |
| HEAT/AIR CONDITIONING | FRESH AIR INTAKE THROUGH CAB SKIRT | 7 |
| MISCELLANEOUS | ADD UNDERCOAT | |
| | | 1 |
| Special Engineering Item | *** INSTALL 6-POLE TRAILER PLUG AT REAR OF TRUCK IN REAR SILL SEE PHOTO *** | |
| | *** INSTALL TYPE 'B" RUBBER FENDERS AT REAR WHEELS *** | 1 |
| | *** CONE HOLDERS, INSTALL 2-CONE HOLDERS ON FRONT BUMPER. *** | 1 |
| | ***CHANGE OUT OBSOLETE INSTALLS *** | 1 |
| | WOMEN | 1 |

June 6, 2025

Nick Krallis Freightliner Northwest 13232 Case Road SW, Olympia, WA 98512

Dear Mr. Nick Krallis,

change order is required, cost may be added to the total purchase cost. UTILITY SALES and SERVICE, INC. is pleased to submit the following quote. Please review before signing this purchase contract. After signing this contract, any and all changes will result in a change order. If a

agreement, the undersigned asserts that he/she has the authority to commit the resources of the customer listed above. The above listed customer, Cooperative, or municipality hereby agrees to purchase the Vehicle per Utility Sales and Service, Inc. Quotation No. listed above, and dated above. Further, by executing this

Pursuant to this agreement, the above listed customer asserts that this sale qualifies for sales tax exemption under _

And all use of the Vehicle quoted conforms to the Wisconsin Administrative Tax Rule. If ever in the future it is determined that any tax, penalties or interest are due, they are the sole responsibility of the listed

| QUOTE SUMMARY | City of Olympia, WA - NT-55 18' Walk-In Van Truck - Quantity of (2) Units | In Van Truck - Quantity of (2) Units |
|---------------|---|---|
| CHASSIS | *Customer Supplied CHASSIS will be deliv | *Customer Supplied CHASSIS will be delivered from factory to Morgan Olson at customers expense. |
| QUANTITY | Description | FREIGHTLINER MT-55 |
| L | Drive & Engine | 4x2 DIESEL |
| | Supplier | Customer Supplied |
| | GVWR | 23,000 lbs. |
| | Cab Color | N/A |
| | Wheelbase" | 190" |
| | Chassis Type | Walk-In Step Van |
| | CHASSIS NOTES | C.S. Chassis Overview: Cummin B6.7 200hp diesel engine, Allison 2200RDS 6-speed Auto Transmisson with (2) PTO openings, Cab A/C Prep package, 40 Gal. rear mount fuel tank with LH fill, dual rear wheels and 11" Sweptback painted steel C-channel front bumper (556-022). |
| >>>>>> | >>>>>> CHASSIS DELIVERY >>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>> | Chassis is drop-shipped from the Freightliner factory directly to Morgan Olson in Sturgis, MI, for the body install at FREIGHTLINER NW's expense. |
| | | |

| Õ |
|---------|
| D |
| \prec |
| |

| >>>>>> | | | | | | QUANTITY |
|---|--|---|--|-------------------------|----------------------------------|---|
| >>>>>>> DELIVERY AFTER BODY INSTALL >>> | BODY NOTES | Chassis Wheelbase | Inside Height in Inches | Inside Length in Inches | Supplier | Model |
| After body Install by MO is completed, the van truck is to be delivered to USSI in Appleton, WI, for interior and exterior upfit. FREIGHTLINER NW is responsible to pay for the delivery from Morgan Olson to USSI. | Morgan Olson to provide four (4) MO rocker switches 46029061 ready wired on the dash for upfliter install. | 190" Body | 85" Body | 216 " tnsid | Morgan Olson (Customer Supplied) | RSK851893X190 - MT-55 18' Aluminum Walk-in Step Van |
| e van truck is to be delivered to USS nsible to pay for the delivery from I | ches 46029061 ready wired on the dash f | Body / Rear Bumper Colors W | Body Lights + LED II | Inside Width in Inches | | k-in Step Van |
| Il in Appleton, WI, for interior and Morgan Olson to USSI. | or upfliter install. | WHITE - Body, Front bumper and Wheels / BLACK - Rear bumper | All Marker and S/T/T and Backup Lights - Installed in Body by MO | 93" | | |

| 1 2 2 | 1 | Ľ | ⊢ , | • | 1 | ь | Þ | 2 | N H | 1 | 1 | J ⊷ | 6 | ı | FEATURES QUANTITY |
|--|--|--|--|--|--|--|---|--|--|--|--|--|---|--|---------------------------------|
| Battery Group 31 Stud Box, Battery Group 31 SKU 2610 Relay Auto Charging Battery 12 | COMPLETE Truck Interior and Exterior Upfit and Install Mechanical, Electrical and Hydraulic | EZ stak interior 12117-A00 plus SS and CS Exterior Cabinets (SS Generator, Lower SS rear, CS Jack Hammer, CS Lower Hose and CS Lower rear) | Rire Extinguisher 10Lb W/Rubber Bracket | PAC Tool Mounts Flathead Axe Hanger/Pocket | Powerweld Retractable Twin Welding Hose Reel RHR50 (with 50' Hose) | I Rack 5 lbs. Propane Tank Mounting Bracket Strap Model # YSNBRK05 | Global industrial™ Wall Mount 1 Cylinder Bracket T9F116037 | Shovel, Rake and Ladder HD Wall Mount Hooks (2 B0BG234DTT | PAC 8 Pound -12 Pound Sledge Hammer Hanger Box Sign Holder Storage Dbl* | SHURflo Smart Sensor 4.0 Pump | Barker Fresh Water Polyethylene Tank 20 Gal. 32"L x 12"H x 12"W | Inverter/Charger 3000W | 120V Outlet Double Non GFI | 120V Outlet Single Non GFI Vertical Cover | DESCRIPTION |
| 31-5T ZZ03189 78003B | FAB AND INSTALL | EZ12117-A00 | K17 | 11 11 12 12 12 12 12 12 12 12 12 12 12 1 | BUBEO | 1010691865 | t T9F116037 | 2 B0BG234DTT | PAC1010-12 | 4900-0211 | 11916 | UP12/3000SDCG | КІТ | KIT | Item/KIT Code |
| Supplied for inverter and mounted on the 2nd shelf of the RH shelving unit behind the passenger seat and forward the van set back bulkhead. The batteries are wired ot the chassis batteries and can be charged through Shore power. For inverter batteries. For inverter install. | COMPLETE truck install of all Interior and Exterior Components including EZ Stak Interior Shelving/Drawers and Exterior compartments, Vanair Underdeck compressor system and SS body compressor vent screen, all Add'! Lighting and all Electrical Components, Hitch Receiver Tube, and Install of fabricated Interior 12" W False wall with Rear Access Storage configuration as specified and SS compressor vent screen. All exteriors of EZ Stak exterior components and exterior accessries painted WHITE. See ref. pics of old truck. | Load space and cab area components and SS and CS exterior compartments. | Mounted on lower LH Interior wall rearward shelving and after sign holders. Mount in RH passenger side on front of set back bulkhead. | invullied above 5 is. propane tank noticer at LH Interior wall at rearward the shelving. | | Mounted on lower rear of LH Interior wall after other wall storage components. | Mounted on lower LH Interior wall rearward shelving and after sign holders. | Mounted high and side by side on upper LH interior wall just after rearward shelving (see ref. pics old truck for design). | Mounted higher on LH inteior wall (see ref. pics old truck). | Mounted in bottom of CS exterior lower 2nd compartment to the RH side of the Reelcraft sprayer hose reel. The pump is wired to battery hot illuminated OEM rocker dash switch. | Non-toxic, food grade polyethylene water tank is tasteless, odorless, and rust proof. All inlets are made of barbed hose so there are no threads to strip. Each tank includes parts necessary for a complete installation. Mounted on RH interior floor under the front shelf unit towards the bulkhead and feed hose from tank to lower exterior compartment to 12V water pump. | Installed behind the passenger seat on RH front unit 2nd shelf towards the rearward RH side. Inverter batteries wired to chassis batteries. Inverter manaully activated by an OEM upfitter switch on the dash. **Inverter wired to CS exterior 15A shore power plug, so Shore power can charge the inverter batteries overnight.** | Install (1) RH wall above work station forward, (1) RH wall above work station rearward, (2) RH cab above laptop station, (2) RH cab above printer station. Outlets powered by generator through breaker box. | Recessed CS rear of body after the rear under floor compartment (see ref. pics of old truck) with weather proof cover. GFI could be in breaker panel to feed all circuits. Outlets powered by generator through breaker box. | MOUNTING LOCATION/ INSTRUCTIONS |

| For inverter mounted on CS rear lower exterior rearv | B08G1CXSBQ | WELLUCK 15 Amp 125V AC Power Inlet Port Plug with Integrated 18" Extension Cord, NEMA 5-15 RV Flanged Inlet with Waterproof & Back Cover, 2 Pole 3-Wire Shore Power Plug | L |
|---|----------------|--|--------------|
| Auxiliary fuel tap installed forchassis fuel tank feed t | INSTALL | Auxiliary Fuel Tap *Included in Exterior upfit | 1 |
| Mounted by electrical breaker panel on rear side of | PD9245C | Converter/Charger 45A, 9200 Inteli-Power | 12 |
| Ship loase. | 821M10P | Kit First Aid | , |
| Ship loose. | 20R | Kit Reflector Triangle | . ب |
| Mounted recessed under the SS and CS rear corners flood light by the same On/Off switch at RH passeng | SYLED-\$L9 | Light Scene 9" LED | . 2 |
| Mounted at the CS rear top of body. Light is wired t | SYLED2500-FL | Light Flood 2500 Lumen | 1 |
| Center mounted on the upper curbside of body. Lig rear. | SYTLED1400R-FL | Light Flood 1100 Lumen | L |
| Mounted on center upper front and rear of body he Generator remote start/stop control in upper cente | SY990-LED-50 | Light Arrow LED Amber 42"L | 2 |
| USSI Standard - Center lower rear by plate holder. | 15040 | Light LED License Plate | - |
| Mounted high on the front grille. | SYFLAT6-AA | Light Strobe SYFLAT Amber 6LED | 2 |
| Mount 2 at SS and CS top rear corners of body, and plate. | SYFLAT6-AA | Light Strobe SYFLAT Amber 6LED | 4 |
| Mounted on SS and CS front of body just above the below are manually activated by the same OEM up | SY22060ELP-A | Light Strobe LED Extra Low Pro | 2 |
| Mount chain vise to the 2" receiver vise pad mount the rear. See ref. pics of old truck. | pı WB604074 | Global Industrial" Bench Chain Vise, 1/2" - 6" Pipt WB604074 | - |
| Mounted vise to the 2" receiver vise pad mount ins shelf unit over the wheel well. See ref. pics of old t | B00004XPVN | Wilton Shop Bench Vise, 5" Jaw Width, 5" Max Jaw Opening, 3" Throat (Model WS5) | Ľ |
| For hydraulic hose reel | V20-PAYEWCHA | Valve Control - Tools | _L |
| Installed in CS lower 2nd exterior compartment on | B00208GPIQ | reel | . pa |
| | | Reelcraft 5635 OLPSW5 3/8" x 35' pre-rinse hose | |
| For hase reel. | 451TC-06-8-8 | Hose Twinline Assy 1/2"x50" | ь |
| Installed at RH rear interior behind the shelf unit o | KIT | Hose Reel Spring Rewind W/Guide & Ball Stop (Add 1/2" x 50' Twinline Hose) | ,, |
| Hose stubbed out back next to door for access (see | DC25A-12 | Valve, Flow Control, 12 SAE | Ц |
| For Reserrvoir install. | SW2001253 | Strainer Suction 2"ODx1-1/4"ID | . Ъ |
| Install on RH interior wall under the front shelving rear. | SMR255 | 25 Gallon Side Mount Steel Reservoir | 1 |
| Far hose reel. | KIT | Quick Couple Kit 1/2" With Covers | H |
| Camera mounted at center rear of lower van body Monitior mounted in cab above driver. | RV-550 | Camera B/U Marker Light 7" Mon | ь |
| USSI Standard | STA20502W | Alarm Back-Up 96db Hardwired | در |
| bench 18" from the rear. See ref. pics of old truck | RM-Combo | Mount | . 2 |
| Mount on front top edge of CS work bench for ber CS work bench above the 3 shelf unit over the why | | Versa-Mount Vise and Grinder Receiver Table | |

Mount on front top edge of CS work be r bench vise and chain vise use. One mount on top front edge of the wheel well. One mount on the front top edge of the CS work

dy as combo clearance light and camera recessed for protection.

ng unit. The tank plumbed to hydraulic hose reel at RH interior

ee ref. pics).

on floor on angle feeding out the rear. See ref. pics of old truck

on the LH side of 12V pump. See ref. pics of old truck.

nstalled on top front edge of the CS work bench above the 3

int installed on the front top edge of the CS work bench 18" from

he roof on mounting plates. Beacon and Rear and Front strobes upfitter switch on the dash.

nd 2 at SS and CS bottom outside corners in lower rear kick

header. Controllers stack mounted to the left of the ONAN

ight is wired to On/Off switch at RH passenger upper interior.

I to On/Off switch at RH passenger upper interior rear.

nger upper interior rear. rs of the body. Lights are wired come on with CS upper rear

of CS bulkhead wall for shore power conversion for inverter.

d to ONAN generator for use.

rear lower exterior rearward the duplex outlet.

| Included in Interior Upfit install. | K) T | Interior Upfit. | H |
|--|---|--|----------|
| | 6" back of door Il length aprox 13'. Included in | flag storage area dividers start 6" back of door opening, 4th section 12"H x full length aprox 13' 5th section 12"H x full length, Included in | |
| | section 24"h cap 5'L x 6"H x 6"W | 15"H with 7' clear length, 3rd section 24"h cap off at 5 feet subdivided into 8 5'L x 6"H x 6"W | |
| Provided by EZ Stak. Included in Interior Upfit install. | ed by EZ Stak. KIT ill full height. 1 | open area to rear door. Provied by EZ Stak. LH Interior 12'D cargo false wall full height. 1 section 15"H rans off at whool well 2nd sortion | 5 |
| | of | of the cargo area located forward the 5 feet of | _ |
| | m. cargo shelving s side interior wall | LH interior 72Hx24Wx18D Alum. cargo shelving unit with adj. dividers. Drivers side interior wall | |
| Provided by EZ Stak. Included in Interior Upfit Install. | K. | by EZ Stak | . |
| | rgo area - Provided | drivers side interior wall of cargo area - Provided | |
| | Alum cargo shelving | LH interior 72"Hx 48W x 18D Alum cargo shelving | |
| Provided by EZ Stak. Included in Interior Upfit install. | KIT | seat - Provided by EZ Stak | 2 |
| | .8D Storage lockers n the drivers side n behind drivers | LH Interior (2) 72"H X 18W x18D Storage lockers with locking doors installed on the drivers side wall of the bulkhead/Partition behind drivers | |
| -01 For generator install. | 155-3481-01 | Tail Pipe Kit | - |
| | 155-2610 | Tube-Exhaust Adapter 3" | |
| | 338-3490-02 | 30' Remote Harness | ۰ ۲ |
| Mounted in upper center of cab to R | meter 300-4943 | Remote Start Stop with Hourmeter | . ,_ |
| Nount in SS lower exterior comartment. Exhaust out bottom of compt. Fuel system drawing from chassis tank. | A064K83Z | 7.5HDKAT-41934 | ۰ بـ |
| | generator | Cummins Onan 7K.5W Diesel generator | |
| For Receiver tube | F-S | Pin Hitch 5/8" Receiver 2" | |
| Mounted under the center of rear bumper. | E-12 | Tube Receiver 2"5q 18"Long | ш |
| Installed off transmission PTO provision and under body on LH driver side of chassis frame. | V2SGAC2 | Pump | |
| | its, Muncie PTO and | System with Maintenance Kits, Muncie PTO and | |
| | Hydraulic Pump Pad | Underdeck Compressor and Hydraulic Pump Pad | |
| FOI EIECTION INSTALL | | Vanair V2SGAC2 160 CEM / 1000SC BTO Driven | |
| | | | 45 |
| -20 For Flortrical Install | oltage DC 12V 80A pretic Relay JOX-62F-2C | Baomain High Power Coil Voltage DC 12V 80A DPDT 2NO 2NC Electronmagnetic Relay | ь |
| I For Electrical Install | ate Model JN0155-3 3712991 | lvory 1-Gang Toggle Wall Plate Model JN0155-3 | 2 |
| 7 For Electrical Install | Off Model 91365 3637497 | lvory Single Pole Switch On/Off Model 91365 | 2 |
| 8 For Electrical Install | УТ 3612958 | 8 Box Elect Sngl Deep 1/2" NPT | μı |
| For Electrical Install | /Gask WPB-1 | Cover Sngl BlankElectBoxW/Gask | ω |
| | cuit Breaker 3674653 | 20-Amp 1-Pole Standard Circuit Breaker | 4 |
| | er 3674572 | 1 Mount Main Lug Load Center | |
| | r - 3 Pack 3654405 | 1 3/8" AC/MC/Flex Connector - 3 Pack | Ц |
| | ctor - 3 Pack 3651278 | | |
| | 3651333 | 3 1/2" x 10' EMT Conduit | |
| 14 For Electrical Install | lad Cable 3692594 | 1 25' 12/2 Armorlite Metal Clad Cable | |
| | | | |

RH interior Door pocket work station, 24" bottom shelf aprox 39" from floor shelf flipped lip down, 18"D middle shelf aprox 60" from floor, 18"D top shelf aprox 72" from floor - Provided by EZ Stak.

compartment for Onan 7.5KW diesel engin LH Lower Exterior 30" H x 42"W x 26"D side wall 68"L x 78" W x 6" H expanded metal style generator. Provided by EZ Stak. Interior Upfit overhead storage shelf w/1" lip. Provided in END OF WORK BENCH. Provided by EZ Stak. dividers. 143"L X25"D hardwood counter top. 25"H (full height) VERTICAL BULKHEAD PANEL AT down to 42") x 48" W x 24"D shelling with 24" vertical bin with (3) 10"H bins. 48"H (legs cut D 5 drawer units with dividers. 36"H x 12"W x interior wall below couter top. 30"H x 42"Wx 24" RH interior Storage shelves passenger side 즠 즉 <u>~</u>

LH Exterior 14"H x 24"W x 24"D under floor pull our drawer 500lb cap. Provided by EZ Stak. KIT Plywood storage box to store up to two 4' x 8' sheets of 5/8" plywood. Provided in Exterior wfit.

RH exterior 54"H x 40"W x 26"D minimum jack hammer/Wacker storage compartment reinforced (provided by EZ Stak). HD slide out tray to hold jackhammer and strap for both. Provided in Exterior Upit KIT RH exterior 18"W x 24"W x 18"D CS exterior

under floor compartment behind jack hammer compartment for sprayer reel and water pump. Provided by EZ Stak.

RH exterior 14"Hx 30"W x 24"D under floor sliding drawer for chains etc. Provided by EZ

Ĩ

Prep Chassis

Wire Body/Compartment Lighting

1 1 25 25 1

Plumb Unit & Fill with LubeTech 22 Hydraulic Oil (Per gallon)
Install Return Filter

Install Return Filter

DOT Inspection

Clean and Prep for delivery

Provided by EZ Stak. Included in Interior Upfit install

Provided by EZ Stak, Included in Interior Upfit install

Starts at bulkhead extends rearward aprix 68" above floor shelf edge extrusion to cover trimmed expanded metal. Installed in the interior right after the bulkead to the roof.

Provided by EZ Stak. Installed on LH driver exterior side lower right before the rear wheels. Louvered barn style doors.

Provided by EZ Stak. Installed on LH driver exterior side rear under floor

Installed on LH driver exterior upper side of body rearward. Plywood sheets slide in from rear.

Provided by EZ Stak. Installed on RH exterior side wall right after set back bulkhead.

Provided by EZ Stak. Installed on RH exterior side wall under floor before rear wheels. For sprayer reel and water pump. Fill and vent hose routed up corner ahead of bulkhead above jack hammer compartment

Provided by EZ Stak. Installed on RH exterior side at rear under floor.

즠



| State of Washington | CONTRACT USAGE AGREEMENT | | | | |
|--|--|--|--|--|--|
| DEPARTMENT OF ENTERPRISE SERVICES | CUA no. and effective dates will be completed by DES | | | | |
| Attn: Contracts & Procurement P.O. Box 41411 | CUA No.: 2024CUA278 | | | | |
| Olympia, WA 98504-1411 | Effective Date: June 11, 2024 | | | | |
| | Type of Eligible Purchaser | | | | |
| INSERT ELIGIBLE PURCHASER NAME | Washington state agency | | | | |
| City of Olympia | Washington local governmental agency or | | | | |
| Business Contact: City Clerk | entity (e.g., counties, cities, school | | | | |
| Tel: 360.753.8110 | districts, public utility districts, etc.) | | | | |
| Email: skrier@ci.olympia.wa.us | Higher Education | | | | |
| Tax Identification No.: 91-6001261 | Federal governmental agency or entity | | | | |
| | Tribe located in the State of Washington | | | | |

CONTRACT USAGE AGREEMENT

FOR

DESIGNATED ENTERPRISE PROCUREMENT SOLUTIONS FOR GOODS/SERVICES ('CONTRACTS')

This Contract Usage Agreement ("Agreement") is made and entered into by and between the State of Washington acting by and through the Department of Enterprise Services, a Washington State governmental agency ("Enterprise Services") and the <u>City of Olympia</u>, Local government governmental agency/entity ("Eligible Purchaser") and is dated and effective as <u>June 11, 2024</u>.

RECITALS

- A. The Washington State Legislature has authorized Enterprise Services to enter into agreements with certain governmental agencies/entities (each an eligible purchaser) to enable such entities to utilize certain contracts developed and/or administered by Enterprise Services that function as enterprise procurement solutions to enable Washington state agencies and other eligible purchasers to purchase goods and/or services cost-effectively and efficiently from specified contractors at contracted prices, terms, and conditions ("Contracts"). See RCW 39.26.050(1); RCW 43.19.005(2); and RCW 39.34.055.
- B. To enter into a *Contract Usage Agreement* with Enterprise Services as an Eligible Purchaser, the agency/entity must be one of the following:
 - Washington state agencies;
 - Washington local governmental agencies or entities;
 - Higher Education;
 - Federal governmental agencies or entities; or
 - Tribes located in Washington state.

- C. Eligible Purchasers who execute a *Contract Usage Agreement* with Enterprise Services may utilize the following categories of enterprise procurement solutions for goods/services, each a category of available Contracts:
 - Statewide Contracts. Contracts for goods/services developed and implemented by Enterprise Services on behalf of the State of Washington pursuant to the State's Procurement Code for Goods/Services (RCW 39.26). See RCW 39.26.050.
 - Cooperative Purchasing Agreements. Specified Cooperative purchasing agreements for goods/services developed or joined by Enterprise Services on behalf of the State of Washington. See RCW 39.26.060.
 - Legislatively Directed Contracts. Certain 'mandatory use' or other contracts for goods/services in which the Washington State Legislature has specified for use by Washington state agencies and/or other eligible purchasers e.g., Correctional Industries contracts. See RCW 39.26.251.

Enterprise Services maintains a list of all such Contracts at its Contracts Webpage.

- D. Eligible Purchaser desires to contract with Enterprise Services to access and use the Contracts, subject to their terms and conditions.
- E. The purpose of the Agreement is to establish the terms and conditions to authorize Eligible Purchaser to use the Contracts.

AGREEMENT

Now Therefore, in consideration of the mutual covenants and agreements set forth herein, the parties agree as follows:

- 1. **DURATION**. This Agreement is effective as of the effective date stated herein and shall continue in force unless terminated by either party upon thirty (30) calendar days prior written notice.
- 2. ELIGIBLE PURCHASER'S REPRESENTATIONS AND WARRANTIES. Eligible Purchaser makes each of the following representations and warranties as of the effective date of this Agreement and at the time any order is placed pursuant to any Contract by Eligible Purchaser. If, at the time of any such order, Eligible Purchaser cannot make such representations and warranties, Eligible Purchaser shall not place any such order and shall, within three (3) business days notify Enterprise Services, in writing, and terminate this Agreement.
 - a. ELIGIBLE PURCHASER STATUS. Eligible Purchaser represents and warrants that, as set forth in RCW 39.26.050(1), RCW 43.19.005(2), and/or the Interlocal Cooperation Act (RCW 39.34), it is an entity that is eligible to utilize Enterprise Services' Contracts. Eligible Purchaser further represents and warrants that, upon request from Enterprise Services, Eligible Purchaser shall provide documentation to confirm its eligibility to use the Contracts.
 - b. Contract Audits. Eligible Purchaser represents and warrants that it shall cooperate with Enterprise Services, the Office of the State Auditor, federal officials, and/or any third party authorized by law or contract, in any audit conducted by such party pertaining to any Contracts that Eligible Purchaser has made purchases from pursuant to this Agreement, including providing records related to any purchases from such Contracts.

- 3. **AUTHORIZED USE; FINANCIAL RESPONSIBILITY**. Eligible Purchaser understands and agrees that it shall: (a) deal directly with the Contract's awarded contractor (i.e., the vendor, supplier, service supplier, etc.) for any purchases it makes under the Contract, as authorized by this Agreement; and (b) assume full and complete responsibility, financial and otherwise, for any purchases made pursuant to any Contract.
- 4. **SEPARATE RESPONSIBILITY**. Each party to this Agreement shall be responsible for the acts, errors, and omissions of itself and it's own officers, employees, and agents acting within the scope of the performance of this Agreement and within the scope of their authority.
- 5. **RESOLVING CONTRACT PURCHASE DISPUTES**. The parties agree that, if there are any disputes between Eligible Purchaser and a Contract contractor, Eligible Purchaser shall: (a) provide Enterprise Services written notice of the nature of the dispute including the efforts undertaken to resolve the dispute; and (b) unless otherwise provided in the Contract, work in good faith with the contractor to resolve the dispute without the involvement of Enterprise Services. Enterprise Services may, upon request, review and assist in the resolution of a dispute, and, if Enterprise Services chooses to do so, Eligible Purchaser will cooperate with Enterprise Services in that resolution process. Enterprise Services, in its sole discretion, may elect to resolve disputes with a contractor on behalf of Eligible Purchaser and all other users of the applicable Contract. In such event, Enterprise Services' resolution shall be binding.

6. AGREEMENT ADMINISTRATION & NOTICES.

a. AGREEMENT CONTACTS. The parties hereby designate the following agreement administrators as the respective single points of contact for purposes of this Agreement. The parties may change agreement administrators by written notice as set forth below.

Enterprise Services

Attn: Contracts & Procurement Washington Dept. of Enterprise Services PO Box 41411 Olympia,

WA 98504-1411

Email: CUA@des.wa.gov

Eligible Purchaser

Attn: City Clerk

Address: City of Olympia
PO Box 1967

Olympia, WA 98507

Email: skrier@ci.olympia.wa.us

- b. ADDITIONAL AGREEMENT CONTACTS FOR ELIGIBLE PURCHASER. If necessary or desired, Eligible Purchaser may specify alternative or additional contacts for purposes of this Agreement (e.g., Eligible Purchaser may specify alternative or additional contacts for usage of certain Contracts such as vehicle ordering); *Provided*, however, that such alternative or additional contacts must utilize email notification to facilitate computer-generated cost-effective and efficient communication between the parties. Eligible Purchaser may designate such additional contacts at any time as set forth below.
- c. NOTICES. Any notices required or desired shall be in writing and sent by U.S. mail (postage prepaid) or email, and shall be sent to the respective addressee at the respective address or email address set forth above or to such other address or email address as the parties may specify in writing. Notices shall be deemed effective upon the earlier of receipt, if mailed, or, if emailed, upon transmission to the designated email address of said addressee.

7. GENERAL PROVISIONS.

- a. AGREEMENT AVAILABILITY. Prior to its entry into force, this Agreement shall be posted on the Enterprise Services' website or other electronically retrievable public source as required by RCW 39.34.040.
- b. Entire Agreement. This Agreement constitutes the entire agreement and understanding of the parties with respect to the subject matter and supersedes all prior negotiations, representations, and understandings between them. There are no representations or understandings of any kind not set forth herein.
- c. AMENDMENT OR MODIFICATION. Except as set forth herein, this Agreement may not be amended or modified except in writing and signed by a duly authorized representative of each party hereto.
- d. AUTHORITY. Each party to this Agreement, and each individual signing on behalf of each party, hereby represents and warrants to the other that it has full power and authority to enter into this Agreement and that its execution, delivery, and performance of this Agreement has been fully authorized and approved, and that no further approvals or consents are required to bind such party.
- e. No AGENCY. The parties agree that no agency, partnership, or joint venture of any kind shall be or is intended to be created by or under this Agreement. Neither party is an agent of the other party nor authorized to obligate it.
- f. ASSIGNMENT. Eligible Purchaser may not assign its rights under this Agreement.
- g. GOVERNING LAW. The validity, construction, performance, and enforcement of this Agreement shall be governed by and construed in accordance with the laws of the State of Washington, without regard to its choice of law principles that would provide for the application of the laws of another jurisdiction.
- h. JURISDICTION & VENUE. In the event that any action is brought to enforce any provision of this Agreement, the parties agree to exclusive jurisdiction in Thurston County Superior Court for the State of Washington and agree that in any such action venue shall lie exclusively at Olympia, Washington.
- i. CAPTIONS & HEADINGS. The captions and headings in this Agreement are for convenience only and are not intended to, and shall not be construed to, limit, enlarge, or affect the scope or intent of this Agreement nor the meaning of any provisions hereof.
- j. ELECTRONIC SIGNATURES. An electronic signature or electronic record of this Agreement or any other ancillary agreement shall be deemed to have the same legal effect as delivery of an original executed copy of this Agreement or such other ancillary agreement for all purposes.

k. COUNTERPARTS. This Agreement may be executed in any number of counterparts, each of which shall be deemed an original and all of which counterparts together shall constitute the same instrument which may be sufficiently evidenced by one counterpart. Execution of this Agreement at different times and places by the parties shall not affect the validity thereof so long as all the parties hereto execute a counterpart of this Agreement.

EXECUTED AND EFFECTIVE as of the day and date first above written.

| City of Olympia | STATE OF WASHINGTON | | | | | |
|--|--|--|--|--|--|--|
| A Local government GOVERNMENT AGENCY | DEPARTMENT OF ENTERPRISE SERVICES | | | | | |
| | A GOVERNMENT AGENCY | | | | | |
| Steven By: Digitally signed by Steven Burney Date: 2024.06.10 09:50:26-07'00' | Rebecca By: Digitally signed by Rebecca Linville Date: 2024.06.11 13:43:10 -07'00' | | | | | |
| Name: Steven Jay Burney | Name: Rebecca Linville | | | | | |
| Title: City Manager | Title: Washington State Chief Procurement Officer Assistant Director, Contracts & Procurement | | | | | |

NOTE: Please sign in Adobe and submit this form electronically. It will delay processing if you physically print and sign the form.