



WASHINGTON STATE

Joint Aquatic Resources Permit Application (JARPA) Form^{1,2}

USE BLACK OR BLUE INK TO ENTER ANSWERS IN THE WHITE SPACES BELOW.



US Army Corps
of Engineers
Seattle District

AGENCY USE ONLY

Date received:

Agency reference #: 14-0030

Tax Parcel #(s): _____

Part 1–Project Identification

1. Project Name (A name for your project that you create. Examples: Smith's Dock or Seabrook Lane Development) [\[help\]](#)

Port of Olympia Stormwater Treatment and Conveyance Project

Part 2–Applicant

The person and/or organization responsible for the project. [\[help\]](#)

2a. Name (Last, First, Middle)

Alexandra K. Smith, Director of Environmental Programs

2b. Organization (If applicable)

Port of Olympia

2c. Mailing Address (Street or PO Box)

915 Washington Street NE

2d. City, State, Zip

Olympia, WA 98501

2e. Phone (1)

(360) 528-8020

2f. Phone (2)

()

2g. Fax

(360) 528-8090

2h. E-mail

alexs@portolympia.com

Part 3–Authorized Agent or Contact

¹Additional forms may be required for the following permits:

- If your project may qualify for Department of the Army authorization through a Regional General Permit (RGP), contact the U.S. Army Corps of Engineers for application information (206) 764-3495.
- If your project might affect species listed under the Endangered Species Act, you will need to fill out a Specific Project Information Form (SPIF) or prepare a Biological Evaluation. Forms can be found at <http://www.nws.usace.army.mil/PublicMenu/Menu.cfm?sitename=REG&pagename=mainpage> ESA
- Not all cities and counties accept the JARPA for their local Shoreline permits. If you need a Shoreline permit, contact the appropriate city or county government to make sure they accept the JARPA.

²To access an online JARPA form with [help] screens, go to

http://www.epermitting.wa.gov/site/alias_resourcecenter/jarpa_jarpa_form/9984/jarpa_form.aspx.

For other help, contact the Governor's Office of Regulatory Assistance at 1-800-917-0043 or help@ora.wa.gov.

Attachment 3

Person authorized to represent the applicant about the project. (Note: Authorized agent(s) must sign 11b of this application.) [\[help\]](#)

3a. Name (Last, First, Middle)			
Anderson, Rick			
3b. Organization (If applicable)			
Port of Olympia			
3c. Mailing Address (Street or PO Box)			
915 Washington Street NE			
3d. City, State, Zip			
Olympia, WA 98501			
3e. Phone (1)	3f. Phone (2)	3g. Fax	3h. E-mail
(360) 528-8020	(360) 239-7099	(360) 528-8090	ricka@portolympia.com

Part 4—Property Owner(s)

Contact information for people or organizations owning the property(ies) where the project will occur. Consider both **upland and aquatic** ownership because the upland owners may not own the adjacent aquatic land. [\[help\]](#)

- Same as applicant. (Skip to Part 5.)
- Repair or maintenance activities on existing rights-of-way or easements. (Skip to Part 5.)
- There are multiple upland property owners. Complete the section below and fill out [JARPA Attachment A](#) for each additional property owner.
- Your project is on Department of Natural Resources (DNR)-managed aquatic lands. If you don't know, contact the DNR at (360) 902-1100 to determine aquatic land ownership. If yes, complete [JARPA Attachment E](#) to apply for the Aquatic Use Authorization.

4a. Name (Last, First, Middle)			
Same as applicant			
4b. Organization (If applicable)			
4c. Mailing Address (Street or PO Box)			
4d. City, State, Zip			
4e. Phone (1)	4f. Phone (2)	4g. Fax	4h. E-mail
()	()	()	

Part 5—Project Location(s)

Identifying information about the property or properties where the project will occur. [\[help\]](#)

- There are multiple project locations (e.g. linear projects). Complete the section below and use [JARPA Attachment B](#) for each additional project location.

5a. Indicate the type of ownership of the property. (Check all that apply.) [\[help\]](#)

- Private
 Federal
 Publicly owned (state, county, city, special districts like schools, ports, etc.)
 Tribal
 Department of Natural Resources (DNR) – managed aquatic lands (Complete [JARPA Attachment E](#))

5b. Street Address (Cannot be a PO Box. If there is no address, provide other location information in 5p.) [\[help\]](#)

915 Washington Street NE

5c. City, State, Zip (If the project is not in a city or town, provide the name of the nearest city or town.) [\[help\]](#)

Olympia, WA 98501

5d. County [\[help\]](#)

Thurston

5e. Provide the section, township, and range for the project location. [\[help\]](#)

¼ Section	Section	Township	Range
	11 & 14	18N	2W

5f. Provide the latitude and longitude of the project location. [\[help\]](#)

- Example: 47.03922 N lat. / -122.89142 W long. (Use decimal degrees - NAD 83)

47.031; 122.542

5g. List the tax parcel number(s) for the project location. [\[help\]](#)

- The local county assessor's office can provide this information.

66130000100

5h. Contact information for all adjoining property owners. (If you need more space, use [JARPA Attachment C.](#)) [\[help\]](#)

Name	Mailing Address	Tax Parcel # (if known)
Washington Department of Natural Resources	P.O. Box 47027	Aquatic lands
	Olympia, WA 98401	

5i. List all wetlands on or adjacent to the project location. [help]
N.A.
5j. List all waterbodies (other than wetlands) on or adjacent to the project location. [help]
Budd Inlet, Puget Sound
5k. Is any part of the project area within a 100-year floodplain? [help]
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Don't know
5l. Briefly describe the vegetation and habitat conditions on the property. [help]
The Port's Marine Terminal is almost completely paved with the exception of about two acres of undeveloped land, one storm water pond and landscaping around the Administrative Building. Estuarine and marine species using habitats within the project area may include estuarine and marine fishes, salmonids, birds, and marine mammals.
5m. Describe how the property is currently used. [help]
The site is within the Port peninsula, which includes three existing shipping berths, pier aprons, on-dock cranes, cargo handling equipment, marinas, restaurants, port offices, and warehouse uses.
5n. Describe how the adjacent properties are currently used. [help]
To the south of the marine terminal, there is a seasonal farmer's market that is open from April through December. Adjacent to that are three multi-story office buildings. On the extreme north end of the Port peninsula, there is a restaurant and a radio station. The Port owns Swantown marina on the east side of the Port peninsula, which has approximately 750 slips.
5o. Describe the structures (above and below ground) on the property, including their purpose(s) and current condition. [help]
The largest structure on the property is a 76,000 square foot warehouse called Warehouse A. This is a tilt-up concrete walled building with bow-string trusses that provide the barrel-shaped roof profile. It was built in 1983. Other buildings on the premises include the two-story concrete block Port Administrative building, which was built in the mid 1940s, several modular office buildings that date to the late 1980s, and marina and boatyard offices and restrooms. None of these are affected by this project
5p. Provide driving directions from the closest highway to the project location, and attach a map. [help]
From Interstate 5, Take Exit 105 and go west on Plum Street, following signs to the Port of Olympia. Turn left just past State Avenue onto Olympia Avenue. Turn right onto Marine Drive. Turn right onto Franklin Street. Check in at Port gate and follow the signs to the Port offices.

Part 6–Project Description**6a.** Briefly summarize the overall project. You can provide more detail in 6b. [\[help\]](#)

Stormwater discharge from log handling areas of the marine terminal is subject to regulation under the State Industrial Stormwater General Permit (ISGP) administered by the Washington Department of Ecology. Previous monitoring indicates that discharges have exceeded certain permit benchmarks to the extent that stormwater treatment is required.

In the current project, the Port proposes to install a stormwater treatment system for the portions of the marine terminal used for log handling. The treatment system will be a centralized facility on the eastern portion of the marine terminal adjacent to the existing vegetated stormwater treatment pond. The treatment system will rely on chemical oxidation (using hydrogen peroxide) with the goal of attaining permit benchmark values established in the ISGP. The treatment facility will include a three-cell treatment pond, a pump station and new force main, a control building, a sludge pond and decant facility, and modifications to the existing stormwater conveyance system and existing outfalls.

Stormwater from the marine terminal currently discharges into four drainage basins (A, B, C, and I) and via corresponding outfalls to Budd Inlet. The current project will include installing new storm lines and repairing existing lines to direct the stormwater flow from the B, C, and I basins to the treatment system, and then back out to discharge through the existing C outfall on the northwest end of the marine terminal.

6b. Describe the purpose of the project and why you want or need to perform it. [\[help\]](#)

The goal of the proposed project is to achieve the applicable benchmark values in the ISGP for the industrial log handling areas. There are also structural deficiencies in the existing stormwater system, which will be repaired or upgraded as part of the project.

6c. Indicate the project category. (Check all that apply) [\[help\]](#)

- Commercial
 Residential
 Institutional
 Transportation
 Recreational
 Maintenance
 Environmental Enhancement

6d. Indicate the major elements of your project. (Check all that apply) [\[help\]](#)

<input type="checkbox"/> Aquaculture	<input type="checkbox"/> Culvert	<input type="checkbox"/> Float	<input type="checkbox"/> Retaining Wall (upland)
<input type="checkbox"/> Bank Stabilization	<input type="checkbox"/> Dam / Weir	<input type="checkbox"/> Floating Home	<input type="checkbox"/> Road
<input type="checkbox"/> Boat House	<input type="checkbox"/> Dike / Levee / Jetty	<input type="checkbox"/> Geotechnical Survey	<input type="checkbox"/> Scientific Measurement Device
<input type="checkbox"/> Boat Launch	<input type="checkbox"/> Ditch	<input type="checkbox"/> Land Clearing	<input type="checkbox"/> Stairs
<input type="checkbox"/> Boat Lift	<input type="checkbox"/> Dock / Pier	<input type="checkbox"/> Marina / Moorage	<input checked="" type="checkbox"/> Stormwater facility
<input type="checkbox"/> Bridge	<input type="checkbox"/> Dredging	<input type="checkbox"/> Mining	<input type="checkbox"/> Swimming Pool
<input type="checkbox"/> Bulkhead	<input type="checkbox"/> Fence	<input type="checkbox"/> Outfall Structure	<input checked="" type="checkbox"/> Utility Line
<input type="checkbox"/> Buoy	<input type="checkbox"/> Ferry Terminal	<input type="checkbox"/> Piling/Dolphin	
<input type="checkbox"/> Channel Modification	<input type="checkbox"/> Fishway	<input type="checkbox"/> Raft	

6e. Describe how you plan to construct each project element checked in 6d. Include specific construction methods and equipment to be used. [\[help\]](#)

- Identify where each element will occur in relation to the nearest waterbody.
- Indicate which activities are within the 100-year floodplain.

Specific project elements include:

- Modification and abandonment of existing outfalls: Abandon in place Outfall B and construct a new storm sewer (Storm Line 1) to divert drainage from the abandoned outfall to the main storm sewer that discharges through existing Outfall C. Plug and abandon in place Outfall I and construct a new storm sewer (Storm Line 2) to divert drainage from the abandoned outfall to the main storm sewer that discharges through the C-line. This will allow stormwater from the site to be diverted to a single location for treatment.
- Rehabilitate the existing C-line: Repair and replace structural deficiencies in the existing 30-inch pipe.
- Reroute roof runoff and drainage, which does not require treatment, from the existing terminal warehouse building to Outfall A.
- Construct a combined diversion structure/pump station that will prevent tidal water from entering the primary storm sewer system except under extremely high tides. Treated stormwater will also connect to this structure downstream of the weir. The pump station will deliver stormwater to the treatment facility.
- Construct a new force main to route stormwater from the pump station to the treatment facility.
- Construct new gravity conveyance pipe to convey treated stormwater from the treatment facility to the diversion structure.
- Construct a stormwater treatment system that will provide oxidation, settling, filtration, and polishing of stormwater. Components include: Three-cell treatment pond that provides equalization, oxidation, pH adjustment, and settling; Control building with chemical storage, mixing tanks, injection, and monitoring and controls; Backflushing sand filters; Sludge pond, filter press, and sludge pumping, transport, and conditioning facilities; Decant facility; Existing stormwater pond, which will be restored by removing some of the accumulated vegetation and sediment to enhance treatment of stormwater runoff from offsite contributing areas
- Modify the existing stormwater pond to include a wetpond to provide stormwater treatment for offsite runoff (primarily areas east of Marine Drive).

No work is proposed below the ordinary high water mark. The following project elements are within the City of Olympia 200-foot shoreline environment (See Figure A):

- Installation of a new 18 inch stormwater line north of the warehouse;
- Installation of a new 12 inch stormwater line west of the new stormwater pump station;
- Installation of a new electrical utility line from the new pump station to an existing transformer;
- A small portion of the sedimentation basin within the shoreline environment will be filled and abandoned.

6f. What are the anticipated start and end dates for project construction? (Month/Year) [\[help\]](#)

- If the project will be constructed in phases or stages, use [JARPA Attachment D](#) to list the start and end dates of each phase or stage.

Start date: 2ND Quarter 2014

End date: December 2014

 See JARPA Attachment D**6g.** Fair market value of the project, including materials, labor, machine rentals, etc. [\[help\]](#)

\$7,600,000

6h. Will any portion of the project receive federal funding? [\[help\]](#)

- If yes, list each agency providing funds.

 Yes No Don't know
Part 7–Wetlands: Impacts and Mitigation

- Check here if there are wetlands or wetland buffers on or adjacent to the project area.
(If there are none, skip to Part 8.) [\[help\]](#)

7a. Describe how the project has been designed to avoid and minimize adverse impacts to wetlands. [\[help\]](#) Not applicable**7b.** Will the project impact wetlands? [\[help\]](#)
 Yes No Don't know
7c. Will the project impact wetland buffers? [\[help\]](#)
 Yes No Don't know
7d. Has a wetland delineation report been prepared? [\[help\]](#)

- If Yes, submit the report, including data sheets, with the JARPA package.

 Yes No
7e. Have the wetlands been rated using the Western Washington or Eastern Washington Wetland Rating System? [\[help\]](#)

- If Yes, submit the wetland rating forms and figures with the JARPA package.

 Yes No Don't know
7f. Have you prepared a mitigation plan to compensate for any adverse impacts to wetlands? [\[help\]](#)

- If Yes, submit the plan with the JARPA package and answer 7g.
- If No, or Not applicable, explain below why a mitigation plan should not be required.

 Yes No Not applicable

7g. Summarize what the mitigation plan is meant to accomplish, and describe how a watershed approach was used to design the plan. [\[help\]](#)

7h. Use the table below to list the type and rating of each wetland impacted, the extent and duration of the impact, and the type and amount of mitigation proposed. Or if you are submitting a mitigation plan with a similar table, you can state (below) where we can find this information in the plan. [\[help\]](#)

Activity (fill, drain, excavate, flood, etc.)	Wetland Name ¹	Wetland type and rating category ²	Impact area (sq. ft. or Acres)	Duration of impact ³	Proposed mitigation type ⁴	Wetland mitigation area (sq. ft. or acres)

¹ If no official name for the wetland exists, create a unique name (such as "Wetland 1"). The name should be consistent with other project documents, such as a wetland delineation report.

² Ecology wetland category based on current Western Washington or Eastern Washington Wetland Rating System. Provide the wetland rating forms with the JARPA package.

³ Indicate the days, months or years the wetland will be measurably impacted by the activity. Enter "permanent" if applicable.

⁴ Creation (C), Re-establishment/Rehabilitation (R), Enhancement (E), Preservation (P), Mitigation Bank/In-lieu fee (B)

Page number(s) for similar information in the mitigation plan, if available: _____

7i. For all filling activities identified in 7h, describe the source and nature of the fill material, the amount in cubic yards that will be used, and how and where it will be placed into the wetland. [\[help\]](#)

7j. For all excavating activities identified in 7h, describe the excavation method, type and amount of material in cubic yards you will remove, and where the material will be disposed. [\[help\]](#)

--

Part 8–Waterbodies (other than wetlands): Impacts and Mitigation

In Part 8, “waterbodies” refers to non-wetland waterbodies. (See Part 7 for information related to wetlands.) [\[help\]](#)

Check here if there are waterbodies on or adjacent to the project area. (If there are none, skip to Part 9.)

8a. Describe how the project is designed to avoid and minimize adverse impacts to the aquatic environment. [\[help\]](#)

Not applicable

The project will provide a stormwater treatment system and improved conveyance systems for the marine terminal, and will treat stormwater associated with Marine Terminal operations, including log handling, with the goal of improved water quality. No new adverse surface, ground, or runoff water impacts are anticipated. To minimize the erosion potential of stormwater runoff during construction, temporary erosion control measures, such as silt fences or straw wattles, would be deployed as needed and according to the project’s Construction Stormwater and Erosion Control Plan. The existing slurry wall that is part of the Cascade Pole site will be protected during construction. Construction work would be monitored, maintained, and adjusted as necessary to meet changing conditions.

8b. Will your project impact a waterbody or the area around a waterbody? [\[help\]](#)

Yes No

8c. Have you prepared a mitigation plan to compensate for the project's adverse impacts to non-wetland waterbodies? [\[help\]](#)

- If Yes, submit the plan with the JARPA package and answer 8d.
- If No, or Not applicable, explain below why a mitigation plan should not be required.

Yes No Not applicable

The goal of the project is to improve water quality with the goal of achieving stormwater benchmark values established by the Department of Ecology. No adverse impacts to adjacent surface water is expected. Potential discharges due to erosion during construction will be controlled via implementation of the CESP.

8d. Summarize what the mitigation plan is meant to accomplish. Describe how a watershed approach was used to design the plan.

- If you already completed 7g you do not need to restate your answer here. [\[help\]](#)

8e. Summarize impact(s) to each waterbody in the table below. [\[help\]](#)

Activity (clear, dredge, fill, pile drive, etc.)	Waterbody name ¹	Impact location ²	Duration of impact ³	Amount of material (cubic yards) to be placed in or removed from waterbody	Area (sq. ft. or linear ft.) of waterbody directly affected

¹ If no official name for the waterbody exists, create a unique name (such as "Stream 1") The name should be consistent with other documents provided.

² Indicate whether the impact will occur in or adjacent to the waterbody. If adjacent, provide the distance between the impact and the waterbody and indicate whether the impact will occur within the 100-year flood plain.

³ Indicate the days, months or years the waterbody will be measurably impacted by the work. Enter "permanent" if applicable.

8f. For all activities identified in 8e, describe the source and nature of the fill material, amount (in cubic yards) you will use, and how and where it will be placed into the waterbody. [\[help\]](#)

8g. For all excavating or dredging activities identified in 8e, describe the method for excavating or dredging, type and amount of material you will remove, and where the material will be disposed. [\[help\]](#)

--

Part 9—Additional Information

Any additional information you can provide helps the reviewer(s) understand your project. Complete as much of this section as you can. It is ok if you cannot answer a question.

9a. If you have already worked with any government agencies on this project, list them below. [help]			
Agency Name	Contact Name	Phone	Most Recent Date of Contact
City of Olympia			
WA Dept of Ecology			
9b. Are any of the wetlands or waterbodies identified in Part 7 or Part 8 of this JARPA on the Washington Department of Ecology's 303(d) List? [help]			
<ul style="list-style-type: none"> • If Yes, list the parameter(s) below. • If you don't know, use Washington Department of Ecology's Water Quality Assessment tools at: http://www.ecy.wa.gov/programs/wq/303d/. 			
<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No			
Budd Inlet is on the 303(d) list for Benzo (A) Anthracene, Benzo (b) fluorine, Benzo (k) fluorine, Chrysene, Dissolved Oxygen, Total PCBs, PH, Temperature, Ammonia-N, Fecal Coliform			
9c. What U.S. Geological Survey Hydrological Unit Code (HUC) is the project in? [help]			
<ul style="list-style-type: none"> • Go to http://cfpub.epa.gov/surf/locate/index.cfm to help identify the HUC. 			
17110016 Deschutes Watershed			
9d. What Water Resource Inventory Area Number (WRIA #) is the project in? [help]			
<ul style="list-style-type: none"> • Go to http://www.ecy.wa.gov/services/gis/maps/wria/wria.htm to find the WRIA #. 			
13 Deschutes			
9e. Will the in-water construction work comply with the State of Washington water quality standards for turbidity? [help]			
<ul style="list-style-type: none"> • Go to http://www.ecy.wa.gov/programs/wq/swqs/criteria.html for the standards. 			

Yes No Not applicable

9f. If the project is within the jurisdiction of the Shoreline Management Act, what is the local shoreline environment designation? [\[help\]](#)

- If you don't know, contact the local planning department.
- For more information, go to: http://www.ecy.wa.gov/programs/sea/sma/laws_rules/173-26/211_designations.html.

Rural Urban Natural Aquatic Conservancy Other _____

9g. What is the Washington Department of Natural Resources Water Type? [\[help\]](#)

- Go to http://www.dnr.wa.gov/BusinessPermits/Topics/ForestPracticesApplications/Pages/fp_watertyping.aspx for the Forest Practices Water Typing System.

Shoreline Fish Non-Fish Perennial Non-Fish Seasonal

9h. Will this project be designed to meet the Washington Department of Ecology's most current stormwater manual? [\[help\]](#)

- If No, provide the name of the manual your project is designed to meet.

Yes No

Name of manual: Stormwater Management Manual for Western Washington

9i. Does the project site have known contaminated sediment? [\[help\]](#)

- If Yes, please describe below.

Yes No

9j. If you know what the property was used for in the past, describe below. [\[help\]](#)

The upland property was created from historic dredging and filling activities over the last century. These areas have been used for shipping and industrial purposes.

9k. Has a cultural resource (archaeological) survey been performed on the project area? [\[help\]](#)

- If Yes, attach it to your JARPA package.

Yes No

9l. Name each species listed under the federal Endangered Species Act that occurs in the vicinity of the project area or might be affected by the proposed work. [\[help\]](#)

Federally listed or threatened/endangered species that could potentially occur in Budd Inlet include the Puget Sound Chinook salmon, Puget Sound Steelhead Trout, Coastal-Puget Sound Bull Trout, Southern Resident Orca, Bocaccio rockfish, yelloweye rockfish, and canary rockfish.

9m. Name each species or habitat on the Washington Department of Fish and Wildlife's Priority Habitats and Species List that might be affected by the proposed work. [help]

Chinook salmon, chum salmon, coast resident cutthroat, and coho salmon species are present in Budd Inlet. Construction methods and mitigation measures intended to avoid impacts on aquatic species are incorporated in the project.

Yuma myotis, little brown myotis, purple martin, peregrine falcon, and great egret are associated with upland habitats. There are no anticipated impacts on these species due to the temporary maintenance dredging activities.

Part 10—SEPA Compliance and Permits

Use the resources and checklist below to identify the permits you are applying for.

- Online Project Questionnaire at <http://apps.ecy.wa.gov/opas/>.
- Governor's Office of Regulatory Assistance at (800) 917-0043 or help@ora.wa.gov.
- For a list of addresses to send your JARPA to, click on [agency addresses for completed JARPA](#).

10a. Compliance with the State Environmental Policy Act (SEPA). (Check all that apply.) [help]

- For more information about SEPA, go to www.ecy.wa.gov/programs/sea/sepa/e-review.html.

A copy of the SEPA determination or letter of exemption is included with this application.

A SEPA determination is pending with _____ (lead agency). The expected decision date is _____.

I am applying for a Fish Habitat Enhancement Exemption. (Check the box below in 10b.) [help]

This project is exempt (choose type of exemption below).

Categorical Exemption. Under what section of the SEPA administrative code (WAC) is it exempt?

Other: _____

SEPA is pre-empted by federal law.

10b. Indicate the permits you are applying for. (Check all that apply.) [help]**LOCAL GOVERNMENT****Local Government Shoreline permits:**

Substantial Development Conditional Use Variance

Shoreline Exemption Type (explain): Normal Maintenance and Repair, WAC 173-27-040(2)(b)

Other city/county permits:

Floodplain Development Permit Critical Areas Ordinance

STATE GOVERNMENT

Washington Department of Fish and Wildlife:

- Hydraulic Project Approval (HPA) Fish Habitat Enhancement Exemption – Attach Exemption Form

Effective July 10, 2012, you must submit a check for \$150 to Washington Department of Fish and Wildlife, unless your project qualifies for an exemption or alternative payment method below. **Do not send cash.**

Check the appropriate boxes:

- \$150 check enclosed. (Check # _____)
Attach check made payable to Washington Department of Fish and Wildlife.
- Charge to billing account under agreement with WDFW. (Agreement # _____)
- My project is exempt from the application fee. (Check appropriate exemption)
- HPA processing is conducted by applicant-funded WDFW staff.
(Agreement # _____)
- Mineral prospecting and mining.
- Project occurs on farm and agricultural land.
(Attach a copy of current land use classification recorded with the county auditor, or other proof of current land use.)
- Project is a modification of an existing HPA originally applied for, prior to July 10, 2012.
(HPA # _____)

Washington Department of Natural Resources:

- Aquatic Use Authorization
Complete JARPA Attachment E and submit a check for \$25 payable to the Washington Department of Natural Resources.
Do not send cash.

Washington Department of Ecology:

- Section 401 Water Quality Certification

FEDERAL GOVERNMENT**United States Department of the Army permits (U.S. Army Corps of Engineers):**

- Section 404 (discharges into waters of the U.S.) Section 10 (work in navigable waters)

United States Coast Guard permits:

- General Bridge Act Permit Private Aids to Navigation (for non-bridge projects)

Part 11—Authorizing Signatures

Signatures are required before submitting the JARPA package. The JARPA package includes the JARPA form, project plans, photos, etc. [\[help\]](#)

11a. Applicant Signature (required) [\[help\]](#)

I certify that to the best of my knowledge and belief, the information provided in this application is true, complete, and accurate. I also certify that I have the authority to carry out the proposed activities, and I agree to start work only after I have received all necessary permits.

I hereby authorize the agent named in Part 3 of this application to act on my behalf in matters related to this application. _____ (initial)

Attachment 3

By initialing here, I state that I have the authority to grant access to the property. I also give my consent to the permitting agencies entering the property where the project is located to inspect the project site or any work related to the project. AKS (initial)

Alexandra K. Smith Applicant Printed Name Alexandra K. Smith Applicant Signature 2/26/14 Date

11b. Authorized Agent Signature [\[help\]](#)

I certify that to the best of my knowledge and belief, the information provided in this application is true, complete, and accurate. I also certify that I have the authority to carry out the proposed activities and I agree to start work only after all necessary permits have been issued.

Authorized Agent Printed Name Authorized Agent Signature Date

11c. Property Owner Signature (if not applicant). [\[help\]](#)

Not required if project is on existing rights-of-way or easements.

I consent to the permitting agencies entering the property where the project is located to inspect the project site or any work. These inspections shall occur at reasonable times and, if practical, with prior notice to the landowner.

Property Owner Printed Name Property Owner Signature Date

18 U.S.C §1001 provides that: Whoever, in any manner within the jurisdiction of any department or agency of the United States knowingly falsifies, conceals, or covers up by any trick, scheme, or device a material fact or makes any false, fictitious, or fraudulent statements or representations or makes or uses any false writing or document knowing same to contain any false, fictitious, or fraudulent statement or entry, shall be fined not more than \$10,000 or imprisoned not more than 5 years or both.

If you require this document in another format, contact the Governor's Office of Regulatory Assistance (ORA) at (800) 917-0043. People with hearing loss can call 711 for Washington Relay Service. People with a speech disability can call (877) 833-6341. ORA publication number: ENV-019-09 rev. 06-12