



Municipal Stormwater Permit

The City of Olympia is subject to the Western Washington Phase II Municipal Stormwater Permit (Municipal Stormwater Permit), an NPDES permit administered by Ecology. The municipal stormwater permit covers discharges from the City's municipal separate storm sewer system (MS4) into surface water and groundwater. Specific requirements of the Municipal Stormwater Permit follow.

- Annually update the city's Stormwater Management Program Plan, a set of actions and activities documenting how the city meets the following requirements.
- Maintain an education and outreach program designed to reduce or eliminate behaviors and practices that cause or contribute to adverse stormwater impacts and encourage the public to participate in stewardship activities.
- Maintain a map of the stormwater infrastructure.
- Implement a program to characterize, trace, and eliminate illicit discharges of pollutants.
- Implement an illicit discharge training program for all municipal field staff.
- Maintain a hotline telephone number for public reporting of spills.
- Implement and enforce the Drainage Design and Erosion Control Manual. This involves insuring the design of all new development and redevelopment complies with stormwater quality and quantity control requirements intended to maintain water quality standards.
- Inspect all permitted development sites during construction to verify proper installation and maintenance of required erosion and sediment controls. Enforce as necessary based on the inspection.
- Inspect all permitted development sites after construction to verify proper installation of permanent stormwater management facilities.
- Annually inspect and maintain all city-owned or city maintained stormwater facilities.
- Revise regulations to make low impact development the preferred and commonly used approach to land development.
- Annually inspect and enforce maintenance of private stormwater facilities constructed after 2007.
- Inspect all city-owned catch basins on a 2-year cycle and clean as necessary.
- Comply with the Total Maximum Daily Load (TMDL)-specific requirements identified in the following section.
- Contribute to the Regional Stormwater Monitoring Program explained later in this chapter.
- Notify Ecology of any discharge into or from the MS4 which could constitute a threat to human health, welfare or the environment.
- Submit annual report to Ecology documenting compliance with permit requirements.

	<u>Core Services</u>	<u>Programs</u>	<u>Complement by Core Service</u>	<u>FTE Complement by Program</u>
1	Administration & Support Services		3.72	0.00
		G. Adm.		2.16
		Budgeting		0.00
		Safety and Training		0.60
		Staff Mgmt.		0.15
		Program Mgmt.		0.15
		Support Services		0.66
2	Technical Review and Support		1.10	
		Development Review		0.40
		STOPS		0.40
		Tech Expertise Inhouse and out		0.10
		HPA, shoreline (refer to Ch 7)		0.20
3	Asset Management		3.15	
		Mapping		0.95
		Public Storm Infrastructure Management		0.25
		Private Storm Facility Management		0.70
		Pipe condition rating/ CCTV		0.25
		Habitat monitoring & evaluation		0.30
		WQ monitoring & evaluation		0.10
		Data management		0.60
4	Capital Facility Program		3.15	
		Flooding		0.20
		WQ		0.20
		Habitat		0.00
		O&M Construction and Repair		2.75
5	Long Range Planning		1.28	
		WQ Coordination (inc. NPDES/TMDL)		0.45
		SSW Plan		0.20
		Habitat Coordination		0.50
		OMC		0.08
		SOPs		0.05
6	Pollution Prevention		3.25	
		Illicit Discharge Investigation		0.35
		Illicit Discharge Prevention		0.35
		Education and Outreach		0.70
		O&M Spill Response		0.40
		O&M Cleaning (Pipes and Structures)		0.65
		Stormwater Facility Maintenance (Pond sed)		0.30
		Street Sweeping		0.15
		Solids Management		0.35
7	Habitat Mgmt		1.70	
		Education and Outreach		0.40
		Restoration		0.60
		Stewardship Planning		0.50
		Volunteer Coordination		0.20
8	Flood Prevention and Response		4.25	
		Stormwater Facility Maintenance (includes Veg.)		3.50
		Hot Spot Response		0.35
		Storm Response		0.10
		Education and Outreach (e.g. rake a drain)		0.30
9	Emergency Response		0	0.00
				21.60