

Project Name: OSOBERRY MULTIFAMILY- 6 PLEXES

Project Number #: 17-1132 BP15-3383

☒ Detail Design Review

DRB Meeting Date: May 25, 2017

CITY OF OLYMPIA
MULTI-FAMILY RESIDENTIAL
Chapter 18.170

18.170.010 Grading and tree retention**A. REQUIREMENT:**

Complies

☐

Conflicts

☐

N/A

☒

Incorporate existing topography and mature trees in the project design to the extent feasible.

B. GUIDELINES:

- ☐ Minimize encroachment into areas of site containing steep slopes.
- ☐ When grading is necessary, minimize impacts to natural topography through use of contour grading.
- ☐ Locate buildings so that rooftops do not extend above the natural bluff.
- ☐ Minimize encroachment into areas of site containing mature tree stands.
- ☐ To facilitate stormwater infiltration, minimize disturbance of natural open space areas.
- ☐ Design buildings with continuous perimeter foundations; avoid cantilevering large portions of the building over slopes.

STAFF RESPONSE:

The site has been previously cleared of vegetation years ago.

18.170.020 – Pedestrian and vehicular circulation**A. REQUIREMENT:**

Complies

☒

Conflicts

☐

N/A

☐

Integrate the project with the existing neighborhood through pedestrian and vehicular connections. Provide attractively designed pedestrian and vehicular connections to adjacent public rights-of-way, including any existing or planned bus stops. Provide adequate pedestrian and vehicular access to site features such as mailboxes and other shared facilities.

B. GUIDELINES:

- ☐ Mark pedestrian pathways with vertical plantings.
- ☐ Distinguish pedestrian pathways through use of surface material such as colored concrete or special pavers.
- ☐ Provide internal pedestrian connections (apart from public rights-of-way) between project and adjacent properties.
- ☐ Provide barrier-free pedestrian access to all shared facilities such as mailboxes, recreation centers, and open space areas.
- ☐ Provide parking and bicycle parking at shared facilities.

STAFF RESPONSE: Streets and sidewalks are already constructed. Walkways between the public sidewalk and the front entrances are being provided.

18.170.030 – Parking location and design**A. REQUIREMENT:**

Complies

☒

Conflicts

☐

N/A

☐

Reduce the visual impacts of driveways and parking lots on pedestrians and neighboring properties by constructing parking facilities with materials that match or complement the building materials.

B. GUIDELINES:

- ☐ Break-up large parking lots by designing significant landscape areas with walkways for pedestrian access.
- ☐ Share driveways with adjacent property owners.
- ☐ Minimize width of driveways linking the project to the public right-of-way.
- ☐ Landscape areas along all driveways and drive aisles that are visible from the street.
- ☐ Limit parking lots on street frontage to thirty (30) percent of the street frontage.
- ☐ Screen parking lots or structures adjacent to residential properties with a landscape area at least ten (10) feet wide.

STAFF RESPONSE:

Vehicle parking is provided at the rear of the parcel, similar to the adjacent multifamily developments.

18.170.040 – Usable open space**A. REQUIREMENT:**

Complies

☐

Conflicts

☐

N/A

☒

Provide usable open space for use by residents of the development that is not occupied by buildings, streets, driveways, or parking areas. Usable open space shall include a minimum dimension of ten (10) feet with an overall grade of less than ten percent (refer to each zoning district for specific open space requirement).

B. GUIDELINES:

- ☐ Situate playground areas in locations visible from residential buildings.
- ☐ Provide a mix of passive and active recreation areas. Active recreation areas may include facilities such as sport courts or swimming pools.

STAFF RESPONSE:

The zoning district does not have a requirement for open space.

18.170.050 – Fences and walls**A. REQUIREMENT:**

Complies

☒

Conflicts

☐

N/A

☐

Minimize the use of fences that inhibit pedestrian movement or separate the project from the neighborhood. Front yards shall be visually open to the street. Where fencing is used, provide gates or openings at frequent intervals. Provide variation in fencing to avoid blank walls.

B. GUIDELINES:

- ☐ Provide variation in fencing through use of setbacks, or stepped fence heights.
- ☐ Provide variation in texture, color or materials to add visual interest.
- ☐ Provide landscape screening to break up expanses of fencing.
- ☐ Repeat use of building facade material on fence columns and/or stringers.
- ☐ Provide lighting, canopies, trellises, or other features to add visual interest.

STAFF RESPONSE:

No front yard fencing is proposed.

18.170.060 – Landscape plant selection**A. REQUIREMENT:**

Complies

☒

Conflicts

☒

N/A

☐

Select plants that are compatible with available planting conditions. In particular, ensure that trees will be suited to the planting location at their natural mature size. Avoid use of species that have a high potential to invade or disrupt natural areas.

B. GUIDELINES:

- ☐ Provide visual continuity with the existing streetscape by coordinating tree and shrub species with established, healthy landscaping.
- ☐ When choosing a tree species, consider the size of the tree at maturity in relation to: the dimensions of the planting area, the soil type and water holding capacity of the soil, and the depth of the planting bed.
- ☐ Create a natural appearance by using a limited number of plant species.
- ☐ Follow recommendations from the Thurston County Noxious Weed Control Program in regard to problem and noxious weeds.
- ☐ Choose native plant species for landscaping. When established in the appropriate location, native plants are drought tolerant and provide food and/or habitat for native birds and other wildlife.

STAFF RESPONSE: Tree selection has been approved by the Urban Forester. Plants are generally suited to local conditions. Perimeter landscaping is required along the rear and side property boundaries and the proposed river rock to be used for ground cover is not acceptable.

18.170.070 – Screening mechanical equipment**A. REQUIREMENT:**

Complies

☒

Conflicts

☐

N/A

☐

Screen mechanical equipment and utility vaults so that they are not visible from adjacent public rights-of-way, parks, or adjacent dwelling units. Screen roof-top mechanical equipment on all sides.

B. GUIDELINES:

- ☐ Locate mechanical equipment and utility vaults on the least visible side of the building and/or site.
- ☐ Screen at-grade mechanical equipment utilities with vertical plants such as trees, shrubs or ornamental grasses.
- ☐ Screen or paint wall-mounted mechanical equipment to match the building.

STAFF RESPONSE:

Mechanical equipment will be located within each individual dwelling unit. Utility vaults are not shown on the plan.

18.170.080 – Site lighting**A. REQUIREMENT:**

Complies

☐

Conflicts

☒

N/A

☐

Provide adequate lighting along all pedestrian walkways and building entrances. Site lighting shall not unduly illuminate surrounding properties. Direct lighting away from windows of residential units. Locate all light posts away from tree canopies (at least half the width of canopy at maturity).

B. GUIDELINES:

- ☐ Use low-intensity landscape lighting along walkways.
- ☐ Use fixtures with directive shields to prevent lighting spill-over.
- ☐ Use light posts of medium height to avoid spill-over lighting.

STAFF RESPONSE:

Lighting is proposed on the front of each entry door and between each garage at the rear. No pedestrian lighting is proposed.

18.170.90 – Screening blank walls and fences**A. REQUIREMENT:**

Complies

☒

Conflicts

☐

N/A

☐

Use vertical landscaping to screen or break-up long expanses of blank building walls or fences.

B. GUIDELINES:

- ☒ Screen walls or fences with a combination of trees, shrubs and vines.
- ☐ Use trees or shrubs planted in raised planter boxes that are irrigated.
- ☐ In narrow planting areas adjacent to walls or fences, use espaliered trees or shrubs and vines.

18.170.100 – Building orientation and entries**A. REQUIREMENT:**

Complies

☒

Conflicts

☒

N/A

☐

Provide a clearly defined building or courtyard entry to the building from the primary street.

B. GUIDELINES:

- ☐ Use distinctive architectural elements and materials to indicate the entry.
- ☐ Define the transition space from the sidewalk to the entry with a terrace, plaza, or landscaped area.
- ☐ Avoid the use of exterior stairways to second stories that are visible from the street.

STAFF RESPONSE:

Front entry doors do not face the street. Need input from the Board - having pedestrian sidewalks and covered stoops help to meet this requirement? Some units will share a pathway to the front door.

18.170.110 – Neighborhood scale and character**A. REQUIREMENT:**

Complies

☒

Conflicts

☐

N/A

☐

The building scale identified for the district may be larger than the building scale that exists in the neighborhood. Minimize any appearance of scale differences between project building(s) and existing neighborhood buildings by stepping the height of the building mass, and dividing large building facades into smaller segments. Reflect the architectural character of the neighborhood (within 300' on the same street) through use of related building elements.

B. GUIDELINES:

- ☐ Step the roof on the building perimeter segments to transition between a proposed taller building and an existing residential structure.
- ☒ Replicate or approximate roof forms and pitch found on existing residential structures in the neighborhood.
- ☐ Use wall plane modulation to divide the building facade into house-size building segments.
- ☒ Use window patterns and proportions similar to those on existing residential structures in the neighborhood.
- ☒ Use building facade materials similar to those used on existing residential buildings in the neighborhood.
- ☒ Maintain a relationship to the street (i.e., building setbacks and entryways) similar to existing buildings.

STAFF RESPONSE:

The other multifamily developments in this vicinity are all 3 story buildings. Though this building size is much smaller in scale, it is compatible with other housing found in the vicinity. The project utilizes pathway entries to each unit, exterior materials, windows details that are similar to other housing found in the area, which help to blend in with the existing neighborhood character.

18.170.120 – Building modulation**A. REQUIREMENT:**

Complies

☒

Conflicts

☒

N/A

☐

Use building modulation at least every 30 feet to reduce the appearance of large building masses.

B. GUIDELINES:

- ☐ Modulate the building facade at regular intervals.
- ☐ Articulate roofline by stepping the roof and by using dormers and gables.
- ☐ Incorporate prominent cornice, fascia or soffit details that emphasize the top of the building.
- ☐ Use prominent roof overhangs.
- ☐ Provide porches, balconies, and covered entries.
- ☐ Provide deeply recessed or protruding windows.
- ☐ Provide light fixtures, trellises or architectural to accentuate modulation intervals.

STAFF RESPONSE: The building modulation on the front is very minimal. There is no modulation provided on the sides and rear elevations.

18.170.130 – Building windows**A. REQUIREMENT:**

Complies

☒

Conflicts

☐

N/A

☐

Provide relief, detail, and visual rhythm on the facade with well-proportioned windows. Minimize window locations where residents from one unit may look directly into another unit.

B. GUIDELINES:

- ☐ Use vertically proportioned windows (i.e., windows that have a height of at least one and one-half times their width).
- ☐ Use multiple-pane windows.
- ☐ Provide windows that are designed to create shadows (either recessed or protruding).
- ☐ Use visually significant window elements (i.e., frame dimensions, lintels, sills, casings, and trim).

18.170.140 – Materials and colors**A. REQUIREMENT:**

Complies

☒

Conflicts

☒

N/A

☐

Use building materials with texture and pattern and a high level of visual and constructed quality and detailing. Reserve brightly saturated colors for trim features.

B. GUIDELINES:

- ☐ Use natural appearing materials such as painted or natural finish horizontal lap siding, brick, stone, stucco, ceramic or terra cotta tile.
- ☐ Coordinate change in materials and color with building modulation.
- ☐ Use changes in colors or building materials to differentiate the ground floor from upper floors of the building.
- ☐ When remodeling or adding to an existing building, use materials and colors that preserve or enhance the character of the original building.
- ☐ In multi-building projects, vary building colors and/or materials on different buildings.

STAFF RESPONSE: The front façade meets this but the other 3 elevations do not.