

VeloMax

SHELTERS

Features

- ▶ Perfect for student housing
- ▶ U-lockable solid Steel Hoops
- ▶ Optional Side and Rear Panels
- ▶ Economical and space saving

Ideal for locations where space is limited, VeloMax is designed to accommodate the maximum number of bikes in the minimum amount of space. Only 48" deep and 12-feet wide, 9 bikes can be parked securely using our integrated, vertical MaxRacks. VeloMax can be placed virtually anywhere, even against buildings.









Specifications

- Specifications
- Frame: Steel Tubing
- Roof/Sides: Twin Wall, 6mm Polycarbonate, UV Coated
- Dimensions:

single 12"L x 4'D x 8'8"H

246" - 40 / 80"

36'8"L x 4'D x 8'8"H triple

Options*

- Finishes: Powder Coated-standard Galvanized
- Side/Rear Panels: •Twin Wall, 6mm Translucent Polycarbonate, UV Coated
- Graphics: Silk Screening

Cap	acity	Cha	rt.	~~	#	Bil	201	*
600 AV	4 4.	1	1		m			

VeloMax (single) velomax (double

27

VeloMax (triple)

Visit our website for details.



Bicycle racks are not included with shelters

*Capacity configured using MaxRacks



BOLLARD LIGHT



BIKE SHELTER



RED DOOR



WHITE DOOR



EXTERIOR WALL SCONCE



CPD RECEIVED 6/14/17 JL



Prarifire Crabapple



Vine Maple



Alpine fir



Dwarf Fountain Grass



Unique Rhododendron



Goldmound Spirea



Bunchberry



Otto Luyken Laurel



Japanese Pieris



Daylilly



Emerald Green Arborvitae



Evergreen Salal



Myrica- Pacific Wax Myrtle



Cardinal Mountain Ash (EAB resistant)



Mountain Laurel